

# PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>B0662/7026W0</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/US 99/ 29996</b>	International filing date (day/month/year) <b>20/12/1999</b>	(Earliest) Priority Date (day/month/year) <b>30/12/1998</b>
Applicant <b>BETH ISRAEL DEACONESS MEDICAL CENTER, INC. et al.</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 9 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

### 1. Basis of the report

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing:

☒ contained in the international application in written form.

☒ filed together with the international application in computer readable form.

☐ furnished subsequently to this Authority in written form.

☐ furnished subsequently to this Authority in computer readable form.

☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☒ **Certain claims were found unsearchable** (See Box I).

3. ☒ **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,

☐ the text is approved as submitted by the applicant.

☒ the text has been established by this Authority to read as follows:

**CHARACTERIZATION OF THE SOC/CRAC CALCIUM CHANNEL PROTEIN FAMILY**

5. With regard to the **abstract**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

☒ as suggested by the applicant.

☐ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

1  
☐ None of the figures.

## INTERNATIONAL SEARCH REPORT

International Application No

/US 99/29996

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07K14/705 C12N15/12 C12Q1/68 C12N5/10 C07K16/28  
G01N33/53 A61K38/17

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K C12Q A61K G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

BIOSIS, EPO-Internal, WPI Data, PAJ, MEDLINE, SCISEARCH, EMBASE, BIOTECHNOLOGY  
ABS, CHEM ABS Data, STRAND, GENSEQ, EMBL

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE GENEMBL 'Online! 16 February 1998 (1998-02-16) STRAUSBERG, R.: "ob70f05.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1336737 3', mRNA sequence" XP002138823 Accession AA809355</p> <p>---</p>	1,2, 6-19, 25-35
X	<p>DATABASE GENEMBL 'Online! 10 July 1998 (1998-07-10) MARRA ET AL.: "ub28d10.r1 Soares 2NbMT Mus musculus cDNA clone IMAGE:1379059 5' mRNA sequence" XP002149803 Accession AI050262</p> <p>---</p> <p style="text-align: center;">-/--</p>	1,6-19, 25-35

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

16 October 2000

Date of mailing of the international search report

30. 10. 00

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

ALCONADA RODRIG..., A

## INTERNATIONAL SEARCH REPORT

International Application No

US 99/29996

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE GENEMBL 'Online!  19 July 1997 (1997-07-19)  STRAUSBERG, R.: "ni64e11.s1 NCI_CGAP_Pr12  Homo sapiens cDNA clone IMAGE:981644 mRNA  sequence"  XP002148641  Accession AA523749</p> <p>---</p>	<p>1,3,  10-19,  25-35</p>
X	<p>W0 98 15657 A (ABBOTT LAB)  16 April 1998 (1998-04-16)</p> <p>page 4, line 7 -page 5, line 13  page 5, line 24 -page 7, line 28</p>	<p>1,4,  6-19,  25-35</p>
Y	<p>SEQ ID NOs. 9 and 25</p> <p>---</p>	<p>20-24</p>
X	<p>W0 98 37093 A (CORIXA CORP)  27 August 1998 (1998-08-27)</p> <p>page 7, paragraph 2  page 9, paragraphs 2,3  page 13 -page 17  page 21, paragraph 3</p>	<p>1,4,  6-19,  25-35</p>
Y	<p>SEQ ID NOs: 109 and 112</p> <p>---</p>	<p>20-24</p>
X	<p>DATABASE GENEMBL 'Online!  18 November 1997 (1997-11-18)  STRAUSBERG, R.: "nt76b07.s1 NCI_CGAP_Pr3  Homo sapiens cDNA clone IMAGE:1204405,  mRNA"  XP002148642</p>	<p>1,5-19,  25-35</p>
Y	<p>Accession AA654650</p> <p>---</p>	<p>20-24</p>
Y	<p>DATABASE GENEMBL 'Online!  30 November 1998 (1998-11-30)  SHIMIZU, N.: "Homo sapiens mRNA complete  cds."  XP002148643  Accession number AB001535  -&amp; NAGAMINE ET AL.: "Molecular cloning of  a novel putative Ca<sup>2+</sup> channel protein  (TRPC7) highly expressed in brain"  GENOMICS,  vol. 54, 15 November 1998 (1998-11-15),  pages 124-131, XP000938744  the whole document</p> <p>---</p> <p style="text-align: center;">-/--</p>	<p>20-24</p>

## INTERNATIONAL SEARCH REPORT

International Application No

US 99/29996

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	ZHU, XI ET AL: "Molecular cloning of a widely expressed human homologue for the <i>Drosophila</i> trp gene." FEBS LETTERS, (1995) VOL. 373, NO. 3, PP. 193-198., XP000907241 page 194; figures 1,3 ---	20,21, 23,25, 26,28, 29,31
A	HUNTER JOHN J ET AL: "Chromosomal localization and genomic characterization of the mouse melastatin gene ( <i>Mln1</i> )." GENOMICS NOV. 15, 1998, vol. 54, no. 1, 15 November 1998 (1998-11-15), pages 116-123, XP000910696 ISSN: 0888-7543 cited in the application page 119; figure 2 ---	20,21,23
A	WES PAUL D ET AL: "TRPC1, a human homolog of a <i>Drosophila</i> store-operated channel." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA 1995, vol. 92, no. 21, 1995, pages 9652-9656, XP002138820 ISSN: 0027-8424 the whole document ---	20,21, 23,25, 26,28, 29,31
A	ZHU, XI ET AL: "Trp, A novel mammalian gene family essential for agonist-activated capacitative Ca-2+ entry." CELL, vol. 85, no. 5, 1996, pages 661-671, XP000907242 page 662 page 665 figures 1,5,6 ---	20,21, 25,26, 28,29,31
A	GARCIA REYNALDO L ET AL: "Differential expression of mammalian TRP homologues across tissues and cell lines." BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS 1997, vol. 239, no. 1, 1997, pages 279-283, XP002138822 ISSN: 0006-291X See Materials and Methods figure 1 --- -/--	25,26, 28-30



## INTERNATIONAL SEARCH REPORT

International Application No

US 99/29996

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	SINKINS WILLIAM G ET AL: "Functional expression of TrpC1: A human homologue of the Drosophila Trp channel." BIOCHEMICAL JOURNAL APRIL, 1998, vol. 331, no. 1, April 1998 (1998-04), pages 331-339, XP000864583 ISSN: 0264-6021 page 333-335; figures 3-5 ---	24
A	PREUSS KLAUS-DIETER ET AL: "Expression and characterization of a trpl homolog from rat." BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS NOV. 7, 1997, vol. 240, no. 1, 7 November 1997 (1997-11-07), pages 167-172, XP002138821 ISSN: 0006-291X figure 2 ---	24
A	OBUKHOV, ALEXANDER G. ET AL: "Direct activation of trpl cation channels by G-alpha-11 subunits." EMBO (EUROPEAN MOLECULAR BIOLOGY ORGANIZATION) JOURNAL, (1996) VOL. 15, NO. 21, PP. 5833-5838., XP000907243 figure 2 ---	24
P,X	WO 99 09199 A (RYAZANOV ALEXEY G ;PAVUR KAREN S (US); HAIT WILLIAM N (US); UNIV M) 25 February 1999 (1999-02-25) see melanome kinase polynucleotide and polypeptide sequences on page 16-17 ---	1,3, 10-19, 25-36
P,X	WO 99 09166 A (SHAPERO MICHAEL H ;DENDREON CORP (US); LAUS REINER (US); TSAVALER) 25 February 1999 (1999-02-25) page 17, line 24 -page 18, line 9 page 25, line 19-32 page 28, line 1-4 SEQ ID NOs: 27, 28 and 31. ---	1,5-19, 25-35
T	SCHARENBERG A M ET AL: "MLSN-1/SOC-1 defines a widely expressed Ca2+/cation channel family involved in Ca2+ homeostasis and store-operated Ca2+ signaling." FIFTY-THIRD ANNUAL MEETING OF THE SOCIETY OF GENERAL PHYSIOLOGISTS;WOODS HOLE, MASSACHUSETTS, USA; SEPTEMBER 9-11, 1999, vol. 114, no. 1, July 1999 (1999-07), page 14a XP000910708 Journal of General Physiology July, 1999 ISSN: 0022-1295 -----	

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1, 6-36 (partially) and 2 (complete)

An isolated nucleic acid molecule comprising a nucleic acid molecule that hybridizes to a nucleic acid molecule of SEQ ID NO:1 and which code for a SOC/CRAC polypeptide, nucleic acid molecules that differ in codon sequence due to degeneracy of the genetic code and complement thereof, polynucleotides which are not identical to the SEQ ID or sequences of GenBank accession number of Table 1; expression vector, host cells; polypeptide encoded thereof (SEQ ID NO:2); polypeptides binding to the polypeptide of SEQ ID NO:2, including antibodies; kits comprising agents that selectively bind to the polynucleotide (SEQ ID NO:1) or polypeptide (SEQ ID NO:2) of the invention; pharmaceutical compositions containing the polynucleotide or polypeptides of the invention; a method for isolating the SOC/CRAC molecule having SOC/CRAC calcium channel activity comprising contacting a binding molecule that is SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample containing SOC/CRAC molecules allowing the formation of the complex, detecting the formation of the complex, isolating the SOC/CRAC molecule and determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity; a method for identifying agents useful in the modulation of SOC/CRAC calcium channel activity; a method to determine the level of SOC/CRAC expression in a subject, including expression of SOC/CRAC polypeptide or mRNA in a tissue or biological fluid sample using PCR, Northern blotting, and mono- and polyclonal antisera and a method for identifying agents useful in the modulation of the SOC/CRAC polypeptide kinase activity, comprising the use of aminoacids 999-1180 from SEQ ID NO:4 as a candidate kinase.

2. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:3 and to the encoded polypeptide of SEQ ID NO:4

3. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:5 and to the encoded polypeptide of SEQ ID NO:6

4. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:7 and to the encoded polypeptide of SEQ ID NO:8

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

5. Claims: 1,6-36 (partially) and 37 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:23 and to the encoded polypeptide of SEQ ID NO:24

6. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:25 and to the encoded polypeptide of SEQ ID NO:26

7. Claims: 1,10-36 (partially) and 3 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:27 and to the encoded polypeptide of SEQ ID NO:28

8. Claims: 1,6-36 (partially) and 4 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:29 and to the encoded polypeptide of SEQ ID NO:30

9. Claims: 1,6-36 (partially) and 5 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:31 and to the encoded polypeptide of SEQ ID NO:32.

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

## Continuation of Box I.2

Present claims 1-5, 10-13, 16-19, 32-35 relate to an extremely large number of possible polynucleotides, polypeptides encoded by them, binding polypeptides, and kits and pharmaceutical compositions containing said polypeptides and polynucleotides. Support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to the polynucleotide of SEQ ID NOs: 1, 27, 29 and 31 and the corresponding polypeptide of SEQ ID NOs: 2, 28, 30 and 32.

Present claims 16 and 17 relate to an extremely large number of possible compounds, namely, a polypeptide that binds to the polypeptide of the invention. Support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to an antibody, antibody fragment, F(ab)<sub>2</sub> fragment or a fragment including a CDR3 region selective for the polypeptides of the invention.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US 99/29996**Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)**

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
  
2. ☒ Claims Nos.: —  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  
see FURTHER INFORMATION sheet PCT/ISA/210
  
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

**Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)**

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

As a result of the prior review under R. 40.2(e) PCT,  
no additional fees are to be refunded.

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
  
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
  
3. ☒ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:  
1-36
  
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☒ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.


# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

US 99/29996


Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9815657 A	16-04-1998	US 5919638 A EP 0954599 A US 6110675 A	06-07-1999 10-11-1999 29-08-2000
WO 9837093 A	27-08-1998	AU 6181898 A CN 1252837 T EP 1005546 A NO 994069 A PL 335348 A ZA 9801585 A	09-09-1998 10-05-2000 07-06-2000 22-10-1999 25-04-2000 04-09-1998
WO 9909199 A	25-02-1999	AU 9110098 A	08-03-1999
WO 9909166 A	25-02-1999	AU 9021898 A EP 1005549 A	08-03-1999 07-06-2000



## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

5

Applicant's or agent's file reference B0662/7026WO		<b>FOR FURTHER ACTION</b> See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/US99/29996	International filing date (day/month/year) 20/12/1999	Priority date (day/month/year) 30/12/1998	
International Patent Classification (IPC) or national classification and IPC C07K14/705			
Applicant BETH ISRAEL DEACONESS MEDICAL CENTER, INC. et al.			
<p>1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of 9 sheets, including this cover sheet.</p> <p><input type="checkbox"/> This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of sheets.</p>			
<p>3. This report contains indications relating to the following items:</p> <ul style="list-style-type: none"><li>I <input checked="" type="checkbox"/> Basis of the report</li><li>II <input type="checkbox"/> Priority</li><li>III <input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability</li><li>IV <input checked="" type="checkbox"/> Lack of unity of invention</li><li>V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement</li><li>VI <input type="checkbox"/> Certain documents cited</li><li>VII <input type="checkbox"/> Certain defects in the international application</li><li>VIII <input checked="" type="checkbox"/> Certain observations on the international application</li></ul>			
Date of submission of the demand  10/07/2000		Date of completion of this report  26.04.2001	
Name and mailing address of the international preliminary examining authority:   European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465		Authorized officer  Grosskopf, R  Telephone No. +49 89 2399 8714	



# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/US99/29996

## I. Basis of the report

1. With regard to the **elements** of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):

### Description, pages:

1-47 as originally filed

### Claims, No.:

1-37 as originally filed

### Drawings, sheets:

1/1 as originally filed

### Sequence listing part of the description, pages:

1-52, as originally filed

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☒ contained in the international application in written form.
- ☒ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:



# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/US99/29996

- ☐ the description, pages:
- ☐ the claims, Nos.:
- ☐ the drawings, sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

*(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)*

6. Additional observations, if necessary:

## IV. Lack of unity of invention

1. In response to the invitation to restrict or pay additional fees the applicant has:

- ☐ restricted the claims.
- ☒ paid additional fees.
- ☐ paid additional fees under protest.
- ☐ neither restricted nor paid additional fees.

2. ☐ This Authority found that the requirement of unity of invention is not complied and chose, according to Rule 68.1, not to invite the applicant to restrict or pay additional fees.

3. This Authority considers that the requirement of unity of invention in accordance with Rules 13.1, 13.2 and 13.3 is

- ☐ complied with.
- ☒ not complied with for the following reasons:  
**see separate sheet**

4. Consequently, the following parts of the international application were the subject of international preliminary examination in establishing this report:

- ☐ all parts.
- ☒ the parts relating to claims Nos. 1-36 (all partially).

## V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N) Yes: Claims 1-36

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/US99/29996

---

	No:	Claims	
Inventive step (IS)	Yes:	Claims	4,5
	No:	Claims	1-3, 6-36
Industrial applicability (IA)	Yes:	Claims	1-36
	No:	Claims	

2. Citations and explanations  
**see separate sheet**

## VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:  
**see separate sheet**

**Ad item IV:**

This Authority, in principle, agrees with the objection for lack of unity put forward by the search examiner.

In response to said objection, the applicant has paid two additional search fees, and argued that, at best, three groups of different inventions exist, because SEQ ID NOs: 1 to 8 and 23 to 24 are partial sequences of the complete sequences as shown in SEQ ID NO: 27 and 28.

In view of these arguments, the search examiner maintained that four (?) different inventions exist but nevertheless seemed to have carried out a complete search, although only two additional fees had been paid.

The present Authority which is responsible for the examination cannot follow Applicant's arguments and maintains in essence the objection for lack of unity **originally** raised by the search authority.

Thus, it has to be emphasised that in order to be covered by a common inventive concept, several different DNA fragments have to share a common **special** feature, which may be either a technical or, exceptionally, a functional feature. Anyhow, it must be a special feature which means it must be **common** to all sequences claimed in one group and must, concomitantly, **distinguish** them from the prior art.

The mere fact that said sequences are "derived" from the same gene or sequence (even if the latter were novel) **cannot** establish such a concept (otherwise all oligonucleotides which are derived from a certain gene would be unitary which they are not).

In view of these considerations in one group of (alleged) inventions the sequence for the complete gene and **one** specific subpart may be simultaneously claimed (since these two share a common special technical feature, i.e. a (novel ?) common sequence).

Alternatively, one group may comprise a complete sequence encoding a certain gene and sequences which have the **same** (novel and distinct) function.

This does not seem to apply for the various fragments of SEQ ID NOs: 1 to 8 and 23 to 24 which do not seem to have a function at all or, possibly, are directed to different functional domains. Moreover a reference to a "SOC/CRAC polypeptide"

does not constitute such a function and, by the way, is not even present in the broadest claim, namely Claim 6.

Therefore, in the absence of demonstrating that the sequences of the original groups 1 to 5 fulfil these requirements, the following **seven** groups of different inventions still have to be maintained:

- (a) SEQ ID NOs: 27 and 28 and e.g. SEQ ID NOs: 1 and 2 (or any of the other partial sequence)
- (b) SEQ ID NOs: 3 and 4
- (c) SEQ ID NOs: 5 and 6
- (d) SEQ ID NOs: 7 and 8
- (e) SEQ ID NOs: 23 and 24
- (f) SEQ ID NOs: 29 and 30 (and again the partial sequences 25 and 26)
- (g) SEQ ID NOs: 31 and 32

In reply to the invitation to pay additional fees, the Applicant paid two additional fees and requested examination of groups (a), (f) and (g).

**Ad item V:**

The quoted documents are:

- (1) WO 99/09199
- (2) WO 99/09166
- (3) DATABASE GENEMBL [Online] 19 July 1997 (1997-07-19) STRAUSBERG, R.: "ni64e11.s1 NCI\_CGAP\_Pr12 Homo sapiens cDNA clone IMAGE:981644 mRNA sequence" XP002148641
- (4) WO 98/15657
- (5) WO 98/37093

All three groups mentioned above, in principle have the same claim structure:

On the one hand, the claims are directed to the complete protein or the corresponding DNA and, on the other hand, the claims are directed to certain

(more or less defined) subparts of the complete sequences.

Thus, it appears to be reasonable to raise first the objections which apply for all groups and then those objections which apply for each of them separately.

As far as the complete sequences are concerned they are novel (see Claims 3 to 5). All of them allegedly belong to a (novel) family of enzymes which has been arbitrarily denominated SOC/CRAC by the Applicant. A precisely characterised function of any of them has not been indicated (or even proven).

The only vague function which may be, according to the description, attributed to these proteins is the capability "to mediate transport of calcium into or out of the cell". Even if the arbitrary denomination were interpreted in this manner, said "function" alone would not be suitable to distinguish the proteins from proteins of the art having the same function.

As a consequence the broadening within Claim 1 item (b) which allow **any** structural variation **without** limitation, cannot distinguish the claimed subject-matter from other calcium transporters. The same, in principle applies for the characterisation in item (a) in the absence of defining the conditions of hybridisation.

Moreover, claims which merely make use of this designation (see especially the method claims) encompass the use of known calcium transporters and, thus, again lack unity.

Moreover, said methods do not contain any inventive subject-matter per se but an inventive activity of said claims is dependent from the inventive activity of the product to be used.

Other claims (of all groups) are directed to fragments which are not even accompanied by a function of said fragments. In accordance with the specific subfragments of each protein, the uncountable number of possibilities lack unity. In addition, in some claims said fragments are not even defined by their length. Moreover, the reference to a "unique fragment" is totally unclear (what should be meant by a unique fragment? Unique with respect to what?)

Thus, in summary the various fragments referred to in said claims give rise to

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT - SEPARATE SHEET**

---

International application No. PCT/US99/29996

further objections for lack of unity, are unclearly defined and the relevance of any of said fragments is also unclear. Therefore, there is not any basis for the maintenance of said claims in any of the groups (a), (f) or (g).

The same objections, in principle, apply with regard to claims relating to "binding proteins".

In view of the objections above, the only claims which may form a basis for a reasonable examination of (novelty) and inventive activity are those which are directed to the complete nucleotide sequences (Claims 3 to 5) and proteins and claims insofar as they relate thereto (as mentioned above, this does not apply for the method claims).

As far as the complete proteins are concerned, none of them seems to be disclosed in the first two priority documents.

Therefore for the evaluation of an inventive activity also D1 and D2 are of relevance.

With regard to both the proteins of group (f) and (g) above, in the prior art certain EST sequences are disclosed (see D3 to D5) which are identical over a certain part with said complete sequences. However, the possible function of said EST sequences is not disclosed. Therefore, although it seems to be possible, there does not seem to be an incentive to isolate the complete DNA sequence or protein.

Therefore, novelty and inventive activity can be acknowledged for Claims 4 and 5.

The situation with regard to group (a) above is slightly different since D1 describes an isolated functional protein which is identical to the carboxy terminal part of the SEQ ID NO: 28. Thus, in this case, there well might be an incentive to isolate the complete protein for which only part is disclosed in D1.

Then, the (possible) function of the complete protein could only be regarded as an inherent feature which cannot render it inventive.

Thus, Claim 3 (i.e. the subject-matter of group (a) lacks an inventive activity.

**Ad item VIII:**

These objections again apply for all groups.

The experimental part of the specification is very small. In view of the very limited number of experiments (which moreover appear to be in a theoretical form) it is not even clear whether it has been proven for all three entities whether they encode or constitute functional proteins. This is especially of relevance for a possible industrial application since this requires the determination of a function (the correct one!) of a protein in order to be useful for any purpose. If there is no or the wrong function, no meaningful purpose for said protein can be seen and all possible applications must be regarded as being speculative.

From a different point of view, in the absence of any (reliable) function the sequences only may be regarded as further equivalents to known DNA sequences (including EST sequences). Such equivalents, in the absence of a surprising or advantageous effect, lack an inventive activity.

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
13 July 2000 (13.07.2000)

PCT

(10) International Publication Number  
WO 00/40614 A3

(51) International Patent Classification<sup>7</sup>: C07K 14/705,  
C12N 15/12, C12Q 1/68, C12N 5/10, C07K 16/28, G01N  
33/53, A61K 38/17

(72) Inventor; and

(75) Inventor/Applicant (for US only): SCHARENBERG,  
Andrew, M. [US/US]; 12 Skyview Road, Lexington, MA  
02420 (US).

(21) International Application Number: PCT/US99/29996

(74) Agent: PLUMER, Elizabeth, R.; Wolf, Greenfield &  
Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).

(22) International Filing Date:

20 December 1999 (20.12.1999)

(81) Designated States (national): AU, CA, JP, US.

(25) Filing Language:

English

(84) Designated States (regional): European patent (AT, BE,  
CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,  
NL, PT, SE).

(26) Publication Language:

English

(30) Priority Data:

60/114,220 30 December 1998 (30.12.1998) US

60/120,018 29 January 1999 (29.01.1999) US

60/140,415 22 June 1999 (22.06.1999) US

Published:

— With international search report.


(88) Date of publication of the international search report:

22 February 2001

(71) Applicant (for all designated States except US): BETH  
ISRAEL DEACONESS MEDICAL CENTER, INC.  
[US/US]; 330 Brookline Avenue, Boston, MA 02215 (US).

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

(54) Title: CHARACTERIZATION OF THE SOC/CRAC CALCIUM CHANNEL PROTEIN FAMILY



(57) Abstract: Nucleic acids encoding SOC/CRAC calcium channel polypeptides, including fragments and biologically functional variants thereof and encoded polypeptides are provided. The nucleic acids and polypeptides disclosed herein are useful as therapeutic and diagnostic agents. Agents that selectively bind to the foregoing polypeptides and genes also are provided.

WO 00/40614 A3



## CHARACTERIZATION OF A CALCIUM CHANNEL FAMILY

### Field of the Invention

This invention relates to nucleic acids coding for a novel family of calcium channel polypeptides, the encoded polypeptides, unique fragments of the foregoing, and methods of making and using same.

### Background of the Invention

Calcium channels are membrane-spanning, multi-subunit proteins that facilitate the controlled transport ("flux") of  $\text{Ca}^{2+}$  ions into and out of cells. Cells throughout the animal kingdom, and at least some bacterial, fungal and plant cells, possess one or more types of calcium channels. In general, "excitable" cells, such as neurons of the central nervous system, peripheral nerve cells, and muscle cells, including those of skeletal muscles, cardiac muscles, and venous and arterial smooth muscles, possess voltage-dependent calcium channels. In a voltage-dependent calcium channel, the transport of  $\text{Ca}^{2+}$  ions into and out of the cells requires a certain minimal level of depolarization (the difference in potential between the inside of the cell bearing the channel and the extracellular environment) with the rate of  $\text{Ca}^{2+}$  cell flux dependent on the difference in potential. In "non-excitable" cells, calcium influx is thought to occur predominantly in response to stimuli which cause the release of calcium from intracellular stores. This process, termed *store operated calcium influx*, is not well understood.

Characterization of a particular type of calcium channel by analysis of whole cells is complicated by the presence of mixed populations of different types of calcium channels in the majority of cells. Although single-channel recording methods can be used to examine individual calcium channels, such analysis does not reveal information related to the molecular structure or biochemical composition of the channel. Furthermore, in this type of analysis, the channel is isolated from other cellular constituents that might be important for the channel's natural functions and pharmacological interactions. To study the calcium channel structure-function relationship, large amounts of pure channel protein are needed. However, acquiring large amounts of pure protein is difficult in view of the complex nature of these multisubunit proteins, the varying concentrations of calcium channel proteins in tissue sources, the presence of mixed populations of calcium channel proteins in tissues, and the modifications of the native protein that can occur during the isolation procedure.

### Summary of the Invention

The invention is based on the identification of a novel family of calcium channel polypeptides and the molecular cloning and partial characterization of a novel member of this family that is expressed predominantly in human hematopoietic cells, liver, and kidney. This newly identified family of calcium channel polypeptides is designated, "SOC" or "CRAC" or "ICRAC", for Store Operated Channels or Calcium Release Activated Channels. Although not wishing to be bound to any particular theory or mechanism, it is believed that the SOC/CRAC calcium channel polypeptides are transmembrane polypeptides that modulate  $\text{Ca}^{2+}$  flux "into" and "out of" a cell, for example, in certain instances they may be activated upon depletion of  $\text{Ca}^{2+}$  from intracellular calcium stores, allowing  $\text{Ca}^{2+}$  influx into the cell. Accordingly, the compositions disclosed herein are believed to be useful for modulating calcium transport into and out of such intracellular stores and for the treatment of disorders that are characterized by aberrant calcium transport into and out of such intracellular stores. In particular, we believe that the SOC/CRAC calcium channel polypeptides disclosed herein play an important role in the influx of extracellular calcium by mediating the refilling of intracellular calcium stores following their depletion. Accordingly, we believe that the compositions for expressing functional SOC/CRAC calcium channel polypeptides in cells, as disclosed herein, are useful for treating patients having conditions that are characterized by reduced extracellular calcium influx into their SOC/CRAC-expressing cells. Additionally, the compositions of the invention are useful for delivering therapeutic and/or imaging agents to cells which preferentially express SOC/CRAC calcium channel polypeptides and, in particular, for delivering such agents to hematopoietic cells, liver, heart, spleen, and kidney to modulate proliferation and growth of these cells. Moreover, in view of the importance of cellular calcium levels to cell viability, we believe that SOC-2/CRAC-1, SOC-3/CRAC-2, and SOC-4/CRAC-3 as disclosed herein, and/or other members of the SOC/CRAC family of calcium channel polypeptides, represent an ideal target for designing and/or identifying (e.g., from molecular libraries) small molecule inhibitors that block lymphocyte proliferation, as well as other binding agents that selectively bind to SOC/CRAC polypeptides to which drugs or toxins can be conjugated for delivery to SOC/CRAC polypeptide expressing cells.

The invention is based, in part, on the molecular cloning and sequence analysis of the novel SOC/CRAC calcium channel molecules disclosed herein (also referred to as a "SOC-2/CRAC-1 molecule," a "SOC-3/CRAC-2 molecule," and/or "SOC-4/CRAC-3 molecule") that are predominantly expressed in human hematopoietic cells, liver, spleen, heart, and

kidney (SOC-2/CRAC-1), kidney and colon (SOC-3/CRAC-2), and prostate (SOC-4/CRAC-3 molecule). As used herein, a "SOC/CRAC molecule" embraces a "SOC/CRAC calcium channel nucleic acid" (or "SOC/CRAC nucleic acid") and a "SOC/CRAC calcium channel polypeptide" (or "SOC/CRAC polypeptide"). Homologs and alleles also are embraced within the meaning of a SOC/CRAC calcium channel molecule.

According to one aspect of the invention, isolated SOC/CRAC nucleic acids which code for one or more member(s) of the SOC/CRAC family of calcium channel polypeptides or unique fragments thereof are provided. The isolated nucleic acids refer to one or more of the following:

(a) nucleic acid molecules which hybridize under stringent conditions to a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and which code for a SOC/CRAC polypeptide;

(b) deletions, additions and substitutions of (a) which code for a respective SOC/CRAC polypeptide;

(c) nucleic acid molecules that differ from the nucleic acid molecules of (a) or (b) in codon sequence due to the degeneracy of the genetic code, and

(d) complements of (a), (b) or (c).

The invention in another aspect provides an isolated nucleic acid molecule selected from the group consisting of (a) a unique fragment of a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:29, and SEQ ID NO:31, (b) complements of (a), provided that the unique fragment includes a sequence of contiguous nucleotides which is not identical to any sequence selected from a sequence group consisting of (1) sequences having the SEQ. ID NOS. or GenBank accession numbers of Table I, (2) complements of (1), and (3) fragments of (1) and (2).

According to yet another aspect of the invention, isolated SOC/CRAC polypeptides are provided. The isolated SOC/CRAC polypeptide molecules are encoded by one or more SOC/CRAC nucleic acid molecules of the invention. Preferably, the SOC/CRAC polypeptide contains one or more polypeptides selected from the group consisting of the polypeptides having SEQ. ID Nos. 2, 4, 6, 8, 24, 26, 28, 30, and 32. In other embodiments, the isolated polypeptide may be a fragment or variant of the foregoing SOC/CRAC polypeptide molecules of sufficient length to represent a sequence unique within the human genome, and identifying

with a polypeptide that functions as a calcium channel, provided that the fragment excludes a sequence of contiguous amino acids identified in Table II, and/or excludes a sequence of contiguous amino acids encoded for by a nucleic acid sequence identified in Table I. In another embodiment, immunogenic fragments of the polypeptide molecules described above are provided.

According to another aspect of the invention, isolated SOC/CRAC binding agents (e.g., polypeptides) are provided which selectively bind to a SOC/CRAC molecule (e.g., a SOC/CRAC polypeptide encoded by the isolated nucleic acid molecules of the invention). Preferably, the isolated binding agents selectively bind to a polypeptide which comprises the sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32, or unique fragments thereof. In the preferred embodiments, the isolated binding polypeptides include antibodies and fragments of antibodies (e.g., Fab, F(ab)<sub>2</sub>, Fd and antibody fragments which include a CDR3 region which binds selectively to a SOC/CRAC polypeptide). Preferably, the antibodies for human therapeutic applications are human antibodies.

According to another aspect of the invention, a pharmaceutical composition containing a pharmaceutically effective amount of an isolated SOC/CRAC nucleic acid, an isolated SOC/CRAC polypeptide, or an isolated SOC/CRAC binding polypeptide in a pharmaceutically acceptable carrier also is provided. The pharmaceutical compositions are useful in accordance with therapeutic methods disclosed herein.

According to yet another aspect of the invention, a method for isolating a SOC/CRAC molecule is provided. The method involves:

a) contacting a SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample that is believed to contain one or more SOC/CRAC molecules, under conditions to form a complex of the SOC/CRAC nucleic acid or the SOC/CRAC binding polypeptide and the SOC/CRAC molecule;

b) detecting the presence of the complex;

c) isolating the SOC/CRAC molecule from the complex; and

d) determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity. As used herein "SOC/CRAC calcium channel activity" refers to the transport of Ca<sup>2+</sup> into and out of intracellular stores that is mediated by a SOC/CRAC

polypeptide. In general, the SOC/CRAC calcium channel activity is initiated by a reduction or depletion of intracellular calcium stores.

In certain embodiments, the SOC/CRAC nucleic acid is a SOC-2/CRAC-1 nucleic acid (e.g., a nucleic acid having SEQ. ID NO. 27, or complements thereof); in certain other  
5       embodiments, the SOC/CRAC nucleic acid is a SOC-3/CRAC-2 nucleic acid (e.g., a nucleic acid having SEQ. ID NO. 29, or complements thereof); in further embodiments, the SOC/CRAC nucleic acid is a SOC-4/CRAC-3 nucleic acid (e.g., a nucleic acid having SEQ. ID NO. 31, or complements thereof). In yet other embodiments, the SOC/CRAC polypeptide is a SOC-2/CRAC-1 binding polypeptide (e.g., an antibody that selectively binds to a SOC-  
10       2/CRAC-1 polypeptide). In yet further embodiments, the SOC/CRAC polypeptide is a SOC-3/CRAC-2 binding polypeptide (e.g., an antibody that selectively binds to a SOC-3/CRAC-2 polypeptide). In some embodiments, the SOC/CRAC polypeptide is a SOC-4/CRAC-3 binding polypeptide (e.g., an antibody that selectively binds to a SOC-4/CRAC-3 polypeptide). In the preferred embodiments, the isolated binding polypeptides include  
15       antibodies and fragments of antibodies (e.g., Fab, F(ab)<sub>2</sub>, Fd and antibody fragments which include a CDR3 region which binds selectively to a SOC-2/CRAC-1, to a SOC-3/CRAC-2, and/or to a SOC-4/CRAC-3 polypeptide). Preferably the isolated binding polypeptides or other binding agents selectively bind to a single SOC/CRAC molecule, i.e., are capable of distinguishing between different members of the SOC/CRAC family. Accordingly, one or  
20       more SOC/CRAC binding agents can be contained in a single composition (e.g., a pharmaceutical composition) to identify multiple SOC/CRAC molecules *in vivo* or *in vitro*.

According to yet another aspect of the invention, a method for identifying agents useful in the modulation of SOC/CRAC calcium channel activity is provided. The method involves:

25       a) contacting a SOC/CRAC polypeptide with a candidate agent suspected of modulating SOC/CRAC calcium channel activity, under conditions sufficient to allow the candidate agent to interact selectively with (e.g. bind to) the SOC/CRAC polypeptide;

b) detecting a Ca<sup>2+</sup> concentration of step (b) associated with the SOC/CRAC calcium channel activity of the SOC/CRAC polypeptide in the presence of the candidate agent; and

30       c) comparing the Ca<sup>2+</sup> concentration of step (b) with a control Ca<sup>2+</sup> concentration of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates (increases or decreases) SOC/CRAC calcium channel activity.

According to another aspect of the invention, a method for identifying agents useful in the modulation of a SOC/CRAC polypeptide kinase activity is provided. The method involves:

a) contacting a SOC/CRAC polypeptide with kinase activity with a candidate agent suspected of modulating SOC/CRAC kinase activity, under conditions sufficient to allow the candidate agent to interact with the SOC/CRAC polypeptide and modulate its kinase activity;

b) detecting a kinase activity associated with the SOC/CRAC polypeptide in the presence of the candidate agent; and

c) comparing the kinase activity of step (b) with a control kinase activity of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates (increases or decreases) SOC/CRAC kinase activity. In some embodiments the SOC/CRAC polypeptide comprises amino acids 999-1180 of the SOC-2/CRAC-1 polypeptide (SEQ ID NO:24), or a fragment thereof that retains the kinase activity.

According to yet another aspect of the invention, a method for determining the level of expression of a SOC/CRAC polypeptide in a subject is provided. The method involves:

a) measuring the expression of a SOC/CRAC polypeptide in a test sample, and

b) comparing the measured expression of the SOC/CRAC polypeptide in the test sample to the expression of a SOC/CRAC polypeptide in a control containing a known level of expression to determine the level of SOC/CRAC expression in the subject. Expression is defined as SOC/CRAC mRNA expression or SOC/CRAC polypeptide expression. Various methods can be used to measure expression. The preferred embodiments of the invention utilize PCR and Northern blotting for measuring mRNA expression, and monoclonal or polyclonal SOC/CRAC antisera as reagents for measuring SOC/CRAC polypeptide expression. In preferred embodiments, the SOC/CRAC molecule (nucleic acid and/or polypeptide) is SOC-2/CRAC-1. In other preferred embodiments, the SOC/CRAC molecule is SOC-3/CRAC-2. In yet further preferred embodiments, the SOC/CRAC molecule is SOC-4/CRAC-3. In certain embodiments, the test samples include biopsy samples and biological fluids such as blood. The method is useful, e.g., for assessing the presence or absence or stage of a proliferative disorder in a subject.

The invention also contemplates kits comprising a package including assays for SOC/CRAC epitopes, SOC/CRAC nucleic acids, and instructions, and optionally related materials such as controls, for example, a number, color chart, or an epitope of the expression product of the foregoing isolated nucleic acid molecules of the invention for comparing, for

example, the level of SOC/CRAC polypeptides or SOC/CRAC nucleic acid forms (wild-type or mutant) in a test sample to the level in a control sample having a known amount of a SOC/CRAC nucleic acid or SOC/CRAC polypeptide. This comparison can be used to assess in a subject a risk of developing a cancer or the progression of a cancer. The kits may also include assays for other known genes, and expression products thereof, associated with, for example, proliferative disorders (e.g., BRCA, p53, etc.). In a preferred embodiment, the kit comprises a package containing: (a) a binding agent that selectively binds to an isolated nucleic acid of the invention or an expression product thereof to obtain a measured test value, (b) a control containing a known amount of a SOC/CRAC nucleic acid or a SOC/CRAC polypeptide to obtain a measured control value, and (c) instructions for comparing the measured test value to the measured control value to determine the amount of SOC/CRAC nucleic acid or expression product thereof in a sample.

The invention provides isolated nucleic acid molecules, unique fragments thereof, expression vectors containing the foregoing, and host cells containing the foregoing. The invention also provides isolated binding polypeptides and binding agents which bind such polypeptides, including antibodies, and pharmaceutical compositions containing any of the compositions of the invention. The foregoing can be used, *inter alia*, in the diagnosis or treatment of conditions characterized by the aberrant expression levels and/or the presence of mutant forms of a SOC/CRAC nucleic acid or polypeptide. The invention also provides methods for identifying agents that alter the function of the SOC/CRAC polypeptide.

These and other aspects of the invention, as well as various advantages and utilities, will be more apparent with reference to the detailed description of the preferred embodiments.

#### **Brief Description of the Sequences**

SEQ ID NO:1 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:2 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:1).

SEQ ID NO:3 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:4 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:3).

SEQ ID NO:5 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:6 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:5).

-8-

SEQ ID NO:7 is a partial nucleotide sequence of the mouse homologue (mSOC-2/CRAC-1) of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:8 is the predicted amino acid sequence of the translation product of the mSOC-2/CRAC-1 cDNA (SEQ ID NO:7).

5 SEQ ID NO:9 is the nucleotide sequence of the mouse MLSN-1 (SOC-1) cDNA.

SEQ ID NO:10 is the predicted amino acid sequence of the translation product of the mouse MLSN-1 (SOC-1) cDNA (SEQ ID NO:9).

SEQ ID NO:11 is the nucleotide sequence of a human calcium channel cDNA with GenBank Acc. no.: AB001535.

10 SEQ ID NO:12 is the predicted amino acid sequence of the translation product of the human calcium channel cDNA with GenBank Acc. no.: AB001535 (SEQ ID NO:11).

SEQ ID NO:13 is the amino acid sequence of a *C. Elegans* polypeptide at the c05c12.3 locus.

15 SEQ ID NO:14 is the amino acid sequence of a *C. Elegans* polypeptide at the F54D1 locus.

SEQ ID NO:15 is the amino acid sequence of a *C. Elegans* polypeptide at the t01H8 locus.

SEQ ID NO:16 is the nucleotide sequence of a mouse kidney cDNA with GenBank Acc. no.: AI226731.

20 SEQ ID NO:17 is the predicted amino acid sequence of the translation product of the mouse kidney cDNA with GenBank Acc. no.: AI226731 (SEQ ID NO:16).

SEQ ID NO:18 is the nucleotide sequence of a human brain cDNA with GenBank Acc. no.: H18835.

25 SEQ ID NO:19 is the predicted amino acid sequence of the translation product of the human brain cDNA with GenBank Acc. no.: H18835 (SEQ ID NO:18).

SEQ ID NO:20 is the nucleotide sequence of the human EST with GenBank Acc. no.: AA419592.

SEQ ID NO:21 is the nucleotide sequence of the human EST with GenBank Acc. no.: AA419407.

30 SEQ ID NO:22 is the nucleotide sequence of the mouse EST with GenBank Acc. no.: AI098310.



SEQ ID NO:23 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA that contains the SOC-2/CRAC-1 sequences of SEQ ID NO:1, SEQ ID NO:3, and SEQ ID NO:5.

SEQ ID NO:24 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:23).

SEQ ID NO:25 is a partial nucleotide sequence of the human SOC-3/CRAC-2 cDNA.

SEQ ID NO:26 is the predicted amino acid sequence of the translation product of human SOC-3/CRAC-2 cDNA (SEQ ID NO:25).

SEQ ID NO:27 is the full nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:28 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:27).

SEQ ID NO:29 is the full nucleotide sequence of the human SOC-3/CRAC-2 cDNA.

SEQ ID NO:30 is the predicted amino acid sequence of the translation product of human SOC-3/CRAC-2 cDNA (SEQ ID NO:29).

SEQ ID NO:31 is the full nucleotide sequence of the human SOC-4/CRAC-3 cDNA.

SEQ ID NO:32 is the predicted amino acid sequence of the translation product of human SOC-4/CRAC-3 cDNA (SEQ ID NO:31).

#### **Brief Description of the Drawings**

Figure 1 is a schematic depicting the intron/exon organization of the chicken SOC-2/CRAC-1 genomic sequence, as well as the putative transmembrane (TM) domains, and the targeting constructs utilized in the knockout experiments.

#### **Detailed Description of the Invention**

One aspect of the invention involves the partial cloning of cDNAs encoding members of a novel family of calcium channel polypeptides, referred to herein as "SOC/CRAC" (designated "SOC" or "CRAC" or "ICRAC", for Sore Operated Channels or Calcium Release Activated Channels, or CECH). Although not intending to be bound to any particular mechanism or theory, we believe that a SOC/CRAC family member is a transmembrane calcium channel that modulates  $\text{Ca}^{2+}$  flux "into" and "out of" a cell; in certain instances it may be activated upon depletion of  $\text{Ca}^{2+}$  from intracellular calcium stores, allowing  $\text{Ca}^{2+}$  influx into the cell.

The first three isolated SOC/CRAC members disclosed herein, define a new family of calcium channels which is distinct from previously described calcium channels, such as voltage gated calcium channels, ryanodine receptor/inositol-1,4,5-triphosphate receptor

-10-

channels, and Transient Receptor Potential (TRP) channels. The SOC/CRAC family of calcium channels exhibits high selectivity (with a  $P_{Ca}/P_{Na}$  ratio near 1000), a unitary conductance below the detection level of the patch clamp method (the conductance estimated at approximately 0.2 picosiemens), and are subject to inhibition by high intracellular calcium levels. Although not intending to be bound to any particular mechanism or theory, we believe that SOC/CRAC calcium channels are responsible for the majority of, for example, calcium entry which occurs when intracellular calcium stores are depleted, and that SOC/CRAC currents are important for initiating various types of calcium-dependent processes. Thus, we believe that SOC/CRAC calcium channels play an important role in cellular calcium homeostasis by, e.g., modulating the supply of calcium to refill intracellular stores when depleted.

The isolated full-length sequence of a representative, first member of the SOC/CRAC family, human SOC/CRAC nucleic acid (cDNA), SOC-2/CRAC-1, is represented as the nucleic acid of SEQ ID NO:27. This nucleic acid sequence codes for the SOC-2/CRAC-1 polypeptide with the predicted amino acid sequence disclosed herein as SEQ ID NO:28. A homologous mouse cDNA sequence (>90% identity to the human at the nucleotide level) is represented as the nucleic acid of SEQ ID NO:7, and codes for a unique fragment of a mouse SOC-2/CRAC-1 polypeptide having the predicted, partial amino acid sequence represented as SEQ ID NO:8. Analysis of the SOC-2/CRAC-1 partial sequence by comparison to nucleic acid and protein databases show that SOC-2/CRAC-1 shares a limited homology to mouse MLSN-1 (SOC-1, SEQ ID NOs: 9 and 10). Limited homology is also shared between SOC-2/CRAC-1 and three *C. Elegans* polypeptides (SEQ ID NOs: 13, 14, and 15). We further believe that SOC-2/CRAC-1 plays a role in the regulation of cellular  $Ca^{2+}$  fluxing and, in particular, lymphocyte  $Ca^{2+}$  fluxing.

A second member of the human SOC/CRAC family of calcium channels, SOC-3/CRAC-2, is represented as the nucleic acid of SEQ ID NO:29, and codes for the human SOC-3/CRAC-2 polypeptide having the predicted amino acid sequence represented as SEQ ID NO:30 (this molecule may also be referred to as CECH2). SOC-3/CRAC-2 is predominantly expressed in human hematopoietic cells (including peripheral blood lymphocytes, liver, bone marrow, spleen, thymus, lymph nodes, heart, and kidney. Expression can also be detected (at lesser levels) in brain, skeletal muscle colon, small intestine, placenta, lung, and cells (cell lines) such as HL-60, HeLa, K562, MOLT-4, SW-480, A459, and G361.

A third member of the human SOC/CRAC family of calcium channels, SOC-4/CRAC-3, is represented as the nucleic acid of SEQ ID NO:31, and codes for the human SOC-4/CRAC-3 polypeptide having the predicted amino acid sequence represented as SEQ ID NO:32 (this molecule may also be referred to as CECH6). It specifically expressed in the prostate gland/cells.

As used herein, a SOC/CRAC calcium channel nucleic acid (also referred to herein as a "SOC/CRAC nucleic acid" refers to a nucleic acid molecule which: (1) hybridizes under stringent conditions to one or more of the nucleic acids having the sequences of SEQ. ID NOS. 7, 27, 29, and/or 31 (sequences of the mouse and human SOC-2/CRAC-1, human SOC-3/CRAC-2, and human SOC-4/CRAC-3 nucleic acids), and (2) codes for a SOC-2/CRAC-1, a SOC-3/CRAC-2 or a SOC-4/CRAC-3 calcium channel polypeptide, respectively, or unique fragments of said SOC-2/CRAC-1, SOC-3/CRAC-2, or SOC-4/CRAC-3 polypeptide.

As used herein, a SOC/CRAC calcium channel polypeptide (also referred to herein as a "SOC/CRAC polypeptide") refers to a polypeptide that is coded for by a SOC-2/CRAC-1, a SOC-3/CRAC-2, and/or a SOC-4/CRAC-3 nucleic acid. Preferably, the above-identified SOC/CRAC polypeptides mediate transport of calcium into and out of a cell.

SOC/CRAC polypeptides also are useful as immunogenic molecules for the generation of binding polypeptides (e.g., antibodies) which bind selectively to SOC/CRAC (e.g., SOC-2/CRAC-1, SOC-3/CRAC-2, and/or SOC-4/CRAC-3) polypeptides. Such antibodies can be used in diagnostic assays to identify and/or quantify the presence of a SOC/CRAC polypeptide in a sample, such as a biological fluid or biopsy sample. SOC/CRAC polypeptides further embrace functionally equivalent fragments, variants, and analogs of the preferred SOC/CRAC polypeptides, provided that the fragments, variants, and analogs also are useful in mediating calcium transport into and out of intracellular calcium stores.

As used herein, "SOC/CRAC calcium channel activity" refers to  $\text{Ca}^{2+}$  transport (" $\text{Ca}^{2+}$  fluxing") across the plasma membrane that is mediated by a SOC/CRAC calcium channel polypeptide. The SOC/CRAC calcium channel polypeptide typically has one or more of the following properties: high selectivity, a unitary conductance below the detection level of the patch clamp method, and are subject to inhibition by high intracellular calcium levels. Such activity can be easily detected using standard methodology well known in the art. See, e.g., the Examples and Neher, E., "Ion channels for communication between and within cells",

Science, 1992; 256:498-502; and Hoth, M., and Penner, R., "Depletion of intracellular calcium stores activates a calcium current in mast cells", Nature, 1992; 355 (6358):353-6.

According to one aspect of the invention, isolated nucleic acid molecules which code for one or more member(s) of the SOC/CRAC family of calcium channel polypeptides are provided. The isolated nucleic acid molecules are selected from the following groups:

(a) nucleic acid molecules which hybridize under stringent conditions to one or more nucleic acid molecules selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and which code for a SOC/CRAC polypeptide;

(b) deletions, additions and substitutions of (a) which code for a respective SOC/CRAC polypeptide;

(c) nucleic acid molecules that differ from the nucleic acid molecules of (a) or (b) in codon sequence due to the degeneracy of the genetic code, and

(d) complements of (a), (b) or (c).

In certain embodiments, the isolated nucleic acid molecule comprises one or more of nucleotides 1-1212 of SEQ ID NO:1; nucleotides 1-739 of SEQ ID NO:3; nucleotides 1-1579 of SEQ ID NO:5; nucleotides 1-5117 of SEQ ID NO:23; the mouse homolog for SOC-2/CRAC-1 corresponding to SEQ ID NO:7; nucleotides 1-2180 of SEQ ID NO:25; nucleotides 382-5976 of SEQ ID NO:27; nucleotides 73-3714 of SEQ ID NO:29; and nucleotides 23-3434 of SEQ ID NO:31. In yet other embodiments, the isolated nucleic acid molecule comprises a molecule which encodes a polypeptide having one or more sequences selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32.

According to yet another aspect of the invention, an isolated nucleic acid molecule is provided which is selected from the group consisting of:

(a) a unique fragment of a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, (of sufficient length to represent a sequence unique within the human genome); and (b) complements of (a), provided that the unique fragment includes a sequence of contiguous nucleotides which is not identical to a sequence in the prior art as represented by the sequence group consisting of: (1) sequences having the SEQ ID NOs or GenBank accession numbers of Table I, (2) complements of (1), and (3) fragments of (1) and (2).

In some embodiments, the sequence of contiguous nucleotides is selected from the group consisting of (1) at least two contiguous nucleotides nonidentical to the sequence group, (2) at least three contiguous nucleotides nonidentical to the sequence group, (3) at least four contiguous nucleotides nonidentical to the sequence group, (4) at least five contiguous nucleotides nonidentical to the sequence group, (5) at least six contiguous nucleotides nonidentical to the sequence group, (6) at least seven contiguous nucleotides nonidentical to the sequence group.

In other embodiments, the unique fragment has a size selected from the group consisting of at least: 8 nucleotides, 10 nucleotides, 12 nucleotides, 14 nucleotides, 16 nucleotides, 18 nucleotides, 20, nucleotides, 22 nucleotides, 24 nucleotides, 26 nucleotides, 28 nucleotides, 30 nucleotides, 40 nucleotides, 50 nucleotides, 75 nucleotides, 100 nucleotides, 200 nucleotides, 1000 nucleotides and every integer length therebetween.

According to another aspect of the invention, expression vectors and host cells containing (e.g., transformed or transfected with) expression vectors comprising the nucleic acid molecules disclosed herein operably linked to a promoter are provided. In certain preferred embodiments, the host cells are eukaryotic cells.

The isolated nucleic acid molecules disclosed herein have various utilities, including their use as probes and primers to identify additional members of the SOC/CRAC family of calcium channels, as diagnostic reagents for identifying the presence of SOC/CRAC polypeptides in biological or other samples, and as agents for generating SOC/CRAC binding polypeptides (e.g., antibodies) that can be used as reagents in diagnostic and therapeutic assays to identify the presence, absence, and/or amounts of a SOC/CRAC nucleic acid or polypeptide in a biological or other sample.

As used herein with respect to nucleic acids, the term "isolated" means: (i) amplified *in vitro* by, for example, polymerase chain reaction (PCR); (ii) recombinantly produced by cloning; (iii) purified, as by cleavage and gel separation; or (iv) synthesized by, for example, chemical synthesis. An isolated nucleic acid is one which is readily manipulatable by recombinant DNA techniques well known in the art. Thus, a nucleotide sequence contained in a vector in which 5' and 3' restriction sites are known or for which polymerase chain reaction (PCR) primer sequences have been disclosed is considered isolated but a nucleic acid sequence existing in its native state in its natural host is not. An isolated nucleic acid may be substantially purified, but need not be. For example, a nucleic acid that is isolated within a cloning or expression vector is not pure in that it may comprise only a tiny percentage of the

material in the cell in which it resides. Such a nucleic acid is isolated, however, as the term is used herein because it is readily manipulatable by standard techniques known to those of ordinary skill in the art.

As used herein with respect to polypeptides (discussed below), the term "isolated" means separated from its native environment in sufficiently pure form so that it can be manipulated or used for any one of the purposes of the invention. Thus, isolated means sufficiently pure to be used (i) to raise and/or isolate antibodies, (ii) as a reagent in an assay, or (iii) for sequencing, etc.

Homologs and alleles of the SOC/CRAC nucleic acids of the invention can be identified by conventional techniques. Thus, an aspect of the invention is those nucleic acid sequences which code for SOC/CRAC polypeptides and which hybridize to a nucleic acid molecule selected from a group consisting of the nucleic acid of SEQ ID NO:1, the nucleic acid of SEQ ID NO:3, the nucleic acid of SEQ ID NO:5, the nucleic acid of SEQ ID NO:7, the nucleic acid of SEQ ID NO:23, the nucleic acid of SEQ ID NO:25, the nucleic acid of SEQ ID NO:27, the nucleic acid of SEQ ID NO:29, and the nucleic acid of SEQ ID NO:31, under stringent conditions. The term "stringent conditions" as used herein refers to parameters with which the art is familiar. Nucleic acid hybridization parameters may be found in references which compile such methods, e.g. *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989, or *Current Protocols in Molecular Biology*, F.M. Ausubel, et al., eds., John Wiley & Sons, Inc., New York. More specifically, stringent conditions, as used herein, refers, for example, to hybridization at 65°C in hybridization buffer (3.5 x SSC, 0.02% Ficoll, 0.02% polyvinyl pyrrolidone, 0.02% Bovine Serum Albumin, 2.5mM NaH<sub>2</sub>PO<sub>4</sub>(pH7), 0.5% SDS, 2mM EDTA). SSC is 0.15M sodium chloride/0.15M sodium citrate, pH7; SDS is sodium dodecyl sulphate; and EDTA is ethylenediaminetetracetic acid. After hybridization, the membrane upon which the DNA is transferred is washed at 2 x SSC at room temperature and then at 0.1 x SSC/0.1 x SDS at temperatures up to 68°C.

There are other conditions, reagents, and so forth which can be used, and would result in a similar degree of stringency. The skilled artisan will be familiar with such conditions, and thus they are not given here. It will be understood, however, that the skilled artisan will be able to manipulate the conditions in a manner to permit the clear identification of homologs and alleles of the SOC/CRAC nucleic acids of the invention. The skilled artisan also is familiar with the methodology for screening cells and libraries for expression of such

molecules which then are routinely isolated, followed by isolation of the pertinent nucleic acid molecule and sequencing.

In general homologs and alleles typically will share at least 40% nucleotide identity and/or at least 50% amino acid identity to SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and/or SEQ ID NO:31, and SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32, respectively. In some instances sequences will share at least 50% nucleotide identity and/or at least 65% amino acid identity and in still other instances sequences will share at least 60% nucleotide identity and/or at least 75% amino acid identity. The homology can be calculated using various, publicly available software tools developed by NCBI (Bethesda, Maryland) that can be obtained through the internet (<ftp://ncbi.nlm.nih.gov/pub/>). Exemplary tools include the BLAST system available at <http://www.ncbi.nlm.nih.gov>. Pairwise and ClustalW alignments (BLOSUM30 matrix setting) as well as Kyte-Doolittle hydropathic analysis can be obtained using the MacVetor sequence analysis software (Oxford Molecular Group). Watson-Crick complements of the foregoing nucleic acids also are embraced by the invention.

In screening for SOC/CRAC related genes, such as homologs and alleles of SOC-2/CRAC-1 and/or SOC-3/CRAC-2, a Southern blot may be performed using the foregoing conditions, together with a radioactive probe. After washing the membrane to which the DNA is finally transferred, the membrane can be placed against X-ray film or a phosphorimager plate to detect the radioactive signal.

Given that the expression of the SOC/CRAC gene is prominent in certain human tissues (e.g., SOC-2/CRAC-1: lymphoid tissue/heart, SOC-3/CRAC-2: kidney/colon, SOC-4/CRAC-3: prostate), and given the teachings herein of partial human SOC/CRAC clones, full-length and other mammalian sequences corresponding to the human SOC/CRAC partial nucleic acid sequences can be isolated from, for example, a cDNA library prepared from one or more of the tissues in which SOC-2/CRAC-1 expression is prominent, SOC-3/CRAC-2 is prominent, and/or SOC-4/CRAC-3 expression is prominent, using standard colony hybridization techniques.

The invention also includes degenerate nucleic acids which include alternative codons to those present in the native materials. For example, serine residues are encoded by the codons TCA, AGT, TCC, TCG, TCT and AGC. Each of the six codons is equivalent for the purposes of encoding a serine residue. Thus, it will be apparent to one of ordinary skill in the

art that any of the serine-encoding nucleotide triplets may be employed to direct the protein synthesis apparatus, *in vitro* or *in vivo*, to incorporate a serine residue into an elongating SOC/CRAC polypeptide. Similarly, nucleotide sequence triplets which encode other amino acid residues include, but are not limited to: CCA, CCC, CCG and CCT (proline codons); CGA, CGC, CGG, CGT, AGA and AGG (arginine codons); ACA, ACC, ACG and ACT (threonine codons); AAC and AAT (asparagine codons); and ATA, ATC and ATT (isoleucine codons). Other amino acid residues may be encoded similarly by multiple nucleotide sequences. Thus, the invention embraces degenerate nucleic acids that differ from the biologically isolated nucleic acids in codon sequence due to the degeneracy of the genetic code.

The invention also provides isolated unique fragments of an isolated nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31. A unique fragment is one that is a 'signature' for the larger nucleic acid. For example, the unique fragment is long enough to assure that its precise sequence is not found in molecules within the human genome outside of the SOC/CRAC nucleic acids defined above (and human alleles). Those of ordinary skill in the art may apply no more than routine procedures to determine if a fragment is unique within the human genome.

Unique fragments, however, exclude fragments completely composed of the nucleotide sequences of any of GenBank accession numbers and SEQ ID NOs listed in Table I (SEQ ID NO:9, AB001535, AI226731, H18835, AA419592, AA261842, AA419407, AI098310, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, AC005538, AA654650, AA370110, AA313170, AA493512, AI670079, AI671853, AC005538, AA654650, AA370110, AA313170, AA493512, AI670079, AI671853), or other previously published sequences as of the filing date of this application.

A fragment which is completely composed of the sequence described in the foregoing GenBank deposits and SEQ ID NO:9, is one which does not include any of the nucleotides unique to the sequences of the invention. Thus, a unique fragment must contain a nucleotide sequence other than the exact sequence of those in GenBank or fragments thereof. The difference may be an addition, deletion or substitution with respect to the GenBank sequence or it may be a sequence wholly separate from the GenBank sequence.



-17-

Unique fragments can be used as probes in Southern and Northern blot assays to identify such nucleic acids, or can be used in amplification assays such as those employing PCR. As known to those skilled in the art, large probes such as 200, 250, 300 or more nucleotides are preferred for certain uses such as Southern and Northern blots, while smaller fragments will be preferred for uses such as PCR. Unique fragments also can be used to produce fusion proteins for generating antibodies or determining binding of the polypeptide fragments, as demonstrated in the Examples, or for generating immunoassay components. Likewise, unique fragments can be employed to produce nonfused fragments of the SOC/CRAC polypeptides, useful, for example, in the preparation of antibodies, immunoassays or therapeutic applications. Unique fragments further can be used as antisense molecules to inhibit the expression of SOC/CRAC nucleic acids and polypeptides, respectively.

As will be recognized by those skilled in the art, the size of the unique fragment will depend upon its conservancy in the genetic code. Thus, some regions of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and complements thereof, will require longer segments to be unique while others will require only short segments, typically between 12 and 32 nucleotides long (e.g. 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 and 32 bases) or more, up to the entire length of the disclosed sequence. As mentioned above, this disclosure intends to embrace each and every fragment of each sequence, beginning at the first nucleotide, the second nucleotide and so on, up to 8 nucleotides short of the end, and ending anywhere from nucleotide number 8, 9, 10 and so on for each sequence, up to the very last nucleotide, (provided the sequence is unique as described above). Virtually any segment of the region of SEQ ID NO:1 beginning at nucleotide 1 and ending at nucleotide 1212, or SEQ ID NO:3 beginning at nucleotide 1 and ending at nucleotide 739, or SEQ ID NO:5 beginning at nucleotide 1 and ending at nucleotide 1579, or SEQ ID NO:7 beginning at nucleotide 1 and ending at nucleotide 3532, or SEQ ID NO:23 beginning at nucleotide 1 and ending at nucleotide 5117, SEQ ID NO:25 beginning at nucleotide 1 and ending at nucleotide 2180, SEQ ID NO:27 beginning at nucleotide 1 and ending at nucleotide 7419, or SEQ ID NO:29 beginning at nucleotide 1 and ending at nucleotide 4061, or SEQ ID NO:31 beginning at nucleotide 1 and ending at nucleotide 4646, or complements thereof, that is 20 or more nucleotides in length will be unique. Those skilled in the art are well versed in methods for selecting such sequences, typically on the basis of the ability of the unique

fragment to selectively distinguish the sequence of interest from other sequences in the human genome of the fragment to those on known databases typically is all that is necessary, although *in vitro* confirmatory hybridization and sequencing analysis may be performed.

As mentioned above, the invention embraces antisense oligonucleotides that selectively bind to a nucleic acid molecule encoding a SOC/CRAC polypeptide, to decrease SOC/CRAC calcium channel activity. When using antisense preparations of the invention, slow intravenous administration is preferred.

As used herein, the term "antisense oligonucleotide" or "antisense" describes an oligonucleotide that is an oligoribonucleotide, oligodeoxyribonucleotide, modified oligoribonucleotide, or modified oligodeoxyribonucleotide which hybridizes under physiological conditions to DNA comprising a particular gene or to an mRNA transcript of that gene and, thereby, inhibits the transcription of that gene and/or the translation of that mRNA. The antisense molecules are designed so as to interfere with transcription or translation of a target gene upon hybridization with the target gene or transcript. Those skilled in the art will recognize that the exact length of the antisense oligonucleotide and its degree of complementarity with its target will depend upon the specific target selected, including the sequence of the target and the particular bases which comprise that sequence. It is preferred that the antisense oligonucleotide be constructed and arranged so as to bind selectively with the target under physiological conditions, i.e., to hybridize substantially more to the target sequence than to any other sequence in the target cell under physiological conditions. Based upon SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, or upon allelic or homologous genomic and/or cDNA sequences, one of skill in the art can easily choose and synthesize any of a number of appropriate antisense molecules for use in accordance with the present invention. In order to be sufficiently selective and potent for inhibition, such antisense oligonucleotides should comprise at least 10 and, more preferably, at least 15 consecutive bases which are complementary to the target, although in certain cases modified oligonucleotides as short as 7 bases in length have been used successfully as antisense oligonucleotides (Wagner et al., *Nat. Med.* 1(11):1116-1118, 1995). Most preferably, the antisense oligonucleotides comprise a complementary sequence of 20-30 bases. Although oligonucleotides may be chosen which are antisense to any region of the gene or mRNA transcripts, in preferred embodiments the antisense oligonucleotides correspond to N-terminal or 5' upstream sites such as translation initiation, transcription initiation or promoter sites. In

addition, 3'-untranslated regions may be targeted by antisense oligonucleotides. Targeting to mRNA splicing sites has also been used in the art but may be less preferred if alternative mRNA splicing occurs. In addition, the antisense is targeted, preferably, to sites in which mRNA secondary structure is not expected (see, e.g., Sainio et al., *Cell Mol. Neurobiol.* 14(5):439-457, 1994) and at which proteins are not expected to bind. Finally, although, SEQ ID No:1 discloses a cDNA sequence, one of ordinary skill in the art may easily derive the genomic DNA corresponding to this sequence. Thus, the present invention also provides for antisense oligonucleotides which are complementary to the genomic DNA corresponding to SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31. Similarly, antisense to allelic or homologous SOC/CRAC cDNAs and genomic DNAs are enabled without undue experimentation.

In one set of embodiments, the antisense oligonucleotides of the invention may be composed of "natural" deoxyribonucleotides, ribonucleotides, or any combination thereof. That is, the 5' end of one native nucleotide and the 3' end of another native nucleotide may be covalently linked, as in natural systems, via a phosphodiester internucleoside linkage. These oligonucleotides may be prepared by art recognized methods which may be carried out manually or by an automated synthesizer. They also may be produced recombinantly by vectors.

In preferred embodiments, however, the antisense oligonucleotides of the invention also may include "modified" oligonucleotides. That is, the oligonucleotides may be modified in a number of ways which do not prevent them from hybridizing to their target but which enhance their stability or targeting or which otherwise enhance their therapeutic effectiveness.

The term "modified oligonucleotide" as used herein describes an oligonucleotide in which (1) at least two of its nucleotides are covalently linked via a synthetic internucleoside linkage (i.e., a linkage other than a phosphodiester linkage between the 5' end of one nucleotide and the 3' end of another nucleotide) and/or (2) a chemical group not normally associated with nucleic acids has been covalently attached to the oligonucleotide. Preferred synthetic internucleoside linkages are phosphorothioates, alkylphosphonates, phosphorodithioates, phosphate esters, alkylphosphonothioates, phosphoramidates, carbamates, carbonates, phosphate triesters, acetamides, carboxymethyl esters and peptides.

The term "modified oligonucleotide" also encompasses oligonucleotides with a covalently modified base and/or sugar. For example, modified oligonucleotides include

-20-

oligonucleotides having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 3' position and other than a phosphate group at the 5' position. Thus modified oligonucleotides may include a 2'-O-alkylated ribose group. In addition, modified oligonucleotides may include sugars such as arabinose instead of ribose. The present invention, thus, contemplates pharmaceutical preparations containing modified antisense molecules that are complementary to and hybridizable with, under physiological conditions, nucleic acids encoding SOC/CRAC polypeptides, together with pharmaceutically acceptable carriers. Antisense oligonucleotides may be administered as part of a pharmaceutical composition. Such a pharmaceutical composition may include the antisense oligonucleotides in combination with any standard physiologically and/or pharmaceutically acceptable carriers which are known in the art. The compositions should be sterile and contain a therapeutically effective amount of the antisense oligonucleotides in a unit of weight or volume suitable for administration to a patient. The term "pharmaceutically acceptable" means a non-toxic material that does not interfere with the effectiveness of the biological activity of the active ingredients. The term "physiologically acceptable" refers to a non-toxic material that is compatible with a biological system such as a cell, cell culture, tissue, or organism. The characteristics of the carrier will depend on the route of administration. Physiologically and pharmaceutically acceptable carriers include diluents, fillers, salts, buffers, stabilizers, solubilizers, and other materials which are well known in the art.

The invention also involves expression vectors coding for SOC/CRAC proteins and fragments and variants thereof and host cells containing those expression vectors. Virtually any cells, prokaryotic or eukaryotic, which can be transformed with heterologous DNA or RNA and which can be grown or maintained in culture, may be used in the practice of the invention. Examples include bacterial cells such as E.coli and eukaryotic cells such as mouse, hamster, pig, goat, primate, yeast, xenopous, etc. They may be of a wide variety of tissue types, including mast cells, fibroblasts, oocytes and lymphocytes, and they may be primary cells or cell lines. Specific examples include CHO cells and COS cells. Cell-free transcription systems also may be used in lieu of cells.

As used herein, a "vector" may be any of a number of nucleic acids into which a desired sequence may be inserted by restriction and ligation for transport between different genetic environments or for expression in a host cell. Vectors are typically composed of DNA although RNA vectors are also available. Vectors include, but are not limited to,

plasmids, phagemids and virus genomes. A cloning vector is one which is able to replicate in a host cell, and which is further characterized by one or more endonuclease restriction sites at which the vector may be cut in a determinable fashion and into which a desired DNA sequence may be ligated such that the new recombinant vector retains its ability to replicate in the host cell. In the case of plasmids, replication of the desired sequence may occur many times as the plasmid increases in copy number within the host bacterium or just a single time per host before the host reproduces by mitosis. In the case of phage, replication may occur actively during a lytic phase or passively during a lysogenic phase. An expression vector is one into which a desired DNA sequence may be inserted by restriction and ligation such that it is operably joined to regulatory sequences and may be expressed as an RNA transcript. Vectors may further contain one or more marker sequences suitable for use in the identification of cells which have or have not been transformed or transfected with the vector. Markers include, for example, genes encoding proteins which increase or decrease either resistance or sensitivity to antibiotics or other compounds, genes which encode enzymes whose activities are detectable by standard assays known in the art (e.g.,  $\beta$ -galactosidase or alkaline phosphatase), and genes which visibly affect the phenotype of transformed or transfected cells, hosts, colonies or plaques (e.g., green fluorescent protein). Preferred vectors are those capable of autonomous replication and expression of the structural gene products present in the DNA segments to which they are operably joined.

As used herein, a coding sequence and regulatory sequences are said to be "operably" joined when they are covalently linked in such a way as to place the expression or transcription of the coding sequence under the influence or control of the regulatory sequences. If it is desired that the coding sequences be translated into a functional protein, two DNA sequences are said to be operably joined if induction of a promoter in the 5' regulatory sequences results in the transcription of the coding sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the coding sequences, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a promoter region would be operably joined to a coding sequence if the promoter region were capable of effecting transcription of that DNA sequence such that the resulting transcript might be translated into the desired protein or polypeptide.

The precise nature of the regulatory sequences needed for gene expression may vary between species or cell types, but shall in general include, as necessary, 5' non-transcribed

and 5' non-translated sequences involved with the initiation of transcription and translation respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribed regulatory sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined gene. Regulatory sequences may also include enhancer sequences or upstream activator sequences as desired. The vectors of the invention may optionally include 5' leader or signal sequences. The choice and design of an appropriate vector is within the ability and discretion of one of ordinary skill in the art.

According to yet another aspect of the invention, isolated SOC/CRAC polypeptides are provided. Preferably, the isolated SOC/CRAC polypeptides are encoded by the isolated SOC/CRAC nucleic acid molecules disclosed herein. More preferably, the isolated SOC/CRAC polypeptides of the invention are encoded by the nucleic acid molecules having SEQ ID Nos. 1, 3, 5, 7, 23, 25, 27, 29, and 31. In yet other embodiments, the isolated SOC/CRAC polypeptides of the invention have an amino acid sequence selected from the group consisting of SEQ ID Nos. 2, 4, 6, 8, 24, 26, 28, 30 and 32. Preferably, the isolated SOC/CRAC polypeptides are of sufficient length to represent a sequence unique within the human genome. Thus, the preferred embodiments include a sequence of contiguous amino acids which is not identical to a prior art sequence as represented by the sequence group consisting of the contiguous amino acids identified in Table II (SEQ ID NO:10, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19 and GenBank Acc. Nos. AB001535, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, NP003298, CAB00861, NP002411, CAA92726, CAB05572).

In certain embodiments, the isolated SOC/CRAC polypeptides are immunogenic and can be used to generate binding polypeptides (e.g., antibodies) for use in diagnostic and therapeutic applications. Such binding polypeptides also are useful for detecting the presence, absence, and/or amounts of a SOC/CRAC nucleic acid or polypeptide in a sample such as a biological fluid or biopsy sample. Preferably, the SOC/CRAC polypeptides that are useful for generating binding polypeptides are unique polypeptides and, therefore, binding of the antibody to a SOC/CRAC polypeptide in a sample is selective for the SOC/CRAC polypeptide.

Expression vectors containing all the necessary elements for expression are commercially available and known to those skilled in the art. See, e.g., Sambrook et al.,

*Molecular Cloning: A Laboratory Manual*, Second Edition, Cold Spring Harbor Laboratory Press, 1989. Cells are genetically engineered by the introduction into the cells of heterologous DNA (RNA) encoding a SOC/CRAC polypeptide or fragment or variant thereof. The heterologous DNA (RNA) is placed under operable control of transcriptional elements to permit the expression of the heterologous DNA in the host cell.

Preferred systems for mRNA expression in mammalian cells are those such as pRc/CMV (available from Invitrogen, Carlsbad, CA) that contain a selectable marker such as a gene that confers G418 resistance (which facilitates the selection of stably transfected cell lines) and the human cytomegalovirus (CMV) enhancer-promoter sequences. Additionally, suitable for expression in primate or canine cell lines is the pCEP4 vector (Invitrogen, Carlsbad, CA), which contains an Epstein Barr virus (EBV) origin of replication, facilitating the maintenance of plasmid as a multicopy extrachromosomal element. Another expression vector is the pEF-BOS plasmid containing the promoter of polypeptide Elongation Factor 1 $\alpha$ , which stimulates efficiently transcription *in vitro*. The plasmid is described by Mishizuma and Nagata (*Nuc. Acids Res.* 18:5322, 1990), and its use in transfection experiments is disclosed by, for example, Demoulin (*Mol. Cell. Biol.* 16:4710-4716, 1996). Still another preferred expression vector is an adenovirus, described by Stratford-Perricaudet, which is defective for E1 and E3 proteins (*J. Clin. Invest.* 90:626-630, 1992). The use of the adenovirus as an Adeno.P1A recombinant is disclosed by Warnier et al., in intradermal injection in mice for immunization against P1A (*Int. J. Cancer*, 67:303-310, 1996).

The invention also embraces so-called expression kits, which allow the artisan to prepare a desired expression vector or vectors. Such expression kits include at least separate portions of each of the previously discussed coding sequences. Other components may be added, as desired, as long as the previously mentioned sequences, which are required, are included.

It will also be recognized that the invention embraces the use of the above described, SOC/CRAC cDNA sequence containing expression vectors, to transfect host cells and cell lines, by these prokaryotic (e.g., *E. coli*), or eukaryotic (e.g., CHO cells, COS cells, yeast expression systems and recombinant baculovirus expression in insect cells). Especially useful are mammalian cells such as mouse, hamster, pig, goat, primate, etc. They may be of a wide variety of tissue types, and include primary cells and cell lines. Specific examples include dendritic cells, U293 cells, peripheral blood leukocytes, bone marrow stem cells and embryonic stem cells. The invention also permits the construction of SOC/CRAC gene

“knock-outs” in cells and in animals, providing materials for studying certain aspects of SOC/CRAC calcium channel activity.

The invention also provides isolated polypeptides (including whole proteins and partial proteins), encoded by the foregoing SOC/CRAC nucleic acids, and include the polypeptides of SEQ ID NO:2, 4, 6, 8, 24, 26, 28, 30, 32, and unique fragments thereof. Such polypeptides are useful, for example, to regulate calcium transport-mediated cell growth, differentiation and proliferation, to generate antibodies, as components of immunoassays, etc. Polypeptides can be isolated from biological samples including tissue or cell homogenates, and can also be expressed recombinantly in a variety of prokaryotic and eukaryotic expression systems by constructing an expression vector appropriate to the expression system, introducing the expression vector into the expression system, and isolating the recombinantly expressed protein. Short polypeptides, including antigenic peptides (such as are presented by MHC molecules on the surface of a cell for immune recognition) also can be synthesized chemically using well-established methods of peptide synthesis.

A unique fragment of a SOC/CRAC polypeptide, in general, has the features and characteristics of unique fragments as discussed above in connection with nucleic acids. As will be recognized by those skilled in the art, the size of the unique fragment will depend upon factors such as whether the fragment constitutes a portion of a conserved protein domain. Thus, some regions of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32, will require longer segments to be unique while others will require only short segments, typically between 5 and 12 amino acids (e.g. 5, 6, 7, 8, 9, 10, 11 and 12 amino acids long or more, including each integer up to the full length, >1,000 amino acids long). Virtually any segment of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32, excluding the ones that share identity with it (the polypeptides identified in Table II - SEQ ID NO:10, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, and GenBank Acc. Nos. AB001535, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, NP003298, CAB00861, NP002411, CAA92726, CAB05572) that is 9 or more amino acids in length will be unique.

Unique fragments of a polypeptide preferably are those fragments which retain a distinct functional capability of the polypeptide. Functional capabilities which can be retained in a unique fragment of a polypeptide include  $\text{Ca}^{2+}$  fluxing, high selectivity, a unitary



conductance below the detection level of the patch clamp method, and/or and are subject to inhibition by high intracellular calcium levels.

One important aspect of a unique fragment is its ability to act as a signature for identifying the polypeptide. Optionally, another aspect of a unique fragment is its ability to provide an immune response in an animal. Those skilled in the art are well versed in methods for selecting unique amino acid sequences, typically on the basis of the ability of the unique fragment to selectively distinguish the sequence of interest from non-family members. A comparison of the sequence of the fragment to those on known databases typically is all that is necessary.

The invention embraces variants of the SOC/CRAC polypeptides described above. As used herein, a "variant" of a SOC/CRAC polypeptide is a polypeptide which contains one or more modifications to the primary amino acid sequence of a SOC/CRAC polypeptide. Modifications which create a SOC/CRAC polypeptide variant are typically made to the nucleic acid which encodes the SOC/CRAC polypeptide, and can include deletions, point mutations, truncations, amino acid substitutions and addition of amino acids or non-amino acid moieties to: 1) reduce or eliminate a calcium channel activity of a SOC/CRAC polypeptide; 2) enhance a property of a SOC/CRAC polypeptide, such as protein stability in an expression system or the stability of protein-protein binding; 3) provide a novel activity or property to a SOC/CRAC polypeptide, such as addition of an antigenic epitope or addition of a detectable moiety; or 4) to provide equivalent or better binding to a SOC/CRAC polypeptide receptor or other molecule. Alternatively, modifications can be made directly to the polypeptide, such as by cleavage, addition of a linker molecule, addition of a detectable moiety, such as biotin, addition of a fatty acid, and the like. Modifications also embrace fusion proteins comprising all or part of the SOC/CRAC amino acid sequence. One of skill in the art will be familiar with methods for predicting the effect on protein conformation of a change in protein sequence, and can thus "design" a variant SOC/CRAC polypeptide according to known methods. One example of such a method is described by Dahiyat and Mayo in *Science* 278:82-87, 1997, whereby proteins can be designed *de novo*. The method can be applied to a known protein to vary only a portion of the polypeptide sequence. By applying the computational methods of Dahiyat and Mayo, specific variants of a SOC/CRAC calcium channel polypeptide can be proposed and tested to determine whether the variant retains a desired conformation.

Variants can include SOC/CRAC polypeptides which are modified specifically to alter a feature of the polypeptide unrelated to its physiological activity. For example, cysteine residues can be substituted or deleted to prevent unwanted disulfide linkages. Similarly, certain amino acids can be changed to enhance expression of a SOC/CRAC polypeptide by eliminating proteolysis by proteases in an expression system (e.g., dibasic amino acid residues in yeast expression systems in which KEX2 protease activity is present).

Mutations of a nucleic acid which encodes a SOC/CRAC polypeptide preferably preserve the amino acid reading frame of the coding sequence and, preferably, do not create regions in the nucleic acid which are likely to hybridize to form secondary structures, such as hairpins or loops, which can be deleterious to expression of the variant polypeptide.

Mutations can be made by selecting an amino acid substitution, or by random mutagenesis of a selected site in a nucleic acid which encodes the polypeptide. Variant polypeptides are then expressed and tested for one or more activities to determine which mutation provides a variant polypeptide with the desired properties. Further mutations can be made to variants (or to non-variant SOC/CRAC polypeptides) which are silent as to the amino acid sequence of the polypeptide, but which provide preferred codons for translation in a particular host. The preferred codons for translation of a nucleic acid in, e.g., *E. coli*, are well known to those of ordinary skill in the art. Still other mutations can be made to the noncoding sequences of a SOC/CRAC gene or cDNA clone to enhance expression of the polypeptide.

The skilled artisan will realize that conservative amino acid substitutions may be made in SOC/CRAC polypeptides to provide functionally equivalent variants of the foregoing polypeptides, i.e., the variants retain the functional capabilities of the SOC/CRAC polypeptides. As used herein, a "conservative amino acid substitution" refers to an amino acid substitution which does not alter the relative charge or size characteristics of the protein in which the amino acid substitution is made. Variants can be prepared according to methods for altering polypeptide sequence known to one of ordinary skill in the art such as are found in references which compile such methods, e.g. *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989, or *Current Protocols in Molecular Biology*, F.M. Ausubel, et al., eds., John Wiley & Sons, Inc., New York. Exemplary functionally equivalent variants of the SOC/CRAC polypeptides include conservative amino acid substitutions of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32. Conservative substitutions of amino acids

include substitutions made amongst amino acids within the following groups: (a) M, I, L, V; (b) F, Y, W; (c) K, R, H; (d) A, G; (e) S, T; (f) Q, N; and (g) E, D.

Thus functionally equivalent variants of SOC/CRAC polypeptides, i.e., variants of SOC/CRAC polypeptides which retain the function of the natural SOC/CRAC polypeptides, are contemplated by the invention. Conservative amino-acid substitutions in the amino acid sequence of SOC/CRAC polypeptides to produce functionally equivalent variants of SOC/CRAC polypeptides typically are made by alteration of a nucleic acid encoding SOC/CRAC polypeptides (e.g., SEQ ID NOs:1, 3, 5, 7, 23, 25, 27, 29, 31). Such substitutions can be made by a variety of methods known to one of ordinary skill in the art. For example, amino acid substitutions may be made by PCR-directed mutation, site-directed mutagenesis according to the method of Kunkel (Kunkel, *Proc. Nat. Acad. Sci. U.S.A.* 82: 488-492, 1985), or by chemical synthesis of a gene encoding a SOC/CRAC polypeptide. The activity of functionally equivalent fragments of SOC/CRAC polypeptides can be tested by cloning the gene encoding the altered SOC/CRAC polypeptide into a bacterial or mammalian expression vector, introducing the vector into an appropriate host cell, expressing the altered SOC/CRAC polypeptide, and testing for a functional capability of the SOC/CRAC polypeptides as disclosed herein (e.g., SOC/CRAC calcium channel activity).

The invention as described herein has a number of uses, some of which are described elsewhere herein. First, the invention permits isolation of SOC/CRAC polypeptides, including the isolation of the complete SOC/CRAC polypeptide. A variety of methodologies well-known to the skilled practitioner can be utilized to obtain isolated SOC/CRAC molecules. The polypeptide may be purified from cells which naturally produce the polypeptide by chromatographic means or immunological recognition. Alternatively, an expression vector may be introduced into cells to cause production of the polypeptide. In another method, mRNA transcripts may be microinjected or otherwise introduced into cells to cause production of the encoded polypeptide. Translation of SOC/CRAC mRNA in cell-free extracts such as the reticulocyte lysate system also may be used to produce SOC/CRAC polypeptides. Those skilled in the art also can readily follow known methods for isolating SOC/CRAC polypeptides. These include, but are not limited to, immunochromatography, HPLC, size-exclusion chromatography, ion-exchange chromatography and immune-affinity chromatography.

The invention also provides, in certain embodiments, "dominant negative" polypeptides derived from SOC/CRAC polypeptides. A dominant negative polypeptide is an

inactive variant of a protein, which, by interacting with the cellular machinery, displaces an active protein from its interaction with the cellular machinery or competes with the active protein, thereby reducing the effect of the active protein. For example, a dominant negative receptor which binds a ligand but does not transmit a signal in response to binding of the ligand can reduce the biological effect of expression of the ligand. Likewise, a dominant negative inactive SOC/CRAC calcium channel which interacts normally with the cell membrane but which does not mediate calcium transport can reduce calcium transport in a cell. Similarly, a dominant negative transcription factor which binds to a promoter site in the control region of a gene but does not increase gene transcription can reduce the effect of a normal transcription factor by occupying promoter binding sites without increasing transcription.

The end result of the expression of a dominant negative polypeptide in a cell is a reduction in function of active proteins. One of ordinary skill in the art can assess the potential for a dominant negative variant of a protein, and using standard mutagenesis techniques to create one or more dominant negative variant polypeptides. See, e.g., U.S. Patent No. 5,580,723 and Sambrook et al., 1989, *Molecular Cloning: A Laboratory Manual*, Second Edition, Cold Spring Harbor Laboratory Press. The skilled artisan then can test the population of mutagenized polypeptides for diminution in a selected and/or for retention of such an activity. Other similar methods for creating and testing dominant negative variants of a protein will be apparent to one of ordinary skill in the art.

According to another aspect, the invention provides a method for isolating a SOC/CRAC molecule having SOC/CRAC calcium channel activity. The method involves contacting a binding molecule that is a SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample containing one or more SOC/CRAC molecules under conditions that allow such binding (see earlier discussion) to form a complex, detecting the presence of the complex, isolating the SOC/CRAC molecule from the complex, and determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity. Thus, the invention is useful for identifying and isolating full length complementary (cDNA) or genomic nucleic acids encoding SOC/CRAC polypeptides having SOC/CRAC calcium channel activity. Identification and isolation of such nucleic acids and polypeptides may be accomplished by hybridizing/binding, under appropriate conditions well known in the art, libraries and/or restriction enzyme-digested human nucleic acids, with a labeled SOC/CRAC molecular probe. As used herein, a "label" includes molecules that are incorporated into, for

example, a SOC/CRAC molecule (nucleic acid or peptide), that can be directly or indirectly detected. A wide variety of detectable labels are well known in the art that can be used, and include labels that provide direct detection (e.g., radioactivity, luminescence, optical or electron density, etc), or indirect detection (e.g., epitope tag such as the FLAG epitope, enzyme tag such as horseradish peroxidase, etc.). The label may be bound to a SOC/CRAC binding partner, or incorporated into the structure of the binding partner.

A variety of methods may be used to detect the label, depending on the nature of the label and other assay components. For example, the label may be detected while bound to the solid substrate or subsequent to separation from the solid substrate. Labels may be directly detected through optical or electron density, radioactive emissions, nonradioactive energy transfers, etc. or indirectly detected with antibody conjugates, streptavidin-biotin conjugates, etc. Methods for detecting the labels are well known in the art. Once a library clone or hybridizing fragment is identified in the hybridization/binding reaction, it can be further isolated by employing standard isolation/cloning techniques known to those of skill in the art. See, generally, Sambrook et al., 1989, *Molecular Cloning: A Laboratory Manual*, 2nd Edition, Cold Spring Harbor Laboratory Press. In addition, nucleic acid amplification techniques well known in the art, may also be used to locate splice variants of calcium channel (or calcium channel subunits) with SOC/CRAC calcium channel activity. Size and sequence determinations of the amplification products can reveal splice variants.

The foregoing isolated nucleic acids and polypeptides may then be compared to the nucleic acids and polypeptides of the present invention in order to identify homogeneity or divergence of the sequences, and be further characterized functionally to determine whether they belong to a family of molecules with SOC/CRAC calcium channel activity (for methodology see under the Examples section).

The isolation of the SOC/CRAC cDNA and/or partial sequences thereof also makes it possible for the artisan to diagnose a disorder characterized by an aberrant expression of SOC/CRAC. These methods involve determining expression of the SOC/CRAC gene, and/or SOC/CRAC polypeptides derived therefrom. In the former situation, such determinations can be carried out via any standard nucleic acid determination assay, including the polymerase chain reaction, or assaying with labeled hybridization probes as exemplified below. In the latter situation, such determination can be carried out via any standard immunological assay using, for example, antibodies which bind to the SOC/CRAC protein.

The invention also embraces isolated peptide binding agents which, for example, can be antibodies or fragments of antibodies ("binding polypeptides"), having the ability to selectively bind to SOC/CRAC polypeptides. Antibodies include polyclonal and monoclonal antibodies, prepared according to conventional methodology. In certain embodiments, the invention excludes binding agents (e.g., antibodies) that bind to the polypeptides encoded by the nucleic acids of SEQ ID NOs: 10, 12, 13, 14, 15, 17, and 19.

Significantly, as is well-known in the art, only a small portion of an antibody molecule, the paratope, is involved in the binding of the antibody to its epitope (see, in general, Clark, W.R. (1986) The Experimental Foundations of Modern Immunology Wiley & Sons, Inc., New York; Roitt, I. (1991) Essential Immunology, 7th Ed., Blackwell Scientific Publications, Oxford). The pFc' and Fc regions, for example, are effectors of the complement cascade but are not involved in antigen binding. An antibody from which the pFc' region has been enzymatically cleaved, or which has been produced without the pFc' region, designated an F(ab')<sub>2</sub> fragment, retains both of the antigen binding sites of an intact antibody. Similarly, an antibody from which the Fc region has been enzymatically cleaved, or which has been produced without the Fc region, designated an Fab fragment, retains one of the antigen binding sites of an intact antibody molecule. Proceeding further, Fab fragments consist of a covalently bound antibody light chain and a portion of the antibody heavy chain denoted Fd. The Fd fragments are the major determinant of antibody specificity (a single Fd fragment may be associated with up to ten different light chains without altering antibody specificity) and Fd fragments retain epitope-binding ability in isolation.

Within the antigen-binding portion of an antibody, as is well-known in the art, there are complementarity determining regions (CDRs), which directly interact with the epitope of the antigen, and framework regions (FRs), which maintain the tertiary structure of the paratope (see, in general, Clark, 1986; Roitt, 1991). In both the heavy chain Fd fragment and the light chain of IgG immunoglobulins, there are four framework regions (FR1 through FR4) separated respectively by three complementarity determining regions (CDR1 through CDR3). The CDRs, and in particular the CDR3 regions, and more particularly the heavy chain CDR3, are largely responsible for antibody specificity.

It is now well-established in the art that the non-CDR regions of a mammalian antibody may be replaced with similar regions of conspecific or heterospecific antibodies while retaining the epitopic specificity of the original antibody. This is most clearly manifested in the development and use of "humanized" antibodies in which non-human CDRs

are covalently joined to human FR and/or Fc/pFc' regions to produce a functional antibody. Thus, for example, PCT International Publication Number WO 92/04381 teaches the production and use of humanized murine RSV antibodies in which at least a portion of the murine FR regions have been replaced by FR regions of human origin. Such antibodies, including fragments of intact antibodies with antigen-binding ability, are often referred to as "chimeric" antibodies.

Thus, as will be apparent to one of ordinary skill in the art, the present invention also provides for F(ab')<sub>2</sub>, Fab, Fv and Fd fragments; chimeric antibodies in which the Fc and/or FR and/or CDR1 and/or CDR2 and/or light chain CDR3 regions have been replaced by homologous human or non-human sequences; chimeric F(ab')<sub>2</sub> fragment antibodies in which the FR and/or CDR1 and/or CDR2 and/or light chain CDR3 regions have been replaced by homologous human or non-human sequences; chimeric Fab fragment antibodies in which the FR and/or CDR1 and/or CDR2 and/or light chain CDR3 regions have been replaced by homologous human or non-human sequences; and chimeric Fd fragment antibodies in which the FR and/or CDR1 and/or CDR2 regions have been replaced by homologous human or non-human sequences. The present invention also includes so-called single chain antibodies.

Thus, the invention involves binding polypeptides of numerous size and type that bind selectively to SOC/CRAC polypeptides, and complexes containing SOC/CRAC polypeptides. These binding polypeptides also may be derived also from sources other than antibody technology. For example, such polypeptide binding agents can be provided by degenerate peptide libraries which can be readily prepared in solution, in immobilized form, as bacterial flagella peptide display libraries or as phage display libraries. Combinatorial libraries also can be synthesized of peptides containing one or more amino acids. Libraries further can be synthesized of peptides and non-peptide synthetic moieties.

Phage display can be particularly effective in identifying binding peptides useful according to the invention. Briefly, one prepares a phage library (using e.g. m13, fd, or lambda phage), displaying inserts from 4 to about 80 amino acid residues using conventional procedures. The inserts may represent, for example, a completely degenerate or biased array. One then can select phage-bearing inserts which bind to the SOC/CRAC polypeptide or a complex containing a SOC/CRAC polypeptide. This process can be repeated through several cycles of reselection of phage that bind to the SOC/CRAC polypeptide or complex. Repeated rounds lead to enrichment of phage bearing particular sequences. DNA sequence analysis can be conducted to identify the sequences of the expressed polypeptides. The minimal linear

portion of the sequence that binds to the SOC/CRAC polypeptide or complex can be determined. One can repeat the procedure using a biased library containing inserts containing part or all of the minimal linear portion plus one or more additional degenerate residues upstream or downstream thereof. Yeast two-hybrid screening methods also may be used to identify polypeptides that bind to the SOC/CRAC polypeptides. Thus, the SOC/CRAC polypeptides of the invention, or a fragment thereof, or complexes of SOC/CRAC can be used to screen peptide libraries, including phage display libraries, to identify and select peptide binding polypeptides that selectively bind to the SOC/CRAC polypeptides of the invention. Such molecules can be used, as described, for screening assays, for purification protocols, for interfering directly with the functioning of SOC/CRAC and for other purposes that will be apparent to those of ordinary skill in the art.

A SOC/CRAC polypeptide, or a fragment thereof, also can be used to isolate naturally occurring, polypeptide binding partners which may associate with the SOC/CRAC polypeptide in the membrane of a cell. Isolation of binding partners may be performed according to well-known methods. For example, isolated SOC/CRAC polypeptides can be attached to a substrate, and then a solution suspected of containing an SOC/CRAC binding partner may be applied to the substrate. If the binding partner for SOC/CRAC polypeptides is present in the solution, then it will bind to the substrate-bound SOC/CRAC polypeptide. The binding partner then may be isolated. Other proteins which are binding partners for SOC/CRAC, may be isolated by similar methods without undue experimentation.

The invention also provides novel kits which could be used to measure the levels of the nucleic acids of the invention, expression products of the invention or anti-SOC/CRAC antibodies. In the case of nucleic acid detection, pairs of primers for amplifying SOC/CRAC nucleic acids can be included. The preferred kits would include controls such as known amounts of nucleic acid probes, SOC/CRAC epitopes (such as SOC/CRAC expression products) or anti-SOC/CRAC antibodies, as well as instructions or other printed material. In certain embodiments the printed material can characterize risk of developing a disorder that is characterized by aberrant SOC/CRAC polypeptide expression based upon the outcome of the assay. The reagents may be packaged in containers and/or coated on wells in predetermined amounts, and the kits may include standard materials such as labeled immunological reagents (such as labeled anti-IgG antibodies) and the like. One kit is a packaged polystyrene microtiter plate coated with a SOC/CRAC polypeptide and a container containing labeled anti-human IgG antibodies. A well of the plate is contacted with, for example, serum, washed



and then contacted with the anti-IgG antibody. The label is then detected. A kit embodying features of the present invention is comprised of the following major elements: packaging an agent of the invention, a control agent, and instructions. Packaging is a box-like structure for holding a vial (or number of vials) containing an agent of the invention, a vial (or number of vials) containing a control agent, and instructions. Individuals skilled in the art can readily modify packaging to suit individual needs.

Another aspect of the invention is a method for determining the level of SOC/CRAC expression in a subject. As used herein, a subject is a human, non-human primate, cow, horse, pig, sheep, goat, dog, cat or rodent. In all embodiments, human subjects are preferred. Expression is defined either as SOC/CRAC mRNA expression or SOC/CRAC polypeptide expression. Various methods can be used to measure expression. Preferred embodiments of the invention include PCR and Northern blotting for measuring mRNA expression, and monoclonal or polyclonal SOC/CRAC antisera as reagents to measure SOC/CRAC polypeptide expression. In certain embodiments, test samples such as biopsy samples, and biological fluids such as blood, are used as test samples. SOC/CRAC expression in a test sample of a subject is compared to SOC/CRAC expression in control sample to, e.g., assess the presence or absence or stage of a proliferative disorder (e.g., a lymphocyte proliferative disorder) in a subject.

SOC/CRAC polypeptides preferably are produced recombinantly, although such polypeptides may be isolated from biological extracts. Recombinantly produced SOC/CRAC polypeptides include chimeric proteins comprising a fusion of a SOC/CRAC protein with another polypeptide, e.g., a polypeptide capable of providing or enhancing protein-protein binding, sequence specific nucleic acid binding (such as GAL4), enhancing stability of the SOC/CRAC polypeptide under assay conditions, or providing a detectable moiety, such as green fluorescent protein. A polypeptide fused to a SOC/CRAC polypeptide or fragment may also provide means of readily detecting the fusion protein, e.g., by immunological recognition or by fluorescent labeling.

The invention is also useful in the generation of transgenic non-human animals. As used herein, "transgenic non-human animals" includes non-human animals having one or more exogenous nucleic acid molecules incorporated in germ line cells and/or somatic cells. Thus the transgenic animal include "knockout" animals having a homozygous or heterozygous gene disruption by homologous recombination, animals having episomal or chromosomally incorporated expression vectors, etc. Knockout animals can be prepared by

homologous recombination using embryonic stem cells as is well known in the art. The recombination may be facilitated using, for example, the cre/lox system or other recombinase systems known to one of ordinary skill in the art. In certain embodiments, the recombinase system itself is expressed conditionally, for example, in certain tissues or cell types, at certain embryonic or post-embryonic developmental stages, inducibly by the addition of a compound which increases or decreases expression, and the like. In general, the conditional expression vectors used in such systems use a variety of promoters which confer the desired gene expression pattern (e.g., temporal or spatial). Conditional promoters also can be operably linked to SOC/CRAC nucleic acid molecules to increase expression of SOC/CRAC in a regulated or conditional manner. *Trans*-acting negative regulators of SOC/CRAC calcium channel activity or expression also can be operably linked to a conditional promoter as described above. Such *trans*-acting regulators include antisense SOC/CRAC nucleic acids molecules, nucleic acid molecules which encode dominant negative SOC/CRAC molecules, ribozyme molecules specific for SOC/CRAC nucleic acids, and the like. The transgenic non-human animals are useful in experiments directed toward testing biochemical or physiological effects of diagnostics or therapeutics for conditions characterized by increased or decreased SOC/CRAC expression. Other uses will be apparent to one of ordinary skill in the art.

The invention further provides efficient methods of identifying agents or lead compounds for agents active at the level of a SOC/CRAC polypeptide (e.g., a SOC/CRAC polypeptide) or SOC/CRAC fragment dependent cellular function. In particular, such functions include interaction with other polypeptides or fragments thereof, and selective binding to certain molecules (e.g., agonists and antagonists). Generally, the screening methods involve assaying for compounds which interfere with SOC/CRAC calcium channel activity, although compounds which enhance SOC/CRAC calcium channel activity also can be assayed using the screening methods. Such methods are adaptable to automated, high throughput screening of compounds. The target therapeutic indications for pharmacological agents detected by the screening methods are limited only in that the target cellular function be subject to modulation by alteration of the formation of a complex comprising a SOC/CRAC polypeptide or fragment thereof and one or more SOC/CRAC binding targets. Target indications include cellular processes modulated by SOC/CRAC such as  $\text{Ca}^{2+}$  fluxing, and affected by SOC/CRAC ability to form complexes with other molecules and polypeptides as, for example, may be present in the cell membrane.

A wide variety of assays for pharmacological agents are provided, including, expression assays, labeled *in vitro* protein-protein binding assays, electrophoretic mobility shift assays, immunoassays, cell-based assays such as calcium transport assays, etc. For example, two-hybrid screens are used to rapidly examine the effect of transfected nucleic acids on the intracellular binding of SOC/CRAC or SOC/CRAC fragments to specific intracellular targets (e.g. a tyrosine kinase). The transfected nucleic acids can encode, for example, combinatorial peptide libraries or cDNA libraries. Convenient reagents for such assays, e.g., GAL4 fusion proteins, are known in the art. An exemplary cell-based assay involves transfecting a cell with a nucleic acid encoding a SOC/CRAC polypeptide fused to a GAL4 DNA binding domain and a nucleic acid encoding a reporter gene operably linked to a gene expression regulatory region, such as one or more GAL4 binding sites. Activation of reporter gene transcription occurs when the SOC/CRAC and reporter fusion polypeptides bind such as to enable transcription of the reporter gene. Agents which modulate a SOC/CRAC polypeptide mediated cell function are then detected through a change in the expression of reporter gene. Methods for determining changes in the expression of a reporter gene are known in the art.

In an expression system, for example, a SOC/CRAC polypeptide is attached to a membrane, the membrane preferably separating two fluid environments and being otherwise not permeable to  $\text{Ca}^{2+}$ . Such separation is preferred so that a change in  $\text{Ca}^{2+}$  concentration on either side of the membrane is mediated only through the attached SOC/CRAC polypeptide. Preferably, a SOC/CRAC polypeptide is expressed in an intact cell and is present on the cell-membrane (as in physiologic conditions). The cell expressing the SOC/CRAC polypeptide is preferably a eukaryotic cell, and the SOC/CRAC polypeptide is preferably recombinantly expressed, although cells naturally expressing a SOC/CRAC polypeptide may also be used. Synthetic membranes, however, containing SOC/CRAC polypeptides may also be used. See, e.g., K. Kiselyov, et al., Functional interaction between InsP3 receptors and store-operated Htrp3 channels, Nature 396, 478-82 (1998).

The cell expressing the SOC/CRAC polypeptide is incubated under conditions which, in the absence of the candidate agent, permit calcium flux into the cell and allow detection of a reference calcium concentration. For example, depletion of intracellular calcium stores with thapsigargin or other agents (Putney, J.W. Jr., in Capacitative Calcium Entry, R.G. Landes Co. and Chapman & Hall, 1997) would produce a given level of SOC/CRAC channel activation and a given reference calcium concentration. Detection of a decrease in the

foregoing activities (i.e., a decrease in the intracellular calcium concentration) relative to the reference calcium concentration indicates that the candidate agent is a lead compound for an agent to inhibit SOC/CRAC calcium channel activity. Preferred SOC/CRAC polypeptides include the polypeptides of claim 15.

5 SOC/CRAC fragments used in the methods, when not produced by a transfected nucleic acid are added to an assay mixture as an isolated polypeptide. SOC/CRAC polypeptides preferably are produced recombinantly, although such polypeptides may be isolated from biological extracts or chemically synthesized. Recombinantly produced SOC/CRAC polypeptides include chimeric proteins comprising a fusion of a SOC/CRAC  
10 protein with another polypeptide, e.g., a polypeptide capable of providing or enhancing protein-protein binding, sequence specific nucleic acid binding (such as GAL4), enhancing stability of the SOC/CRAC polypeptide under assay conditions, or providing a detectable moiety, such as green fluorescent protein or Flag epitope.

The assay mixture is comprised of a SOC/CRAC polypeptide binding target  
15 (candidate agent) capable of interacting with a SOC/CRAC polypeptide. While natural SOC/CRAC binding targets may be used, it is frequently preferred to use portions (e.g., peptides or nucleic acid fragments) or analogs (i.e., agents which mimic the SOC/CRAC binding properties of the natural binding target for purposes of the assay) of the SOC/CRAC binding target so long as the portion or analog provides binding affinity and avidity to the  
20 SOC/CRAC polypeptide (or fragment thereof) measurable in the assay.

The assay mixture also comprises a candidate agent (binding target, e.g., agonist/antagonist). Typically, a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a different response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration of agent or  
25 at a concentration of agent below the limits of assay detection. Candidate agents encompass numerous chemical classes, although typically they are organic compounds. Preferably, the candidate agents are small organic compounds, i.e., those having a molecular weight of more than 50 yet less than about 2500, preferably less than about 1000 and, more preferably, less than about 500. Candidate agents comprise functional chemical groups necessary for  
30 structural interactions with polypeptides and/or nucleic acids, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups and more preferably at least three of the functional chemical groups. The candidate agents can comprise cyclic carbon or heterocyclic structure and/or aromatic or

polyaromatic structures substituted with one or more of the above-identified functional groups. Candidate agents also can be biomolecules such as peptides, saccharides, fatty acids, sterols, isoprenoids, purines, pyrimidines, derivatives or structural analogs of the above, or combinations thereof and the like. Where the agent is a nucleic acid, the agent typically is a DNA or RNA molecule, although modified nucleic acids as defined herein are also contemplated.

Candidate agents are obtained from a wide variety of sources including libraries of synthetic or natural compounds. For example, numerous means are available for random and directed synthesis of a wide variety of organic compounds and biomolecules, including expression of randomized oligonucleotides, synthetic organic combinatorial libraries, phage display libraries of random peptides, and the like. Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant and animal extracts are available or readily produced. Additionally, natural and synthetically produced libraries and compounds can be readily modified through conventional chemical, physical, and biochemical means. Further, known agents may be subjected to directed or random chemical modifications such as acylation, alkylation, esterification, amidification, etc. to produce structural analogs of the agents. Non-SOC/CRAC calcium channel agonists and antagonists, for example, include agents such as dihydropyridines (DHPs), phenylalkylamines, omega conotoxin (omega.-CgTx) and pyrazonoylguanidines.

A variety of other reagents also can be included in the mixture. These include reagents such as salts, buffers, neutral proteins (e.g., albumin), detergents, etc. which may be used to facilitate optimal protein-protein, protein-nucleic acid, and/or protein/membrane component binding association. Such a reagent may also reduce non-specific or background interactions of the reaction components. Other reagents that improve the efficiency of the assay such as protease, inhibitors, nuclease inhibitors, antimicrobial agents, and the like may also be used.

The mixture of the foregoing assay materials is incubated under conditions whereby, but for the presence of the candidate agent, the SOC/CRAC polypeptide specifically binds the cellular binding target, a portion thereof or analog thereof. The order of addition of components, incubation temperature, time of incubation, and other perimeters of the assay may be readily determined. Such experimentation merely involves optimization of the assay parameters, not the fundamental composition of the assay. Incubation temperatures typically

are between 4°C and 40°C. Incubation times preferably are minimized to facilitate rapid, high throughput screening, and typically are between 0.1 and 10 hours.

After incubation, the presence or absence of specific binding between the SOC/CRAC polypeptide and one or more binding targets is detected by any convenient method available to the user. For cell free binding type assays, a separation step is often used to separate bound from unbound components. The separation step may be accomplished in a variety of ways. Conveniently, at least one of the components is immobilized on a solid substrate, from which the unbound components may be easily separated. The solid substrate can be made of a wide variety of materials and in a wide variety of shapes, e.g., microtiter plate, microbead, dipstick, resin particle, etc. The substrate preferably is chosen to maximum signal to noise ratios, primarily to minimize background binding, as well as for ease of separation and cost.

Separation may be effected for example, by removing a bead or dipstick from a reservoir, emptying or diluting a reservoir such as a microtiter plate well, rinsing a bead, particle, chromatographic column or filter with a wash solution or solvent. The separation step preferably includes multiple rinses or washes. For example, when the solid substrate is a microtiter plate, the wells may be washed several times with a washing solution, which typically includes those components of the incubation mixture that do not participate in specific bindings such as salts, buffer, detergent, non-specific protein, etc. Where the solid substrate is a magnetic bead, the beads may be washed one or more times with a washing solution and isolated using a magnet.

Detection may be effected in any convenient way for cell-based assays such as two- or three-hybrid screens. The transcript resulting from a reporter gene transcription assay of SOC/CRAC polypeptide interacting with a target molecule typically encodes a directly or indirectly detectable product, e.g.,  $\beta$ -galactosidase activity, luciferase activity, and the like. For cell-free binding assays, one of the components usually comprises, or is coupled to, a detectable label. A wide variety of labels can be used, such as those that provide direct detection (e.g., radioactivity, luminescence, optical or electron density, etc.) or indirect detection (e.g., epitope tag such as the FLAG epitope, enzyme tag such as horseradish peroxidase, etc.). The label may be bound to a SOC/CRAC binding partner, or incorporated into the structure of the binding partner.

A variety of methods may be used to detect the label, depending on the nature of the label and other assay components. For example, the label may be detected while bound to the solid substrate or subsequent to separation from the solid substrate. Labels may be directly

detected through optical or electron density, radioactive emissions, nonradiative energy transfers, etc. or indirectly detected with antibody conjugates, strepavidin-biotin conjugates, etc. Methods for detecting the labels are well known in the art.

Of particular importance in any of the foregoing assays and binding studies is the use of a specific sequence motif identified in the SOC-2/CRAC-1 polypeptide sequence as a kinase catalytic domain. According to the invention, amino acids 999-1180 of the SOC-2/CRAC-1 polypeptide (SEQ ID NO:24) (or a fragment thereof), show a localized homology with the catalytic domains of eukaryotic elongation factor-2 kinase (eEF-2 kinase, GenBank Acc. no. U93850) and *Dictyostelium* myocin heavy chain kinase A (MHCK A, GenBank Acc. no. U16856), as disclosed in Ryazanov AG, et al., *Proc Natl Acad Sci U S A*, 1997, 94(10):4884-4889. Therefore, according to the invention, a method for identifying agents useful in the modulation of SOC/CRAC polypeptide kinase activity is provided. The method involves contacting a SOC/CRAC polypeptide with kinase activity, that includes, for example, amino acids 999-1180 of the SOC-2/CRAC-1 polypeptide (SEQ ID NO:24) with a candidate agent suspected of modulating SOC/CRAC kinase activity, under conditions sufficient to allow the candidate agent to interact with the SOC/CRAC polypeptide and modulate its kinase activity; detecting a kinase activity associated with the SOC/CRAC polypeptide in the presence of the candidate agent; and comparing the kinase activity in the previous step with a control kinase activity of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates (increases or decreases) SOC/CRAC kinase activity. Other controls for kinase activity can also be performed at the same time, for example, by utilizing eEF-2 kinase and/or *Dictyostelium* MHC Kinase A, in a similar manner to the SOC/CRAC member. Methods for performing such kinase activity assays are well known in the art.

The invention thus provides SOC/CRAC-specific binding agents, methods of identifying and making such agents, and their use in diagnosis, therapy and pharmaceutical development. For example, SOC/CRAC-specific agents are useful in a variety of diagnostic and therapeutic applications, especially where disease or disease prognosis is associated with altered SOC/CRAC and SOC/CRAC calcium channel fluxing characteristics. Novel SOC/CRAC-specific binding agents include SOC/CRAC-specific antibodies and other natural intracellular and extracellular binding agents identified with assays such as two hybrid screens, and non-natural intracellular and extracellular binding agents identified in screens of chemical libraries and the like.

In general, the specificity of SOC/CRAC binding to a specific molecule is determined by binding equilibrium constants. Targets which are capable of selectively binding a SOC/CRAC polypeptide preferably have binding equilibrium constants of at least about  $10^7$   $M^{-1}$ , more preferably at least about  $10^8$   $M^{-1}$ , and most preferably at least about  $10^9$   $M^{-1}$ . The wide variety of cell based and cell free assays may be used to demonstrate SOC/CRAC-specific binding. Cell based assays include one, two and three hybrid screens, assays in which SOC/CRAC-mediated transcription is inhibited or increased, etc. Cell free assays include SOC/CRAC-protein binding assays, immunoassays, etc. Other assays useful for screening agents which bind SOC/CRAC polypeptides include fluorescence resonance energy transfer (FRET), and electrophoretic mobility shift analysis (EMSA).

Various techniques may be employed for introducing nucleic acids of the invention into cells, depending on whether the nucleic acids are introduced *in vitro* or *in vivo* in a host. Such techniques include transfection of nucleic acid- $CaPO_4$  precipitates, transfection of nucleic acids associated with DEAE, transfection with a retrovirus including the nucleic acid of interest, liposome mediated transfection, and the like. For certain uses, it is preferred to target the nucleic acid to particular cells. In such instances, a vehicle used for delivering a nucleic acid of the invention into a cell (e.g., a retrovirus, or other virus; a liposome) can have a targeting molecule attached thereto. For example, a molecule such as an antibody specific for a surface membrane protein on the target cell or a ligand for a receptor on the target cell can be bound to or incorporated within the nucleic acid delivery vehicle. For example, where liposomes are employed to deliver the nucleic acids of the invention, proteins which bind to a surface membrane protein associated with endocytosis may be incorporated into the liposome formulation for targeting and/or to facilitate uptake. Such proteins include capsid proteins or fragments thereof tropic for a particular cell type, antibodies for proteins which undergo internalization in cycling, proteins that target intracellular localization and enhance intracellular half life, and the like. Polymeric delivery systems also have been used successfully to deliver nucleic acids into cells, as is known by those skilled in the art. Such systems even permit oral delivery of nucleic acids.

Other delivery systems can include time-release, delayed release or sustained release delivery systems. Such systems can avoid repeated administrations of the anti-inflammatory agent, increasing convenience to the subject and the physician. Many types of release delivery systems are available and known to those of ordinary skill in the art. They include polymer base systems such as poly(lactide-glycolide), copolyoxalates, polycaprolactones,



polyesteramides, polyorthoesters, polyhydroxybutyric acid, and polyanhydrides. Microcapsules of the foregoing polymers containing drugs are described in, for example, U.S. Patent 5,075,109. Delivery systems also include non-polymer systems that are: lipids including sterols such as cholesterol, cholesterol esters and fatty acids or neutral fats such as mono- di- and tri-glycerides; hydrogel release systems; sylastic systems; peptide based systems; wax coatings; compressed tablets using conventional binders and excipients; partially fused implants; and the like. Specific examples include, but are not limited to: (a) erosional systems in which an agent of the invention is contained in a form within a matrix such as those described in U.S. Patent Nos. 4,452,775, 4,675,189, and 5,736,152, and (b) diffusional systems in which an active component permeates at a controlled rate from a polymer such as described in U.S. Patent Nos. 3,854,480, 5,133,974 and 5,407,686. In addition, pump-based hardware delivery systems can be used, some of which are adapted for implantation.

Use of a long-term sustained release implant may be particularly suitable for treatment of chronic conditions. Long-term release, as used herein, means that the implant is constructed and arranged to delivery therapeutic levels of the active ingredient for at least 30 days, and preferably 60 days. Long-term sustained release implants are well-known to those of ordinary skill in the art and include some of the release systems described above.

The invention also contemplates gene therapy. The procedure for performing *ex vivo* gene therapy is outlined in U.S. Patent 5,399,346 and in exhibits submitted in the file history of that patent, all of which are publicly available documents. In general, it involves introduction *in vitro* of a functional copy of a gene into a cell(s) of a subject which contains a defective copy of the gene, and returning the genetically engineered cell(s) to the subject. The functional copy of the gene is under operable control of regulatory elements which permit expression of the gene in the genetically engineered cell(s). Numerous transfection and transduction techniques as well as appropriate expression vectors are well known to those of ordinary skill in the art, some of which are described in PCT application WO95/00654. *In vivo* gene therapy using vectors such as adenovirus, retroviruses, herpes virus, and targeted liposomes also is contemplated according to the invention. See, e.g., U.S. Patent Nos. 5,670,488, entitled "Adenovirus Vector for Gene Therapy", issued to Gregory et al., and 5,672,344, entitled "Viral-Mediated Gene Transfer System", issued to Kelley et al.

The invention will be more fully understood by reference to the following examples. These examples, however, are merely intended to illustrate the embodiments of the invention and are not to be construed to limit the scope of the invention.

### Examples

As an initial approach to identifying SOC/CRAC channels, we considered publicly available data and hypothesized that the following characteristics are likely to be exhibited by SOC/CRAC calcium channels: i) SOC/CRAC calcium channels would be integral membrane proteins related (probably distantly) to one of the known calcium channel families (e.g. voltage gated, ligand gated, Trp), and therefore should have a pore region formed by a tetramer of 6-7 transmembrane (TM) regions; ii) high calcium selectivity was likely to come at the price of complexity, and therefore these were likely to be large proteins; iii) the high calcium selectivity of this type of channel was likely to be useful and, therefore, highly conserved; and iv) these channels should be expressed in one or more types of lymphocytes, since ICRAC is best defined in those cell types. Since the full genome of the nematode *C. elegans* is nearing completion, and IP3-dependent calcium signals have recently been shown to be required for one or more aspects of *C. elegans* development, we took the set of proteins encoded by this genome (at the time this search was initiated WORMPEP14 was the available predicted protein set) and began searching for proteins which fit the criteria above. This search began by proceeding in alphabetical order through WORMPEP14 and arbitrarily excluding all proteins below approximately 1000 amino acids in size, followed by focusing on remaining proteins with clear TM spanning regions similar to those of other calcium channels. We stopped this screen on encountering a protein designated C05C12.3, a predicted protein of 1816 amino acids (SEQ ID NO:13). C05C12.3 was notable because its central pore region had some sequence similarity to but was clearly distinct from members of the Trp family of calcium channels, and the hydrophobicity plot of this region showed a characteristically wide spacing between the fifth and sixth TM regions for the amino acid residues which are thought to line the channel pore region and mediate the calcium selectivity of the channels. In addition, it lacked any ankyrin repeats in the region amino-terminal to its pore region, further distinguishing it from other Trp family proteins.

We then used C05C12.3 for BLAST alignment screening of the rest of the *C. elegans* genome and also mammalian databases for homologous proteins, revealing two other *C. elegans* homologues (SEQ ID NO:14 and SEQ ID NO:15), and also a recently cloned mammalian protein named melastatin-1 (MLSN-1/SOC-1, SEQ ID NOs:9 and 10, and

GenBank Acc. No. AF071787). Using these sequences, we subsequently performed an exhaustive screening of publicly accessible EST databases in search of lymphocyte homologues, but were unsuccessful in detecting any homologous transcripts in any lymphocyte lines. Since MLSN-1 (SEQ ID NOs:9 and 10) was expressed exclusively in melanocytes and retina by Northern blot hybridization and by EST database searching, there was no evidence that this type of channel was expressed in the type of cell in which ICRA-like currents were best defined. Subsequent BLAST searches picked up mouse EST sequence AI098310 (SEQ ID NO:22) from a monocyte cell line. The I.M.A.G.E. consortium clone containing the above-identified EST was then purchased from ATCC (clone ID. 1312756, Manassas, VA) and was further characterized. Using other portions of this sequence in EST searches, we subsequently picked up similar sequences in human B-cells (SEQ ID NOs:20 and 21), and other cell types as well (SEQ ID NOs: 11, 12, 16, 17, 18, and 19). Most of these sequences were subsequently identified to be part of the 3'-UTR or of the carboxy terminal region of the proteins, which are not readily identifiable as Trp channels, providing an explanation for the art's inability to detect any type of Trp related transcripts in lymphocytes. Partial sequences from the 5' and/or 3' ends of the above identified clones were then used to screen leukocyte and kidney cDNA libraries to extend the original sequences more toward the 5' and/or 3' ends.

In view of the foregoing, it was concluded that channels of this type were expressed in many types of lymphocytes, and therefore were members of a new family of SOC/CRAC calcium channels.

#### Experimental Procedures

##### Screening of the cDNA libraries

Leukocyte and kidney cDNA libraries from Life Technologies (Gaithersburg, MD) were screened using the Gene Trapper II methodology (Life Technologies) according to manufacturer's recommendation, using the inserts of I.M.A.G.E. clone ID nos. 1312756 and 1076485 from ATCC (Manassas, VA), under stringent hybridization conditions. Using standard methodology ( *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989, or *Current Protocols in Molecular Biology*, F.M. Ausubel, et al., eds., John Wiley & Sons, Inc., New York), individual cDNA clones were subjected to 3-4 rounds of amplification and purification under the same hybridization conditions.

After excision from the vector and subcloning of inserts into the plasmid forms, several clones were sequenced by the Beth Israel Deaconess Medical Center's Automated

Sequencing Facility. Molecular biological techniques such as restriction enzyme treatment, subcloning, DNA extraction, bacterial culture and purification of DNA fragments were performed according to methods well known in the art. Computer analyses of protein and DNA sequences was done using "Assemblylign" (Oxford Molecular, Campbell, CA). Multiple alignments of the SOC/CRAC family members were produced using the CLUSTAL facility of the MacVector program. Restriction endonucleases, expression vectors, and modifying enzymes were purchased from commercial sources (Gibco-BRL). Sequencing vectors for DNA were purchased from Stratagene (La Jolla, CA).

Once the first members of what appeared to be a novel family of calcium channel receptors were identified and characterized, additional BLAST alignments were performed with the newly characterized nucleic acid sequences. An initial match was with genomic DNA fragment NH0332L11 (Genbank Acc. No. AC005538). Using this genomic sequence, promoters were designed and a number of cDNA libraries was surveyed by PCR. A prostate specific message was identified and characterized, leading to the isolation and characterization of SOC-4/CRAC-3 (SEQ ID NOs: 31 and 32).

#### Functional Assays

##### Transient Expression of SOC/CRAC

In our initial transient expression experiments, we expressed or expect to express a SOC/CRAC molecule transiently in RBL-2H3 mast cells, Jurkat T cells, and A20 B-lymphocytes using both electroporation and vaccinia virus-driven expression, and measured the calcium influx produced by depletion of intracellular calcium stores with thapsigargin. Each of the foregoing techniques is well known to those of ordinary skill in the art and can be performed using various methods (see, e.g., Current Methods in Molecular Biology, eds. Ausubal, F.M., et al. 1987, Green Publishers and Wiley Interscience, N.Y., N.Y.). Exemplary methods are described herein.

Depletion of intracellular calcium stores is accomplished by treating the cells with 1 micromolar thapsigargin; alternative agents which function to deplete intracellular stores are described in by Putney, J.W. Jr., in Capacitative Calcium Entry, R.G. Landes Co. and Chapman & Hall, 1997 and include, for example, ionomycin, cyclopiazonic acid, and DBHQ.

Calcium influx is determined by measuring cytoplasmic calcium as indicated using the fura-2 fluorescent calcium indicator (see, e.g., G. Grynkiewicz, M. Poenie, R. Y. Tsien, A new generation of Ca<sup>2+</sup> indicators with greatly improved fluorescence properties, J. Biol

Chem 260, 3440-50 (1985), and M. Poenie, R. Tsien, Fura-2: a powerful new tool for measuring and imaging  $[Ca^{2+}]_i$  in single cells, Prog Clin Biol Res 210, 53-6 (1986)).

Patch Clamp Analysis and Determining Selectivity of SOC/CRAC

Patch clamp analysis of cells injected with SOC/CRAC cRNA is performed by using the general patch technique as described in Neher, E., "Ion channels for communication between and within cells", Science, 1992; 256:498-502. Specific techniques for applying the patch clamp analysis to RBL cells are described in Hoth, M., and Penner, R., "Depletion of intracellular calcium stores activates a calcium current in mast cells", Nature, 1992; 355:3535-355. Additional protocols for applying the patch clamp technique to other cell types are described in Putney, J.W. Jr., in Capacitative Calcium Entry, R.G. Landes Co. and Chapman & Hall, 1997

An exemplary protocol for patch clamp analysis of SOC/CRAC molecule expressed in RBL-2H3 mast cells using a recombinant vaccinia virus is as follows. The currents elicited by store depletion are determined using the whole cell configuration (Neher, E., Science, 1992; 256:498-502). Currents in SOC/CRAC expressing cells are compared to currents in control cells expressing an irrelevant protein or a classic Trp family calcium channel known as VR1 (M. J. Caterina, et al., The capsaicin receptor: a heat-activated ion channel in the pain pathway [see comments], Nature 389, 816-24 (1997)) in order to assess the contribution of SOC/CRAC expression. In addition, the magnitude of whole cell currents in the presence of extracellular calcium (10 mM), barium (10 mM), or magnesium (10 mM) are compared to determine the relative permeability of the channels to each of these ions (Hoth, M., and Penner, R., Nature, 1992; 355:3535-355) and, thereby, determine the ionic selectivity.

Pharmacologic Behavior of SOC/CRAC

For analysis of the pharmacologic behavior of a SOC/CRAC molecule, a SOC/CRAC molecule is expressed in RBL-2H3 mast cells using a recombinant vaccinia virus, and the degree of calcium influx elicited by store depletion is monitored using a bulk spectrofluorimeter or a fluorescence microscope and the calcium sensitive dye fura-2 (G. Grynkiewicz, M. Poenie, R. Y. Tsien, A new generation of  $Ca^{2+}$  indicators with greatly improved fluorescence properties, J Biol Chem 260, 3440-50 (1985) and M. Poenie, R. Tsien, Fura-2: a powerful new tool for measuring and imaging  $[Ca^{2+}]_i$  in single cells, Prog Clin Biol Res 210, 53-6 (1986)). The level of cytoplasmic calcium in SOC/CRAC expressing cells is compared to the level achieved in control cells expressing an irrelevant protein or a classic Trp. family calcium channels known as VR1 (M. J. Caterina, et al., The

capsaicin receptor: a heat-activated ion channel in the pain pathway [see comments], Nature 389, 816-24 (1997)). These cells then are pre-incubated with the desired pharmacologic reagent, and again the response to store depletion is monitored. Comparison of the effect of depleting stores in SOC/CRAC expressing cells relative to controls in the presence or absence of the pharmacologic reagent is used to assess the ability of that reagent to modulate SOC/CRAC activity. Sphingosine is an exemplary molecule that can be used as pharmacologic reagents for pharmacologic characterization of SOC/CRAC calcium channels. See, e.g., Mathes, C., et al., Calcium release activated calcium current as a direct target for sphingosine, J Biol Chem 273(39):25020-25030 (1998). Other non-specific calcium channel inhibitors that can be used for this purpose include SKR96365 (Calbiochem) and Lanthanum.

#### Bulk Calcium Assays

Bulk calcium assays can be performed in a PTI Deltascan bulk spectrofluorometer using fura-2 as described in Scharenberg AM, et al., EMBO J, 1995, 14(14):3385-94.

#### Gene Targeting

The method (and reagents) described by Buerstedde JM et al, (Cell, 1991, Oct 4;67(1):179-88), was used to generate "knockouts" in cells. Briefly, part of the chicken SOC-2/CRAC-1 genomic sequence coding for the transmembrane region was cloned utilizing the human sequence as the probe in a chicken library screen. Chicken SOC-2/CRAC-1 clones were isolated and characterized using standard methodology. The putative exon and domain arrangement of the chicken SOC-2/CRAC-1, is depicted in Figure 1. The exons coding for TM5 (pore region) and TM6, were replaced with promoter/antibiotic cassettes (see Figure1). These targeting vectors were then used to target (and replace) the endogenous gene in DT-40 cells (chicken B lymphocyte cells).

#### Results

##### Example 1: Transient Expression of SOC/CRAC

In the above-identified cell lines and using both of the foregoing expression techniques, SOC/CRAC expression enhances thapsigargin-dependent influx. In addition, SOC/CRAC expression also enhances the amount of intracellular calcium stores. That this effect is likely due to SOC/CRAC acting as a plasma membrane calcium channel can be confirmed by producing an in-frame carboxy-terminal translational fusion with green fluorescent protein followed by confocal microscopy, revealing that SOC/CRAC is expressed predominantly as a plasma membrane calcium channel.

##### Example 2: Patch Clamp Analysis

The biophysical characteristics of SOC/CRAC enhanced currents when expressed in *Xenopus* oocytes are determined. SOC/CRAC cRNA injection is able to enhance thapsigargin-dependent whole cell currents. In addition, SOC/CRAC does not alter the reversal potential of these currents and the determination of the  $P_{Ca}/P_{Na}$  ratio shows that SOC/CRAC channels are highly calcium selective.

**Example 3: *Pharmacologic Behavior of SOC/CRAC***

The pharmacologic behavior of SOC/CRAC is evaluated as described above. SOC/CRAC-enhanced influx is inhibited by sphingosine in a manner that is substantially the same as that of endogenous thapsigargin-dependent calcium influx.

**Example 4: *Gene targeting***

Transfection of DT-40 cells with the foregoing targeting vectors, selection for antibiotic resistance, and screening, is collectively referred to, herein, as a round of targeting. For the first round of targeting SOC-2/CRAC-1, 18/24 clones with homologous recombination of the targeting construct into one of the endogenous SOC-2/CRAC-1 alleles were obtained. On the second round of targeting (in order to target the second allele and therefore generate a homozygous SOC-2/CRAC-1 mutant cell), 0/48 clones were obtained. These results indicate that a "null" SOC-2/CRAC-1 mutation is detrimental to DT-40 cells, and that SOC-2/CRAC-1 is required for cell viability.

**Table I. Nucleotide Sequences with homologies to SOC/CRAC nucleic acids**

Sequences with SEQ ID NOs and GenBank accession numbers:
SEQ ID NO:9, AB001535, AI226731, H18835, AA419592, AA261842, AA419407, AA592910, D86107, AI098310, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, AC005538, AA654650, AA370110, AA313170, AA493512, AI670079, AI671853.

**Table II. Amino Acid Sequences with homologies to SOC/CRAC polypeptides**

Sequences with SEQ ID NOs and GenBank accession numbers:
SEQ ID NO:10, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, AB001535, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, NP003298, CAB00861, NP002411, CAA92726, CAB05572.

All references, patents, and patent documents disclosed herein are incorporated by reference herein in their entirety.

What is claimed is presented below and is followed by a Sequence Listing. We claim:

-48-

Claims

1. An isolated nucleic acid molecule, comprising:

(a) nucleic acid molecules which hybridize under stringent conditions to a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and which code for a SOC/CRAC polypeptide;

(b) deletions, additions and substitutions of (a) which code for a respective SOC/CRAC polypeptide;

(c) nucleic acid molecules that differ from the nucleic acid molecules of (a) or (b) in codon sequence due to the degeneracy of the genetic code, and

(d) complements of (a), (b) or (c).

2. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:1.

3. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:27.

4. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:29.

5. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:31.

6. An isolated nucleic acid molecule selected from the group consisting of

(a) a unique fragment of a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:29, and SEQ ID NO:31,

(b) complements of (a),

provided that the unique fragment includes a sequence of contiguous nucleotides which is not identical to any sequence selected from a sequence group consisting of

(1) sequences having the SEQ. ID NOS. or GenBank accession numbers of Table I,

(2) complements of (1), and

(3) fragments of (1) and (2).



7. The isolated nucleic acid molecule of claim 6, wherein the sequence of contiguous nucleotides is selected from the group consisting of:

- (1) at least two contiguous nucleotides nonidentical to the sequence group,
- (2) at least three contiguous nucleotides nonidentical to the sequence group,
- 5 (3) at least four contiguous nucleotides nonidentical to the sequence group,
- (4) at least five contiguous nucleotides nonidentical to the sequence group,
- (5) at least six contiguous nucleotides nonidentical to the sequence group,
- (6) at least seven contiguous nucleotides nonidentical to the sequence group.

10 8. The isolated nucleic acid molecule of claim 6, wherein the unique fragment has a size selected from the group consisting of at least: 8 nucleotides, 10 nucleotides, 12 nucleotides, 14 nucleotides, 16 nucleotides, 18 nucleotides, 20, nucleotides, 22 nucleotides, 24 nucleotides, 26 nucleotides, 28 nucleotides, 30 nucleotides, 50 nucleotides, 75 nucleotides, 100 nucleotides, and 200 nucleotides.

15 9. The isolated nucleic acid molecule of claim 6, wherein the molecule encodes a polypeptide which is immunogenic.

10. An expression vector comprising the isolated nucleic acid molecule of claims 1, 2, 3, 4, 5, 6, 7, 8, or 9 operably linked to a promoter.

11. A host cell transformed or transfected with the expression vector of claim 10.

20 12. An isolated polypeptide encoded by the isolated nucleic acid molecule according to anyone of claims 1 or 6, wherein the polypeptide comprises a SOC/CRAC polypeptide or a unique fragment thereof.

13. The isolated polypeptide of claim 12, wherein the isolated polypeptide is encoded by the isolated nucleic acid molecule of claim 2, 3, 4, or 5.

25 14. The isolated polypeptide of claim 13, wherein the isolated polypeptide comprises a polypeptide having the sequence of amino acids selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32.

15. An isolated polypeptide encoded by the isolated nucleic acid molecule of claim 1, 2, 3, 4, or 5, wherein the polypeptide, or unique fragment thereof is immunogenic.

16. An isolated binding polypeptide which binds selectively to a polypeptide encoded by the isolated nucleic acid molecule of claim 1, 2, 3, 4, or 5.

17. The isolated binding polypeptide of claim 16, wherein the isolated binding polypeptide binds to a polypeptide having the sequence of amino acids selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32.

18. The isolated binding polypeptide of claim 17, wherein the isolated binding polypeptide is an antibody or an antibody fragment selected from the group consisting of a Fab fragment, a F(ab)<sub>2</sub> fragment or a fragment including a CDR3 region selective for the polypeptide.

19. An isolated polypeptide, comprising a unique fragment of the polypeptide of claim 12 of sufficient length to represent a sequence unique within the human genome, provided that the fragment excludes a sequence of contiguous amino acids identified in Table II.

20. A method for isolating a SOC/CRAC molecule having SOC/CRAC calcium channel activity, comprising:

a) contacting a binding molecule that is a SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample containing one or more SOC/CRAC molecules, under conditions sufficient to form a complex of the SOC/CRAC nucleic acid or the SOC/CRAC binding polypeptide and the SOC/CRAC molecule;

b) detecting the presence of the complex;

c) isolating the SOC/CRAC molecule from the complex; and

d) determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity.

21. The method of claim 20, wherein the binding molecule is a SOC/CRAC nucleic acid.

22. The method of claim 20, wherein the binding molecule is a SOC/CRAC binding polypeptide.

23. The method of claim 21, wherein the SOC/CRAC nucleic acid comprises at least 14 nucleotides from any contiguous portion of a sequence of nucleotides selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31.

5 24. A method for identifying agents useful in the modulation of SOC/CRAC calcium channel activity, comprising:

a) contacting a SOC/CRAC polypeptide with a candidate agent suspected of modulating SOC/CRAC calcium channel activity, under conditions sufficient to allow the SOC/CRAC polypeptide to interact selectively with the candidate agent;

10 b) detecting a  $\text{Ca}^{2+}$  concentration associated with SOC/CRAC calcium channel activity of the SOC/CRAC polypeptide in the presence of the candidate agent; and

c) comparing the  $\text{Ca}^{2+}$  concentration of step (b) with a control  $\text{Ca}^{2+}$  concentration of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates SOC/CRAC calcium channel activity.

15 25. A method for determining the level of SOC/CRAC expression in a subject, comprising:

a) measuring the expression of SOC/CRAC in a test sample obtained from the subject, and

20 b) comparing the measured expression of SOC/CRAC in the test sample to the expression of the SOC/CRAC polypeptide in a control to determine the level of SOC/CRAC expression in the subject.

25 26. The method of claim 25, wherein the expression of SOC/CRAC in (b) is SOC/CRAC mRNA expression.

27. The method of claim 25, wherein the expression of SOC/CRAC in (b) is SOC/CRAC polypeptide expression.

28. The method of claim 25, wherein the test sample is tissue.

29. The method of claim 25, wherein the test sample is a biological fluid.

30. The method of claim 26, wherein SOC/CRAC mRNA expression is measured using the Polymerase Chain Reaction (PCR).

31. The method of claim 26, wherein SOC/CRAC mRNA expression is measured using a method selected from the group consisting of northern blotting, monoclonal antisera to SOC/CRAC and polyclonal antisera to SOC/CRAC.

32. A kit, comprising a package containing:

an agent that selectively binds to the isolated nucleic acid of claim 1 or an expression product thereof, and

a control for comparing to a measured value of binding of said agent to said isolated nucleic acid of claim 1 or expression product thereof.

33. The kit of claim 32, wherein the control comprises an epitope of the expression product of the nucleic acid of claim 1.

34. A pharmaceutical composition comprising:

a pharmaceutically effective amount of an agent comprising of an isolated nucleic acid molecule of claim 1 or an expression product thereof, and

a pharmaceutically acceptable carrier.

35. The pharmaceutical composition of claim 34, wherein the agent is an expression product of the isolated nucleic acid molecule of claim 1.

36. A method for identifying agents useful in the modulation of a SOC/CRAC polypeptide kinase activity, comprising:

a) contacting a SOC/CRAC polypeptide with kinase activity with a candidate agent suspected of modulating SOC/CRAC kinase activity, under conditions sufficient to allow the candidate agent to interact with the SOC/CRAC polypeptide and modulate its kinase activity;

b) detecting a kinase activity associated with the SOC/CRAC polypeptide in the presence of the candidate agent; and

c) comparing the kinase activity of step (b) with a control kinase activity of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates SOC/CRAC kinase activity.

37. The method of claim 36, wherein the SOC/CRAC polypeptide comprises amino acids 999-1180 of the sequence represented as SEQ ID NO:24, or a fragment thereof that retains the kinase activity.

1/1




Fig. 1

-1-

## SEQUENCE LISTING

<110> Beth Israel Deaconess Medical Center, Inc.  
Scharenberg, Andrew

<120> CHARACTERIZATION OF A CALCIUM CHANNEL FAMILY

<130> B0662/7026WO/ERP/KA

<150> U.S. 60/114,220

<151> 1998-12-30

<150> U.S. 60/120,018

<151> 1999-01-29

<150> U.S. 60/140,415

<151> 1999-06-22

<160> 32

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 1212

<212> DNA

<213> Homo Sapiens

<400> 1

gcacgaggca	aattttttgt	tagtacacca	tctcagccaa	gttgcaaaaag	ccacttggaa	60
actggaacca	aagatcaaga	aactgtttgc	tctaaagcta	cagaaggaga	taatacagaa	120
tttgagcat	ttgtaggaca	cagagatagc	atggatttac	agaggtttaa	agaaacatca	180
aacaagataa	aaatactatc	caataacaat	acttctgaaa	acactttgaa	acgagtgagt	240
tctcttgctg	gatttactga	ctgtcacaga	acttccattc	ctgttcattc	aaaacaagaa	300
aaaatcagta	gaaggccatc	taccgaagac	actcatgaag	tagattccaa	agcagcttta	360
ataccggttt	gtagatttca	actaaacaga	tatatattat	taaatacatt	aaactttttt	420
agataagatc	tacaaagtgg	tgatatttgg	gactatatca	aaaattcaaa	aaaatttttc	480
ttaagaaaac	tgactttagc	atagtagcag	ttacagaaaa	gtttcttaca	gtgaatagtc	540
aggaatttta	aagaaaaatt	tatgcagaat	aaaggcagga	atctcttttt	gtttgaattg	600
aagctaatta	tatgaactca	tttccagcta	actgcgataa	tgattgattt	tgcaaatcc	660
ctttaaaagc	acacactgac	aagacaaaaa	gctcaggaaa	aggcagaaaa	attactcctt	720
tataatcaag	tattatatat	aagtcagtgc	tcataatttt	gctcaagaaa	atattgactt	780
acattcatat	atatctgttc	tggcatagag	agattatggt	gttaaaatca	tgttattgaa	840
aaaagttatt	tcagtgggga	aagaggttag	ttaacaaaaga	gattcacagt	aacaaatcct	900
cctttctgga	gggactcttc	ctgaccctga	gctgcacaa	tttgcaacaa	attaaagcct	960
aaccgaagat	gacctcacia	tggaatttta	gaactcatgg	gagtcaactt	acataaacgg	1020
tatttgattt	ctgataagat	agtgaatta	ttggttatag	atgacaaaat	aagtatgttt	1080
aaagtgatga	tgacataaaa	aaagttttta	atataaaaaca	tgagaaaaga	aggagatact	1140
attcaaaaag	actggcaaat	ttgaaaaact	agaaataaaa	aaaaaaaaa	aaaatgagcg	1200
gccgcaagct	tt					1212

<210> 2

<211> 141

<212> PRT

<213> Homo Sapiens

<400> 2

Ala	Arg	Gly	Lys	Phe	Phe	Val	Ser	Thr	Pro	Ser	Gln	Pro	Ser	Cys	Lys
1				5					10					15	
Ser	His	Leu	Glu	Thr	Gly	Thr	Lys	Asp	Gln	Glu	Thr	Val	Cys	Ser	Lys
			20					25					30		

-2-

Ala	Thr	Glu	Gly	Asp	Asn	Thr	Glu	Phe	Gly	Ala	Phe	Val	Gly	His	Arg
		35					40					45			
Asp	Ser	Met	Asp	Leu	Gln	Arg	Phe	Lys	Glu	Thr	Ser	Asn	Lys	Ile	Lys
	50					55					60				
Ile	Leu	Ser	Asn	Asn	Asn	Thr	Ser	Glu	Asn	Thr	Leu	Lys	Arg	Val	Ser
65					70				75					80	
Ser	Leu	Ala	Gly	Phe	Thr	Asp	Cys	His	Arg	Thr	Ser	Ile	Pro	Val	His
			85						90					95	
Ser	Lys	Gln	Glu	Lys	Ile	Ser	Arg	Arg	Pro	Ser	Thr	Glu	Asp	Thr	His
			100					105					110		
Glu	Val	Asp	Ser	Lys	Ala	Ala	Leu	Ile	Pro	Val	Cys	Arg	Phe	Gln	Leu
		115					120					125			
Asn	Arg	Tyr	Ile	Leu	Leu	Asn	Thr	Leu	Asn	Phe	Phe	Arg			
	130					135						140			

<210> 3  
 <211> 739  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> unsure  
 <222> (5)...(5)  
 <223> UNKNOWN

<221> unsure  
 <222> (21)...(22)  
 <223> UNKNOWN

<221> unsure  
 <222> (29)...(29)  
 <223> UNKNOWN

<400> 3	
tcgantaggg	gtcttccacc nncatactng gatgatgggt ggtgaagtct atgcatacga 60
aattgatgtg	tgtgcaaacg attctgttat ccctcaaate tgtggctctg ggacgtgggt 120
gactccattt	cttcaagcag tctacctctt tgwacagtat atcattatgg ttaatcttct 180
tattgcattt	ytcaacaatg tgtatttaca agtgaaggca atttccaata ttgyatggaa 240
gtaccagcgt	tatcatttta ttatggctta tcatgagaaa ccagttctgc ctcctccact 300
tatcattctt	agccatatag tttctctggt ttgctgcata tgtaagagaa gaaagaaaga 360
taagacttcc	gatggaccaa aacttttctt aacagaagaa gatcaaaaaga aacttcatga 420
ttttgaagag	cagtgtgttg aaatgtattt caatgaaaaa gatgacaaat ttcattctgg 480
gagtgaagag	agaattcgtg tcacttttga aagagtggaa cagatgtgca ttcagattaa 540
agaagtggga	gatccgtgtc aactacataa aaagatcatt acaatcatta gattctcaaa 600
ttggccattt	gcaagatctt tcagccctga cggtagatac attaaaaaca ctcactggcc 660
aaaagcgtcg	gaagctagca aagttcataa tgaaatcaca cgagaactga gcatttccaa 720
acacttggct	caaaacctt 739

<210> 4  
 <211> 235  
 <212> PRT  
 <213> Homo Sapiens

<220>  
 <221> UNSURE  
 <222> (41)...(41)  
 <223> UNKNOWN

<221> UNSURE  
 <222> (54)...(54)

-3-

&lt;223&gt; UNKNOWN

&lt;221&gt; UNSURE

&lt;222&gt; (68)...(68)

&lt;223&gt; UNKNOWN

&lt;400&gt; 4

Met	Met	Val	Gly	Glu	Val	Tyr	Ala	Tyr	Glu	Ile	Asp	Val	Cys	Ala	Asn
1				5					10					15	
Asp	Ser	Val	Ile	Pro	Gln	Ile	Cys	Gly	Pro	Gly	Thr	Trp	Leu	Thr	Pro
			20					25					30		
Phe	Leu	Gln	Ala	Val	Tyr	Leu	Phe	Xaa	Gln	Tyr	Ile	Ile	Met	Val	Asn
		35					40				45				
Leu	Leu	Ile	Ala	Phe	Xaa	Asn	Asn	Val	Tyr	Leu	Gln	Val	Lys	Ala	Ile
		50				55					60				
Ser	Asn	Ile	Xaa	Trp	Lys	Tyr	Gln	Arg	Tyr	His	Phe	Ile	Met	Ala	Tyr
65					70					75				80	
His	Glu	Lys	Pro	Val	Leu	Pro	Pro	Pro	Leu	Ile	Ile	Leu	Ser	His	Ile
				85					90					95	
Val	Ser	Leu	Phe	Cys	Cys	Ile	Cys	Lys	Arg	Arg	Lys	Lys	Asp	Lys	Thr
			100					105					110		
Ser	Asp	Gly	Pro	Lys	Leu	Phe	Leu	Thr	Glu	Glu	Asp	Gln	Lys	Lys	Leu
		115					120					125			
His	Asp	Phe	Glu	Glu	Gln	Cys	Val	Glu	Met	Tyr	Phe	Asn	Glu	Lys	Asp
		130				135						140			
Asp	Lys	Phe	His	Ser	Gly	Ser	Glu	Glu	Arg	Ile	Arg	Val	Thr	Phe	Glu
145					150					155					160
Arg	Val	Glu	Gln	Met	Cys	Ile	Gln	Ile	Lys	Glu	Val	Gly	Asp	Pro	Cys
				165					170					175	
Gln	Leu	His	Lys	Lys	Ile	Ile	Thr	Ile	Ile	Arg	Phe	Ser	Asn	Trp	Pro
			180					185					190		
Phe	Ala	Arg	Ser	Phe	Ser	Pro	Asp	Gly	Arg	Tyr	Ile	Lys	Asn	Thr	His
		195				200						205			
Trp	Pro	Lys	Ala	Ser	Glu	Ala	Ser	Lys	Val	His	Asn	Glu	Ile	Thr	Arg
		210				215					220				
Glu	Leu	Ser	Ile	Ser	Lys	His	Leu	Ala	Gln	Asn					
225					230					235					

&lt;210&gt; 5

&lt;211&gt; 1579

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; unsure

&lt;222&gt; (368)...(368)

&lt;223&gt; g or c

&lt;221&gt; unsure

&lt;222&gt; (372)...(372)

&lt;223&gt; g or c

&lt;221&gt; unsure

&lt;222&gt; (374)...(374)

&lt;223&gt; g or a

&lt;221&gt; unsure

&lt;222&gt; (375)...(375)

&lt;223&gt; g or c



-4-

<221> unsure  
 <222> (387)...(387)

<221> unsure  
 <222> (482)...(482)

<400> 5

acgtcgccctg	caggtaccgg	tccggaattc	ccgggtcgac	ccacgcgtcc	ggcatgggtg	60
tgtaaataca	cttagctcct	ctcttcctca	aggtgatctt	gaaagtaata	atccttttca	120
ttgtaatat	ttaatgaaag	atgacaaaaga	tccccagtg	aatatatttg	gtcaagactt	180
acctgcagta	ccccagagaa	aagaatttaa	ttttccagag	gctgggttcct	cttctgggtgc	240
cttattccca	agtgtctgtt	cccctccaga	actgcgacag	agactacatg	gggtagaact	300
cttaaaaaata	tttaataaaa	atcaaaaatt	aggcagttca	tctactagca	taccacatct	360
gtcatccsca	csarscaaat	tttttgntag	tacaccatct	cagccaagtt	gcaaaaagcca	420
cttggaact	ggaaccaaag	atcaagaaac	tgtttgctct	aaagctacag	aaggagataa	480
tncagaattt	ggagcatttg	taggacacag	agatagcatg	gatttacaga	ggtttaaaga	540
aacatcaaac	aagataaaaa	tactatccaa	taacaatact	tctgaaaaca	ctttgaaacg	600
agtgagttct	cttgctggat	ttactgactg	tcacagaact	tccattcctg	ttcattcaaa	660
acaagaaaaa	atcagtagaa	ggccatctac	cgaagacact	catgaagtag	attccaaagc	720
agctttaata	ccggtttgta	gatttcaact	aaacagatat	atattattaa	atacattaaa	780
ctttttttaga	taagatctac	aaagtggtag	tatttgggac	tatatcaaaa	attcaaaaaa	840
atttttctta	agaaaactga	cttttagcata	gtagcagtta	cagaaaagtt	tcttacagtg	900
aatagtcagg	aatttttaaag	aaaaatttat	gcagaataaa	ggcaggaatc	tctttttggt	960
tgaattgaag	ctaattatat	gaactcattt	ccagctaact	gcgataatga	ttgattttgc	1020
aaattccctt	taaaagcaca	cactgacaag	acaaaaagct	caggaaaagg	cagaaaaatt	1080
actcctttat	aatcaagtat	tatatataag	tcagtgtctca	taattttgct	caagaaaata	1140
ttgacttaca	ttcatatata	tctgttctgg	catagagaga	ttatgttggt	aaaatcatgt	1200
tattgaaaaa	agttattttca	gtgggggaaag	aggtagtta	acaaagagat	tcacagtaac	1260
aaatcctcct	ttctggaggg	actcttcctg	accctgagct	gcacaacttt	gcaacaaatt	1320
aaagcctaac	cgaagatgac	ctcacaatgg	caatttagaa	ctcatgggag	tcaacttaca	1380
taaacggtat	ttgattttctg	ataagatagt	ggaattattg	gttatagatg	acaaaataag	1440
tatgtttaaa	gtgatgatgg	acataaaaaa	gttttaataa	taaaacatga	gaaaagaagg	1500
agatactatt	caaaaagact	ggcaaatttg	aaaaactaga	aataaaaaaa	aaaaaaaaaa	1560
atgagcggcc	gcaagcttt					1579

<210> 6  
 <211> 243  
 <212> PRT  
 <213> Homo Sapiens

<220>  
 <221> UNSURE  
 <222> (103)...(105)  
 <223> UNKNOWN

<221> UNSURE  
 <222> (109)...(109)  
 <223> UNKNOWN

<221> UNSURE  
 <222> (141)...(141)  
 <223> UNKNOWN

<400> 6

Val	Asn	Thr	Leu	Ser	Ser	Ser	Leu	Pro	Gln	Gly	Asp	Leu	Glu	Ser	Asn
1			5						10					15	
Asn	Pro	Phe	His	Cys	Asn	Ile	Leu	Met	Lys	Asp	Asp	Lys	Asp	Pro	Gln
			20					25					30		
Cys	Asn	Ile	Phe	Gly	Gln	Asp	Leu	Pro	Ala	Val	Pro	Gln	Arg	Lys	Glu
			35				40					45			

-5-

Phe Asn Phe Pro Glu Ala Gly Ser Ser Ser Gly Ala Leu Phe Pro Ser  
 50 55 60  
 Ala Val Ser Pro Pro Glu Leu Arg Gln Arg Leu His Gly Val Glu Leu  
 65 70 75 80  
 Leu Lys Ile Phe Asn Lys Asn Gln Lys Leu Gly Ser Ser Ser Thr Ser  
 85 90 95  
 Ile Pro His Leu Ser Ser Xaa Xaa Xaa Lys Phe Phe Xaa Ser Thr Pro  
 100 105 110  
 Ser Gln Pro Ser Cys Lys Ser His Leu Glu Thr Gly Thr Lys Asp Gln  
 115 120 125  
 Glu Thr Val Cys Ser Lys Ala Thr Glu Gly Asp Asn Xaa Glu Phe Gly  
 130 135 140  
 Ala Phe Val Gly His Arg Asp Ser Met Asp Leu Gln Arg Phe Lys Glu  
 145 150 155 160  
 Thr Ser Asn Lys Ile Lys Ile Leu Ser Asn Asn Thr Ser Glu Asn  
 165 170 175  
 Thr Leu Lys Arg Val Ser Ser Leu Ala Gly Phe Thr Asp Cys His Arg  
 180 185 190  
 Thr Ser Ile Pro Val His Ser Lys Gln Glu Lys Ile Ser Arg Arg Pro  
 195 200 205  
 Ser Thr Glu Asp Thr His Glu Val Asp Ser Lys Ala Ala Leu Ile Pro  
 210 215 220  
 Val Cys Arg Phe Gln Leu Asn Arg Tyr Ile Leu Leu Asn Thr Leu Asn  
 225 230 235 240  
 Phe Phe Arg

<210> 7  
 <211> 3532  
 <212> DNA  
 <213> Mus Musculus

<220>  
 <221> unsure  
 <222> (2420)... (2420)  
 <223> unknown

<221> unsure  
 <222> (2434)... (2434)  
 <223> unknown

<221> unsure  
 <222> (2461)... (2461)  
 <223> unknown

<221> unsure  
 <222> (2466)... (2466)  
 <223> unknown

<221> unsure  
 <222> (2470)... (2470)  
 <223> unknown

<400> 7  
 attatggctt atcatgaaaa accagtcctg cctcctcctc ttatcctcct cagccatata 60  
 gtttctactgt tttgctgtgt atgcaaaaaga agaaagaaag ataagacttc cgatgggcca 120  
 aaacttttct taacagaaga agatcaaaaag aaactccatg attttgaaga gcagtgtgtt 180  
 gagatgtact ttgatgagaa agatgacaaa ttcaattctg ggagtgaaga gagaatccgg 240  
 gtcacttttg aaagagtggg gcagatgagc attcagatta aagaagttgg agatcgtgtc 300  
 aactacataa aaagatcatt acagtcttta gattctcaaa ttggtcatct gcaagatctc 360

-6-

tcagccctaa	cagtagatac	attgaaaaca	cttacagccc	agaaagcttc	agaagctagt	420
aaagtgcaca	atgagatcac	acgagaattg	agtatttcca	aacacttggc	tcagaatcct	480
attgatgatg	ttcctgttaag	acctttgttg	gaagaacctt	gtgctgtaaa	cacactgagt	540
tcctctcttc	ctcaagggtga	tcgggaaagt	aataatcctt	ttctttgtta	tatttttatg	600
aaagatgaaa	aagaccccca	atataatctg	tttggaacaag	atttgcccg	gataccccag	660
agaaaagaat	tcaacattcc	agaggctggt	tcctcctgtg	gtgccttatt	cccaagtgtc	720
gtttctcccc	cagaattacg	acagagacga	catggggtag	aaatgttaaa	aataattta	780
aaaaatcaaa	aattaggcag	ttcaccta	agttcaccac	atatgtcctc	cccaccaacc	840
aaattttctg	tgagtacccc	atcccagcca	agttgcaaaa	gtcacttgga	atccacaacc	900
aaagatcaag	aacccatttt	ctataaagct	gcagaagggg	ataacataga	atttgaggca	960
tttgtgggac	acagagatag	tatggactta	cagagggtta	aagaaacatc	aaacaaaata	1020
agagaactgt	tatctaataga	tactcctgaa	aacactctga	aacatgtggg	tgctgtgtga	1080
tatagtgaat	gttgtaagac	ttctacttct	cttcaactcg	tgcaagcaga	aagctgtagt	1140
agaagagcgt	cgacggaaga	ctctccagaa	gtcgattcta	aagcagcttt	gttaccggat	1200
tggttacgag	atagaccatc	aaacagagaa	atgccatctg	aaggaggaac	attaaatggt	1260
cttgcttctc	catttaagcc	cgttttggat	acaaattact	attattcagc	tgtggaaaga	1320
aataaccta	tgagggtgtc	acagagtatt	cccttcgttc	ctgtacctcc	acgaggcgag	1380
cctgtcacag	tgtaccgtct	ggaggagagt	tctcccagta	tactgaataa	cagcatgtct	1440
tcatggtctc	agctaggcct	ctgtgccaaa	attgagtttt	taagtaaaga	ggaaatggaa	1500
ggtggtttac	gaagagcagt	caaagtgtct	tgtacctggt	cagagcacga	tatcctgaag	1560
tcagggcatc	tctatcat	taagtcattt	cttctgagg	tgataaacac	atggtcaagc	1620
atttataaag	aagatacgtt	tctacatctc	tgtctcagag	aaatacaaca	acagagagca	1680
gcacaaaagc	tcacatttgc	ctttaatcag	atgaaaccca	aatccatacc	atattctcca	1740
aggttccttg	aagttttcct	gttgtactgc	cattcagcag	ggcagtgggt	tgctgtagaa	1800
gagtgcata	ctggtgaatt	tagaaaatac	aacaacaata	atggtgatga	aatcattcct	1860
acaaatactc	tagaagagat	catgctagcc	tttagccact	ggacctatga	atataccaga	1920
ggggagttac	tggtacttga	cttacaagga	gtgggagaaa	acttgactga	cccatctgta	1980
ataaaagctg	aagaaaaaag	atcctgtgac	atggtttttg	gccctgcaa	tctaggagaa	2040
gatgcaata	aaaacttcaa	gagccaaaca	tccactgtaa	ttcttgctgt	cgaaagctta	2100
aacttcccag	atttgaagag	gaatgactac	acgcccttga	taaaattata	tttctcagg	2160
atgagtcata	agatttgaat	cttcaatctg	gaaattccac	caaagaatca	gaagcaacaa	2220
attctgttcg	tctgatgtta	tagtgctgag	tcattgggtt	ttgcctacac	ttcacaaaag	2280
tgtaaactgt	agttttcctt	tcgggggaat	tgatgatata	ggaagatgtg	tgcaaaatga	2340
gcttgctggc	cccacacata	gtctagaggt	aatgttctca	ttgaaaaacg	cctggagggtg	2400
gaggctgcag	atgccagtg	aaagtgtctg	ctgncagaga	gtcagtgtct	tcgggctggt	2460
naaggncggn	acccttgctg	ctgagagtgg	tggttctctt	cacctgggtg	aggaccatta	2520
accaaagtca	agtcttcaga	tttgattggc	tgctcagtca	cagcccattc	agctaaggaa	2580
actaaattgc	gcagcttttt	aaatggctga	agtcttcctc	agtttgtgct	ctatgataat	2640
gatgttagct	ctcaactagg	tgtttgtggc	cacgggagaa	ctactcctta	caattttgct	2700
tcacaggcat	gttacaagc	ctgcaactga	aaacgtttgt	cttccctctc	tccctccctc	2760
ttttccctgt	agtattgagg	atcaaaccga	gggcctcatg	aagaccattt	tctaagagac	2820
attttattta	agaatcaact	atagagtcta	tgtttatgga	tacagccagt	ttttgttaaa	2880
caaaacctga	attgtgcaaa	agggtttttt	aacatttatc	aatgttaagt	aaaagaaagc	2940
catgataaat	aagaattaac	tactgttcca	atgggtgttt	cctgtgagga	agggttacagt	3000
tgtaacagcc	tgcaagtgtca	tacatctcca	aagatttaca	gacttagtgt	atcaaatcag	3060
agtgtcatgt	gagctctcac	attgaaaatt	ctataggaat	gtgtcaatgt	gaattctatt	3120
tctggtactt	aagaaatcag	ttgttggaat	atccttatac	agtataggga	gatcacata	3180
caacttttatg	ccaataaaat	ctaactta	tgcccagata	tttttgata	tttagcaaca	3240
agaaaagctt	atcatttgac	tcaagtttta	tgctttctct	ttcttttcat	ttcctaggtta	3300
ctaattttta	tttttatttg	gaaggagcag	tgtaaagctt	acttgatttc	aatagtgtat	3360
ctcatagata	cagacaaggc	cgcagagata	agctgttaaa	tagtgtttaa	tgttgatgtg	3420
gagagaaagg	tgtattactt	aaaaatacta	taccatatac	gttttgata	tcattaaatc	3480
tttaaaagaa	attaaattta	ttcttggtta	aaaaaaaaa	aaaaaaaaa	aa	3532

&lt;210&gt; 8

&lt;211&gt; 475

&lt;212&gt; PRT

&lt;213&gt; Mus Musculus

&lt;400&gt; 8

-7-

Ile	Met	Ala	Tyr	His	Glu	Lys	Pro	Val	Leu	Pro	Pro	Pro	Leu	Ile	Ile
1				5					10					15	
Leu	Ser	His	Ile	Val	Ser	Leu	Phe	Cys	Cys	Val	Cys	Lys	Arg	Arg	Lys
			20					25					30		
Lys	Asp	Lys	Thr	Ser	Asp	Gly	Pro	Lys	Leu	Phe	Leu	Thr	Glu	Glu	Asp
		35					40					45			
Gln	Lys	Lys	Leu	His	Asp	Phe	Glu	Glu	Gln	Cys	Val	Glu	Met	Tyr	Phe
	50					55					60				
Asp	Glu	Lys	Asp	Asp	Lys	Phe	Asn	Ser	Gly	Ser	Glu	Glu	Arg	Ile	Arg
65					70					75					80
Val	Thr	Phe	Glu	Arg	Val	Glu	Gln	Met	Ser	Ile	Gln	Ile	Lys	Glu	Val
				85					90					95	
Gly	Asp	Arg	Val	Asn	Tyr	Ile	Lys	Arg	Ser	Leu	Gln	Ser	Leu	Asp	Ser
			100					105					110		
Gln	Ile	Gly	His	Leu	Gln	Asp	Leu	Ser	Ala	Leu	Thr	Val	Asp	Thr	Leu
		115					120					125			
Lys	Thr	Leu	Thr	Ala	Gln	Lys	Ala	Ser	Glu	Ala	Ser	Lys	Val	His	Asn
	130					135						140			
Glu	Ile	Thr	Arg	Glu	Leu	Ser	Ile	Ser	Lys	His	Leu	Ala	Gln	Asn	Leu
145					150					155					160
Ile	Asp	Asp	Val	Pro	Val	Arg	Pro	Leu	Trp	Glu	Glu	Pro	Ser	Ala	Val
			165						170					175	
Asn	Thr	Leu	Ser	Ser	Ser	Leu	Pro	Gln	Gly	Asp	Arg	Glu	Ser	Asn	Asn
		180						185					190		
Pro	Phe	Leu	Cys	Asn	Ile	Phe	Met	Lys	Asp	Glu	Lys	Asp	Pro	Gln	Tyr
	195						200					205			
Asn	Leu	Phe	Gly	Gln	Asp	Leu	Pro	Val	Ile	Pro	Gln	Arg	Lys	Glu	Phe
	210					215					220				
Asn	Ile	Pro	Glu	Ala	Gly	Ser	Ser	Cys	Gly	Ala	Leu	Phe	Pro	Ser	Ala
225					230					235					240
Val	Ser	Pro	Pro	Glu	Leu	Arg	Gln	Arg	Arg	His	Gly	Val	Glu	Met	Leu
			245						250					255	
Lys	Ile	Phe	Asn	Lys	Asn	Gln	Lys	Leu	Gly	Ser	Ser	Pro	Asn	Ser	Ser
			260					265					270		
Pro	His	Met	Ser	Ser	Pro	Pro	Thr	Lys	Phe	Ser	Val	Ser	Thr	Pro	Ser
	275						280					285			
Gln	Pro	Ser	Cys	Lys	Ser	His	Leu	Glu	Ser	Thr	Thr	Lys	Asp	Gln	Glu
	290					295						300			
Pro	Ile	Phe	Tyr	Lys	Ala	Ala	Glu	Gly	Asp	Asn	Ile	Glu	Phe	Gly	Ala
305					310					315					320
Phe	Val	Gly	His	Arg	Asp	Ser	Met	Asp	Leu	Gln	Arg	Phe	Lys	Glu	Thr
			325						330					335	
Ser	Asn	Lys	Ile	Arg	Glu	Leu	Leu	Ser	Asn	Asp	Thr	Pro	Glu	Asn	Thr
			340					345					350		
Leu	Lys	His	Val	Gly	Ala	Ala	Gly	Tyr	Ser	Glu	Cys	Cys	Lys	Thr	Ser
	355						360					365			
Thr	Ser	Leu	His	Ser	Val	Gln	Ala	Glu	Ser	Cys	Ser	Arg	Arg	Ala	Ser
	370					375					380				
Thr	Glu	Asp	Ser	Pro	Glu	Val	Asp	Ser	Lys	Ala	Ala	Leu	Leu	Pro	Asp
385					390					395					400
Trp	Leu	Arg	Asp	Arg	Pro	Ser	Asn	Arg	Glu	Met	Pro	Ser	Glu	Gly	Gly
			405						410					415	
Thr	Leu	Asn	Gly	Leu	Ala	Ser	Pro	Phe	Lys	Pro	Val	Leu	Asp	Thr	Asn
			420					425					430		
Tyr	Tyr	Tyr	Ser	Ala	Val	Glu	Arg	Asn	Asn	Leu	Met	Arg	Leu	Ser	Gln
	435						440					445			
Ser	Ile	Pro	Phe	Val	Pro	Val	Pro	Pro	Arg	Gly	Glu	Pro	Val	Thr	Val
	450					455					460				
Tyr	Pro	Ser	Gly	Gly	Arg	Val	Leu	Pro	Val	Tyr					
465					470					475					

<210> 9  
 <211> 5433  
 <212> DNA  
 <213> Mus Musculus  
  
 <220>  
 <221> unsure  
 <222> (5094)... (5094)  
 <223> unknown

<400> 9  
 ggctgaaaga gcctgagctg tgcctctcca ttccactgct gtggcagggt cagaaatctt 60  
 ggatagagaa aaccttttgc aaacgggaat gtatctttgt aattcctagc acgaaagact 120  
 ctaacagggtg ttgctgtggc cagttcacca accagcatat cccccctctg ccaagtgcaa 180  
 caccagcaa aaatgaagag gaaagcaaac aggtggagac tcagcctgag aaatggctctg 240  
 ttgccaagca caccagagc taccacaacag attcctatgg agttcttgaa ttccagggtg 300  
 gcggtatatt caataaagcc atgtatatcc gtgtatccta tgacaccaag ccagactcac 360  
 tgctccatct catggtgaaa gattggcagc tggaaactccc caagctctta atatctgtgc 420  
 atggaggcct ccagaacttt gagatgcagc ccaagctgaa acaagtcttt gggaaaggcc 480  
 tgatcaaggc tgctatgacc accggggcct ggatcttcac cgggggtgtc agcacagggtg 540  
 ttatcagcca cgtaggggat gccttgaaaag accactcctc caagtccaga ggccgggttt 600  
 gtgctatagg aattgtctca tggggcatcg tggagaataa ggaagacctg gttggaaagg 660  
 atgtaacaag agtgtaccag accatgtcca accctctaag taagctctct gtgctcaaca 720  
 actcccacac ccacttcac ctggttgaca atggcaccct gggcaagtat ggcgccgagg 780  
 tgaagctgctg aaggctgctg gaaaagcaca tctccctcca gaagatcaac acaagactgg 840  
 ggcaggggcgt gccctctctg ggtctctgtg tggagggggg ccctaactgt gtgtccatcg 900  
 tcttggaata cctgcaagaa gagcctccca tccctgtggt gatttgtgat ggcagcggac 960  
 gtgccctcga catcctgtcc ttgctgcaca agtactgtga agaaggcggg ataataaatg 1020  
 agtccctcag ggagcagctt ctagttagca ttcagaaaac atttaattat aataaggcac 1080  
 aatcacatca gctgtttgca attataatgg agtgcctgaa gaagaaagaa ctgctcactg 1140  
 tgttcagaat gggttctgag ggccagcagg acatcgagat ggcaatttta actgccctgc 1200  
 tgaagggaac aaacgtatct gctccagatc agctgagctt ggcactggct tggaaaccgcg 1260  
 tggacatagc acgaagccag atctttgtct ttgggccccca ctggacgccc ctggggaagcc 1320  
 tggcaccccc gacggacagc aaagccacgg agaaggagaa gaagccaccc atggccacca 1380  
 ccaagggagg aagaggaaaa gggaaaggca agaagaaagg gaaagtgaag gaggaagtgg 1440  
 aggaagaaac tgacccccg aagatagagc tgctgaactg ggtgaatgct ttggagcaag 1500  
 cgatgctaga tgcttttagt ttagatcgtg tgcactttgt gaagctcctg attgaaaacg 1560  
 gagtgaacat gcaacacttt ctgaccattc cgaggctgga ggagctctat aacacaagac 1620  
 tgggtccacc aaacacactt catctgctgg tgagggatgt gaaaaagagc aaccttccgc 1680  
 ctgattacca catcagctc atagacatcg ggctcgtgct ggagtacctc atgggaggag 1740  
 cctaccgctg caactacact cggaaaaaact ttcggaccct ttacaacaac ttgtttggac 1800  
 caaagaggcc taaagctctt aaacttcttg gaatggaaga tgatgagcct ccagctaaag 1860  
 ggaagaaaaa aaaaaaaaaa aaaaaggagg aagagatcga cattgatgtg gacgaccctg 1920  
 ccgtgagctg gttccagtat cccttccacg agctgatggt gtgggcagtg ctgatgaaac 1980  
 gccagaaaat ggcagtgttc ctctggcagc gaggggaaga gagcatggcc aaggccctgg 2040  
 tggcctgcaa gctctacaag gccatggccc acgagtcctc cgagagtgat ctggtggatg 2100  
 acatctccca ggacttgat aacaattcca aagacttcgg ccagcttgct ttggagtatt 2160  
 tagaccagtc ctataagcat gacgagcaga tcgctatgaa actcctgacc tacgagctga 2220  
 aaaactggag caactcgacc tgcctcaaac tggcctggc agccaaacac cgggacttca 2280  
 ttgctcacac ctgcagccag atgctgctga ccgatatgtg gatgggaaga ctgcggatgc 2340  
 ggaagaaccc cggcctgaag gttatcatgg ggattcttct acccccacc atcttgtttt 2400  
 tggaaatttcg cacatatgat gatttctcgt atcaaacatc caaggaaaac gaggatggca 2460  
 aagaaaaaga agaggaaaa acggatgcaa atgcagatgc tggctcaaga aagggggatg 2520  
 aggagaacga gcataaaaaa cagagaagta ttccatcgg aacaaagatc tgtgaattct 2580  
 ataacgcgcc cattgtcaag ttctggtttt acacaatatc atacttgggc tacctgctgc 2640  
 tgtttaacta cgtcatcctg gtgcggatgg atggctggcc gtccctccag gagtggatcg 2700  
 tcatctccta catcgtgagc ctggcgtagg agaagatacg agagatcctc atgtcagaac 2760  
 caggcaaact cagccagaaa atcaaagttt ggcttcagga gtactggaac atcacagatc 2820  
 tcgtggccat ttccacattc atgattggag caattcttcg cctacagaac cagccctaca 2880

```

tgggctatgg cccgggtgatc tactgtgtgg atatcatctt ctggtacatc cgtgtcctgg 2940
acatcttttg tgtcaacaag tatctggggc catacgtgat gatgattgga aagatgatga 3000
tcgacatgct gtactttgtg gtcacatgac tggctgtgct catgagtttc ggagtagccc 3060
gtcaagccat tctgcatcca gaggagaagc cctcttgga actggcccga aacatcttct 3120
acatgcccta ctggatgatc tatggagagg tgtttgcaga ccagatagac ctctacgcca 3180
tggaatttaa tctccttgtt ggtgagaacc tatatgatga ggagggcaag cggcttcctc 3240
cctgtatccc cggcgcttgg ctactccag cactcatggc gtgctatcta ctggtcgcca 3300
acatcctgct ggtgaacctg ctgattgctg tgttcaacaa tactttcttt gaagtaaaat 3360
caatatccaa ccaggtgtgg aagttccagc gatatcagct gattatgaca ttcatgaca 3420
ggccagtcct gccccaccg atgatcattt taagccacat ctacatcatc attatgcgtc 3480
tcagcggccg ctgcaggaaa aagagagaag gggaccaaga ggaacgggat cgtggattga 3540
agctcttctt tagcgacgag gagctaaaga ggtgcatga gttcgaggag cagtgcgtgc 3600
aggagcactt ccgggagaag gaggatgagc agcagtcgtc cagcgacgag cgcacccggg 3660
tcaacttctga aagagttgaa aatatgtcaa tgaggttgga agaaatcaat gaaagagaaa 3720
cttttatgaa aacttccttg cagactgttg accttcgact tgctcagcta gaagaattat 3780
ctaacagaat ggtgaatgct cttgaaaatc ttgcgggaat cgacaggtct gacctgatcc 3840
aggcacggtc ccgggcttct tctgaatgtg aggcaacgta tcttctccgg caaagcagca 3900
tcaatagcgc tgatggctac agcttgtatc gatatcattt taacggagaa gagttattat 3960
ttgaggatac atctctctcc acgtcaccag ggacaggagt caggaaaaaa acctgttcct 4020
tccgtataaa ggaagagaag gacgtgaaaa cgcacctagt ccagaatgt cagaacagtc 4080
ttcaccttcc actgggcaca agcacatcag caaccccaga tggcagtcac cttgcagtag 4140
atgacttaaa gaacgctgaa gagtcaaaat taggtccaga tattgggatt tcaaaggaag 4200
atgatgaaag acagacagac tctaaaaaag aagaaactat ttccccaagt ttaataaaaa 4260
cagatgtgat acatggacag gacaaatcag atgttcaaaa cactcagcta acagtggaaa 4320
cgacaaatat agaaggcact atttcctatc ccctggaaga aacccaaatt acacgctatt 4380
tccccgatga aacgatcaat gcttgtaaaa caatgaagtc cagaagcttc gtctattccc 4440
ggggaagaaa gctggtcggt ggggttaacc aggatgtaga gtacagttca atcacggacc 4500
agcaattgac gacggaatgg caatgccaaag ttcaaaagat cacgcgctct catagcacag 4560
atattcctta cattgtgtcg gaagctgcag tgcaagctga gcaaaaagag cagtttgtag 4620
atatgcaaga tgaacaccat gtcgctgaag caattcctcg aatccctcgc ttgtccctaa 4680
ccattactga cagaaatggg atggaaaact tactgtctgt gaagccagat caaacttttg 4740
gattcccatc tctcaggtca aaaagtttac atggacatcc taggaatgtg aaatccattc 4800
agggaaagtt agacagatct ggacatgcca gtagtgtaag cagcttagta attgtgtctg 4860
gaatgacagc agaagaaaaa aagggttaaga aagagaaagc ttccacagaa actgaatgct 4920
agtctgtttt gtttctttta tttttttttt taacagtcag aaacccacta atgggtgtca 4980
tcttgcccca tcttaaacac atmtccaatt tcttaaaaac attttccctt aaaaaatttt 5040
ggaaattcag acttgattta caatttaatg cactaaaagt agtattttgt tagnatatgt 5100
tagtaggctt agttttttca gttgcagtag tatcaaatga aagtgatgat actgtaacga 5160
agataaattg gctaatacgt atacaagatt atacaatctc tttattactg agggccacca 5220
aatagcctag gaagtgcctt cgagcactga agtcaccatt aggtcactca agaagtaagc 5280
aactagctgg gcacagtggc tcatgcctgt aatcctagca ctttgggagg ccaaggcaga 5340
aagatagctt gagtccagga gtttgagacc agcctgggca acatagtgat accccatctc 5400
ttaaaaaaaaa aaaaaaaaaa ctgccctcgt gcc 5433

```

&lt;210&gt; 10

&lt;211&gt; 1533

&lt;212&gt; PRT

&lt;213&gt; Mus Musculus

&lt;400&gt; 10

```

Met Tyr Ile Arg Val Ser Tyr Asp Thr Lys Pro Asp Ser Leu Leu His
1          5          10          15
Leu Met Val Lys Asp Trp Gln Leu Glu Leu Pro Lys Leu Leu Ile Ser
20          25          30
Val His Gly Gly Leu Gln Asn Phe Glu Met Gln Pro Lys Leu Lys Gln
35          40          45
Val Phe Gly Lys Gly Leu Ile Lys Ala Ala Met Thr Thr Gly Ala Trp
50          55          60

```

-10-

Ile	Phe	Thr	Gly	Gly	Val	Ser	Thr	Gly	Val	Ile	Ser	His	Val	Gly	Asp	65	70	75	80
Ala	Leu	Lys	Asp	His	Ser	Ser	Lys	Ser	Arg	Gly	Arg	Val	Cys	Ala	Ile		85	90	95
Gly	Ile	Ala	Pro	Trp	Gly	Ile	Val	Glu	Asn	Lys	Glu	Asp	Leu	Val	Gly		100	105	110
Lys	Asp	Val	Thr	Arg	Val	Tyr	Gln	Thr	Met	Ser	Asn	Pro	Leu	Ser	Lys		115	120	125
Leu	Ser	Val	Leu	Asn	Asn	Ser	His	Thr	His	Phe	Ile	Leu	Ala	Asp	Asn		130	135	140
Gly	Thr	Leu	Gly	Lys	Tyr	Gly	Ala	Glu	Val	Lys	Leu	Arg	Arg	Leu	Leu		145	150	155
Glu	Lys	His	Ile	Ser	Leu	Gln	Lys	Ile	Asn	Thr	Arg	Leu	Gly	Gln	Gly		165	170	175
Val	Pro	Leu	Val	Gly	Leu	Val	Val	Glu	Gly	Gly	Pro	Asn	Val	Val	Ser		180	185	190
Ile	Val	Leu	Glu	Tyr	Leu	Gln	Glu	Glu	Pro	Pro	Ile	Pro	Val	Val	Ile		195	200	205
Cys	Asp	Gly	Ser	Gly	Arg	Ala	Ser	Asp	Ile	Leu	Ser	Phe	Ala	His	Lys		210	215	220
Tyr	Cys	Glu	Glu	Gly	Gly	Ile	Ile	Asn	Glu	Ser	Leu	Arg	Glu	Gln	Leu		225	230	235
Leu	Val	Thr	Ile	Gln	Lys	Thr	Phe	Asn	Tyr	Asn	Lys	Ala	Gln	Ser	His		245	250	255
Gln	Leu	Phe	Ala	Ile	Ile	Met	Glu	Cys	Met	Lys	Lys	Lys	Glu	Leu	Val		260	265	270
Thr	Val	Phe	Arg	Met	Gly	Ser	Glu	Gly	Gln	Gln	Asp	Ile	Glu	Met	Ala		275	280	285
Ile	Leu	Thr	Ala	Leu	Leu	Lys	Gly	Thr	Asn	Val	Ser	Ala	Pro	Asp	Gln		290	295	300
Leu	Ser	Leu	Ala	Leu	Ala	Trp	Asn	Arg	Val	Asp	Ile	Ala	Arg	Ser	Gln		305	310	315
Ile	Phe	Val	Phe	Gly	Pro	His	Trp	Thr	Pro	Leu	Gly	Ser	Leu	Ala	Pro		325	330	335
Pro	Thr	Asp	Ser	Lys	Ala	Thr	Glu	Lys	Glu	Lys	Lys	Pro	Pro	Met	Ala		340	345	350
Thr	Thr	Lys	Gly	Gly	Arg	Gly	Lys	Gly	Lys	Gly	Lys	Lys	Lys	Gly	Lys		355	360	365
Val	Lys	Glu	Glu	Val	Glu	Glu	Glu	Thr	Asp	Pro	Arg	Lys	Ile	Glu	Leu		370	375	380
Leu	Asn	Trp	Val	Asn	Ala	Leu	Glu	Gln	Ala	Met	Leu	Asp	Ala	Leu	Val		385	390	395
Leu	Asp	Arg	Val	Asp	Phe	Val	Lys	Leu	Leu	Ile	Glu	Asn	Gly	Val	Asn		405	410	415
Met	Gln	His	Phe	Leu	Thr	Ile	Pro	Arg	Leu	Glu	Glu	Leu	Tyr	Asn	Thr		420	425	430
Arg	Leu	Gly	Pro	Pro	Asn	Thr	Leu	His	Leu	Leu	Val	Arg	Asp	Val	Lys		435	440	445
Lys	Ser	Asn	Leu	Pro	Pro	Asp	Tyr	His	Ile	Ser	Leu	Ile	Asp	Ile	Gly		450	455	460
Leu	Val	Leu	Glu	Tyr	Leu	Met	Gly	Gly	Ala	Tyr	Arg	Cys	Asn	Tyr	Thr		465	470	475
Arg	Lys	Asn	Phe	Arg	Thr	Leu	Tyr	Asn	Asn	Leu	Phe	Gly	Pro	Lys	Arg		485	490	495
Pro	Lys	Ala	Leu	Lys	Leu	Leu	Gly	Met	Glu	Asp	Asp	Glu	Pro	Pro	Ala		500	505	510
Lys	Gly	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Glu	Glu	Glu	Ile	Asp		515	520	525
Asp	Val	Asp	Asp	Pro	Ala	Val	Ser	Arg	Phe	Gln	Tyr	Pro	Phe	His	Glu		530	535	540

-11-

Leu	Met	Val	Trp	Ala	Val	Leu	Met	Lys	Arg	Gln	Lys	Met	Ala	Val	Phe
545					550					555					560
Leu	Trp	Gln	Arg	Gly	Glu	Glu	Ser	Met	Ala	Lys	Ala	Leu	Val	Ala	Cys
				565					570					575	
Lys	Leu	Tyr	Lys	Ala	Met	Ala	His	Glu	Ser	Ser	Glu	Ser	Asp	Leu	Val
			580					585					590		
Asp	Asp	Ile	Ser	Gln	Asp	Leu	Asp	Asn	Asn	Ser	Lys	Asp	Phe	Gly	Gln
		595					600					605			
Leu	Ala	Leu	Glu	Leu	Leu	Asp	Gln	Ser	Tyr	Lys	His	Asp	Glu	Gln	Ile
	610					615					620				
Ala	Met	Lys	Leu	Leu	Thr	Tyr	Glu	Leu	Lys	Asn	Trp	Ser	Asn	Ser	Thr
625					630					635					640
Cys	Leu	Lys	Leu	Ala	Val	Ala	Ala	Lys	His	Arg	Asp	Phe	Ile	Ala	His
				645					650					655	
Thr	Cys	Ser	Gln	Met	Leu	Leu	Thr	Asp	Met	Trp	Met	Gly	Arg	Leu	Arg
			660					665					670		
Met	Arg	Lys	Asn	Pro	Gly	Leu	Lys	Val	Ile	Met	Gly	Ile	Leu	Leu	Pro
		675					680					685			
Pro	Thr	Ile	Leu	Phe	Leu	Glu	Phe	Arg	Thr	Tyr	Asp	Asp	Phe	Ser	Tyr
	690					695					700				
Gln	Thr	Ser	Lys	Glu	Asn	Glu	Asp	Gly	Lys	Glu	Lys	Glu	Glu	Glu	Asn
705					710					715					720
Thr	Asp	Ala	Asn	Ala	Asp	Ala	Gly	Ser	Arg	Lys	Gly	Asp	Glu	Glu	Asn
				725					730					735	
Glu	His	Lys	Lys	Gln	Arg	Ser	Ile	Pro	Ile	Gly	Thr	Lys	Ile	Cys	Glu
			740					745					750		
Phe	Tyr	Asn	Ala	Pro	Ile	Val	Lys	Phe	Trp	Phe	Tyr	Thr	Ile	Ser	Tyr
		755					760					765			
Leu	Gly	Tyr	Leu	Leu	Leu	Phe	Asn	Tyr	Val	Ile	Leu	Val	Arg	Met	Asp
	770					775					780				
Gly	Trp	Pro	Ser	Leu	Gln	Glu	Trp	Ile	Val	Ile	Ser	Tyr	Ile	Val	Ser
785					790					795					800
Leu	Ala	Leu	Glu	Lys	Ile	Arg	Glu	Ile	Leu	Met	Ser	Glu	Pro	Gly	Lys
				805					810					815	
Leu	Ser	Gln	Lys	Ile	Lys	Val	Trp	Leu	Gln	Glu	Tyr	Trp	Asn	Ile	Thr
			820					825					830		
Asp	Leu	Val	Ala	Ile	Ser	Thr	Phe	Met	Ile	Gly	Ala	Ile	Leu	Arg	Leu
		835					840					845			
Gln	Asn	Gln	Pro	Tyr	Met	Gly	Tyr	Gly	Arg	Val	Ile	Tyr	Cys	Val	Asp
	850					855					860				
Ile	Ile	Phe	Trp	Tyr	Ile	Arg	Val	Leu	Asp	Ile	Phe	Gly	Val	Asn	Lys
865					870					875					880
Tyr	Leu	Gly	Pro	Tyr	Val	Met	Met	Ile	Gly	Lys	Met	Met	Ile	Asp	Met
				885					890					895	
Leu	Tyr	Phe	Val	Val	Ile	Met	Leu	Val	Val	Leu	Met	Ser	Phe	Gly	Val
			900					905					910		
Ala	Arg	Gln	Ala	Ile	Leu	His	Pro	Glu	Glu	Lys	Pro	Ser	Trp	Lys	Leu
			915				920						925		
Ala	Arg	Asn	Ile	Phe	Tyr	Met	Pro	Tyr	Trp	Met	Ile	Tyr	Gly	Glu	Val
	930					935					940				
Phe	Ala	Asp	Gln	Ile	Asp	Leu	Tyr	Ala	Met	Glu	Ile	Asn	Pro	Pro	Cys
945					950					955					960
Gly	Glu	Asn	Leu	Tyr	Asp	Glu	Glu	Gly	Lys	Arg	Leu	Pro	Pro	Cys	Ile
				965					970					975	
Pro	Gly	Ala	Trp	Leu	Thr	Pro	Ala	Leu	Met	Ala	Cys	Tyr	Leu	Leu	Val
			980					985					990		
Ala	Asn	Ile	Leu	Leu	Val	Asn	Leu	Leu	Ile	Ala	Val	Phe	Asn	Asn	Thr
			995				1000					1005			
Phe	Phe	Glu	Val	Lys	Ser	Ile	Ser	Asn	Gln	Val	Trp	Lys	Phe	Gln	Arg
	1010					1015					1020				



-12-

Tyr Gln Leu Ile Met Thr Phe His Asp Arg Pro Val Leu Pro Pro Pro  
 1025 1030 1035 104  
 Met Ile Ile Leu Ser His Ile Tyr Ile Ile Met Arg Leu Ser Gly  
 1045 1050 1055  
 Arg Cys Arg Lys Lys Arg Glu Gly Asp Gln Glu Glu Arg Asp Arg Gly  
 1060 1065 1070  
 Leu Lys Leu Phe Leu Ser Asp Glu Glu Leu Lys Arg Leu His Glu Phe  
 1075 1080 1085  
 Glu Glu Gln Cys Val Gln Glu His Phe Arg Glu Lys Glu Asp Glu Gln  
 1090 1095 1100  
 Gln Ser Ser Ser Asp Glu Arg Ile Arg Val Thr Ser Glu Arg Val Glu  
 1105 1110 1115 112  
 Asn Met Ser Met Arg Leu Glu Glu Ile Asn Glu Arg Glu Thr Phe Met  
 1125 1130 1135  
 Lys Thr Ser Leu Gln Thr Val Asp Leu Arg Leu Ala Gln Leu Glu Glu  
 1140 1145 1150  
 Leu Ser Asn Arg Met Val Asn Ala Leu Glu Asn Leu Ala Gly Ile Asp  
 1155 1160 1165  
 Arg Ser Asp Leu Ile Gln Ala Arg Ser Arg Ala Ser Ser Glu Cys Glu  
 1170 1175 1180  
 Ala Thr Tyr Leu Leu Arg Gln Ser Ser Ile Asn Ser Ala Asp Gly Tyr  
 1185 1190 1195 120  
 Ser Leu Tyr Arg Tyr His Phe Asn Gly Glu Glu Leu Leu Phe Glu Asp  
 1205 1210 1215  
 Thr Ser Leu Ser Thr Ser Pro Gly Thr Gly Val Arg Lys Lys Thr Cys  
 1220 1225 1230  
 Ser Phe Arg Ile Lys Glu Glu Lys Asp Val Lys Thr His Leu Val Pro  
 1235 1240 1245  
 Glu Cys Gln Asn Ser Leu His Leu Ser Leu Gly Thr Ser Thr Ser Ala  
 1250 1255 1260  
 Thr Pro Asp Gly Ser His Leu Ala Val Asp Asp Leu Lys Asn Ala Glu  
 1265 1270 1275 128  
 Glu Ser Lys Leu Gly Pro Asp Ile Gly Ile Ser Lys Glu Asp Asp Glu  
 1285 1290 1295  
 Arg Gln Thr Asp Ser Lys Lys Glu Glu Thr Ile Ser Pro Ser Leu Asn  
 1300 1305 1310  
 Lys Thr Asp Val Ile His Gly Gln Asp Lys Ser Asp Val Gln Asn Thr  
 1315 1320 1325  
 Gln Leu Thr Val Glu Thr Thr Asn Ile Glu Gly Thr Ile Ser Tyr Pro  
 1330 1335 1340  
 Leu Glu Glu Thr Lys Ile Thr Arg Tyr Phe Pro Asp Glu Thr Ile Asn  
 1345 1350 1355 136  
 Ala Cys Lys Thr Met Lys Ser Arg Ser Phe Val Tyr Ser Arg Gly Arg  
 1365 1370 1375  
 Lys Leu Val Gly Gly Val Asn Gln Asp Val Glu Tyr Ser Ser Ile Thr  
 1380 1385 1390  
 Asp Gln Gln Leu Thr Thr Glu Trp Gln Cys Gln Val Gln Lys Ile Thr  
 1395 1400 1405  
 Arg Ser His Ser Thr Asp Ile Pro Tyr Ile Val Ser Glu Ala Ala Val  
 1410 1415 1420  
 Gln Ala Glu Gln Lys Glu Gln Phe Ala Asp Met Gln Asp Glu His His  
 1425 1430 1435 144  
 Val Ala Glu Ala Ile Pro Arg Ile Pro Arg Leu Ser Leu Thr Ile Thr  
 1445 1450 1455  
 Asp Arg Asn Gly Met Glu Asn Leu Leu Ser Val Lys Pro Asp Gln Thr  
 1460 1465 1470  
 Leu Gly Phe Pro Ser Leu Arg Ser Lys Ser Leu His Gly His Pro Arg  
 1475 1480 1485  
 Asn Val Lys Ser Ile Gln Gly Lys Leu Asp Arg Ser Gly His Ala Ser  
 1490 1495 1500

-13-

Ser Val Ser Ser Leu Val Ile Val Ser Gly Met Thr Ala Glu Glu Lys  
 1505 1510 1515 152  
 Lys Val Lys Lys Glu Lys Ala Ser Thr Glu Thr Glu Cys  
 1525 1530

<210> 11  
 <211> 6220  
 <212> DNA  
 <213> Homo Sapiens

&lt;400&gt; 11

tgtgcagaat	tgtacagttg	cgaaacccatg	tcgctggcag	ctgggtgctgg	cggtggagac	60
ttccctgtgc	ggtgctcagt	gcatctgcac	ccgtggggga	gggagctctt	tctctggccc	120
tgcagtcacc	tgaggttggt	accattatga	acggccgctg	ggacccccgc	atgtgcatgt	180
actccccag	agtgtccggg	ggccccagcc	aagggaacac	tctcacgcag	ctgggaacat	240
gtgcaggctg	atgaagagaa	ccggatgagg	gcttcacatg	aggaagcatg	tggccaggctc	300
ctctcagaac	atcagcctca	tcttctgtc	tctgatctat	ttaccaacc	accccatgtg	360
tctctagaac	cccagtgtag	cgagctggag	agaggactgt	cctgagggca	gcaggcctgg	420
ttgcagctgg	cgtgggggtc	tcagaatgga	gccctcagcc	ctgaggaaaag	ctggctcgga	480
gcaggaggag	ggctttgagg	ggctgcccag	aagggtcact	gacctgggga	tggctctcaa	540
tctccggcgc	agcaacagca	gcctcttcaa	gagctggagg	ctacagtgcc	ccttcggcaa	600
caatgacaag	caagaaagcc	tcagttcgtg	gattcctgaa	aacatcaaga	agaaagaatg	660
cgtgtatttt	gtggaaagtt	ccaaactgtc	tgatgctggg	aaggtggtgt	gtcagtgtgg	720
ctacacgcat	tgagcagact	tggaggaggc	taccaagccc	cacaccttcc	agggcacaca	780
gtgggaccca	aagaaacatg	tccaggagat	gccaaccgat	gcctttggcg	acatcgtctt	840
cacgggcctg	agccagaagg	tgaaaaagta	cgtccgagtc	tcccaggaca	cgccctccag	900
cgtgatctac	cacctcatga	cccagcactg	ggggctggac	gtccccaatc	tcttgatctc	960
ggtgaccggg	ggggccaaga	acttcaacat	gaagccgcgg	ctgaagagca	ttttccgcag	1020
aggcctggtc	aaggtggctc	agaccacagg	ggcctggatc	atcacagggg	ggtcccacac	1080
cggcgtcatg	aagcaggtag	gcgaggcggg	gcgggacttc	agcctgagca	gcagctacaa	1140
ggaaggcgag	ctcatcacca	tcggagtcgc	cacctggggc	actgtccacc	gccgcgaggg	1200
cctgatccat	cccacgggca	gcttccccgc	cgagtacata	ctggatgagg	atggccaagg	1260
gaacctgacc	tgcttagaca	gcaaccactc	tcacttcata	ctcgtggacg	acgggaccca	1320
cggccagtag	gggggtggaga	ttcctctgag	gaccaggctg	gagaagttca	tatcggagca	1380
gaccaaggaa	agaggaggtg	tggccatcaa	gatccccatc	gtgtgcgtgg	tgctggaggg	1440
cggcccgggc	acgttgacaa	ccatcgacaa	cgccaccacc	aacggcaccc	cctgtgtggt	1500
tgtggagggc	tcggggccgcg	tggccgacgt	cattgcccag	gtggccaacc	tgccctgtctc	1560
ggacatcaat	atctccctga	tccagcagaa	actgagcgtg	ttcttcagg	agatgtttga	1620
gaccttcacg	gaaagcagga	ttgtcgagtg	gacaaaaaag	atccaagata	ttgtccggag	1680
cgggcagctg	ctgactctct	tccgggaagg	caaggatggt	cagcaggacg	tggatgtggc	1740
catcttgcat	gccttgctga	aagcctcacg	gagccaagac	cactttggcc	acgagaactg	1800
ggaccaccag	ctgaaactgg	cagtggcatg	gaatcgctg	gacattgccc	gcagtgcagt	1860
cttcatggat	gagtggcagt	ggaagccttc	agatctgcac	cccacgatga	cagctgcact	1920
catctccaac	aagcctgagt	ttgtgaagct	cttccctgaa	aacgggggtg	agctgaagga	1980
gtttgtcacc	tgggacacct	tgctctacct	gtacgagaac	ctggaccctt	cctgcctgtt	2040
ccacagcaag	ctgcaaaaag	tgctggtgga	ggatcccag	cgcccggctt	gcgcgcccgc	2100
ggcgccccgc	ctgcagatgc	accacgtggc	ccagggtgctg	cgggagctgc	tgggggactt	2160
cacgcagcgc	ctttatcccc	ggccccggca	caacgaccgg	ctgcggctcc	tgtgcccgt	2220
tccccagctg	aagctcaacg	tgcaggagat	gagcctccgg	tccctctaca	agcgttcctc	2280
aggccatgtg	accttcacca	tggaccccat	ccgtgacctt	ctcatttggg	ccattgtcca	2340
gaaccgtcgc	gagctggcag	gaatcatctg	ggctcagagc	caggactgca	tcgcagcggc	2400
cttggccctgc	agcaagatcc	tgaaggaaact	gtccaaggag	gaggaggaca	cggacagctc	2460
ggaggagatg	ctggcgctgg	cggaggagta	tgagcacaga	gccatcgggg	tcttcaccga	2520
gtgctaccgg	aaggacgaag	agagagccca	gaaactgctc	acccgcgtgt	ccgaggcctg	2580
ggggaagacc	acctgcctgc	agctcgccct	ggaggccaag	gacatgaagt	ttgtgtctca	2640
cgggggcac	caggccttcc	tgaccaaggt	gtggtggggc	cagctctccg	tggacaatgg	2700
gctgtggcgt	gtgacctgtg	gcatgctggc	cttcccgtg	ctcctcaccg	gcctcatctc	2760
cttcaggag	aagaggctgc	aggatgtggg	cacccccgcg	gcccgcgccc	gtgccttctt	2820
caccgcaccc	gtggtggtct	tccacctgaa	catectctcc	tacttcgcct	tctctgcct	2880
gttcgcctac	gtgctcatgg	tggacttcca	gcctgtgccc	tcctggtgcg	agtgtgccat	2940

ctacctctgg	ctcttctcct	tgggtgtgcga	ggagatgcgg	cagctcttct	atgacctga	3000
cgagtgcggg	ctgatgaaga	aggcagcctt	gtacttcagt	gacttctgga	ataagctgga	3060
cgtcggcgca	atcttgctct	tcgtggcagg	gctgacctgc	aggctcatcc	cggcgacgct	3120
gtaccccggg	cgcgtcatcc	tctctctgga	cttcatcctg	ttctgcctcc	ggctcatgca	3180
cattttttacc	atcagtaaga	cgctggggcc	caagatcatc	attgtgaagc	ggatgatgaa	3240
ggacgtcttc	ttcttctcct	tctgtctggc	tgtgtgggtg	gtgtccttcg	gggtggccaa	3300
gcaggccatc	ctcatccaca	acgagcgccg	ggtggactgg	ctgttccgag	gggcgctcta	3360
ccactcctac	ctcaccatct	tcgggcagat	cccgggctac	atcgacggtg	tgaacttcaa	3420
cccggagcac	tgcagcccca	atggcaccga	cccctacaag	cctaagtgcc	ccgagagcga	3480
cgcgacgcag	cagaggccgg	ccttccctga	gtggctgacg	gtcctcctac	tctgcctcta	3540
cctgctcttc	accaacatcc	tgtgtctcaa	cctcctcatc	gccatgttca	actacacctt	3600
ccagcaggtg	caggagcaca	cggaccagat	ttggaagttc	cagcgccatg	acctgatcga	3660
ggagtaccac	ggccgccccg	ccgcgcgcgc	ccccttcate	ctcctcagcc	acctgcagct	3720
gttgagagaag	agggtggtcc	tgaagactcc	ggccaagagg	cacaagcagc	tcaagaacaa	3780
cctccagaac	cgacagttcc	agcaaaagca	atcctgggag	atctacctga	aggagaacta	3840
caataaggtt	gacgccatgg	tggacctgct	gcggcccgag	cagaagatcg	aggacatcag	3900
catggagcag	aggttggcct	ccctggaggga	ggacctggac	ccactgaaga	ggtcgggctc	3960
ctggatcgtg	aggacgctgc	gggccagcgg	cttcagctcg	cagacagccc	gagccctgca	4020
ggcctcccag	aaggcccgcg	aggagccgga	tgttgagccg	gaggcgagcg	tccccactct	4080
ggagccgggc	gacagctacc	acgtgaatgc	ccggcacctc	ctctacccca	actgcctgtg	4140
cacgcgcttc	cccgtgcccc	acgagaaggt	gccctgggag	acggagtctc	tgatctatga	4200
cccacccttt	tacacggcag	agaggaagga	cgcgcccgcc	atggacccca	tgggagacac	4260
cctggagcca	ctgtccacga	tccagtacaa	cgtggtggat	ggcctgaggg	accgccggag	4320
cttccacggg	ccgtacacag	tgcaggccgg	gttgcccctg	aaccccatgg	gccgcacagg	4380
actgcgtggg	cgcgggagcc	tcagctgctt	cggacccaac	cacacgctgt	accccatggt	4440
cacgcggtgg	aggcggaacg	aggatggagc	catctgcagg	aagagcataa	agaagatgct	4500
ggaagtgcgtg	gtggtgaagc	tccctctctc	cgagcactgg	gccctgcctg	ggggctcccg	4560
ggagccaggg	gagatgctac	ctcggaagct	gaagcggatc	ctccggcagg	agcactggcc	4620
gtcttttgaa	aacttgctga	agtgcggcat	ggaggtgtac	aaaggctaca	tggatgaccc	4680
gaggaacacg	gacaatgcct	ggatcgagac	ggtggccgtc	agcgtccact	tccaggacca	4740
gaatgacgtg	gagctgaaca	ggctgaactc	taacctgcac	gcctgcgact	cgggggcctc	4800
catccgatgg	caggtggtgg	acaggcgcat	cccactctat	gcgaaccaca	agaccctcct	4860
ccagaaggca	gccgctgagt	tccgggctca	ctactgactg	tgccctcagg	ctgggcggct	4920
ccagtccata	gacgttcccc	ccagaaacca	gggcttctct	ctcctgagcc	tggccaggac	4980
tcaggctggt	cctgggcccct	gcacatgatg	gggtttgggtg	gacccagtgc	ccctcacggc	5040
tgccgcaagt	ctgctgcaga	tgacctcatg	aactggaagg	ggtcaagggtg	acccgggagg	5100
agagctcaag	acagggcaca	ggctactcag	agctgagggg	cccctgggac	ccttgcccat	5160
caggcgaggg	gctgggcctg	tgcagctggg	cccttgcca	gagtcactc	ccttcttggc	5220
tgtgtcaccc	cgagcagctc	atccaccatg	gaggtcattg	gcctgaggca	agttcccccg	5280
agagtcggga	tcccctgtgg	ccccctcagg	cctatgtctg	tgagggaagg	gccctgccac	5340
tctccccaag	agggcctcca	tgtttcgagg	tgctcaaca	tggagccttg	cctggccttg	5400
gctaggggca	ctgtctgaac	tctgactgt	caggataaac	tccgtggggg	tacaggagcc	5460
cagacaaagc	ccaggcctgt	caagagacgc	agagggcccc	tgccagggtt	ggccccaggg	5520
accctgggac	gaggctgcag	aagctctccc	tccctactcc	ctgggagcca	cgtgctggcc	5580
atgtggccag	ggacggcatg	agcaggaggc	ggggacgtgg	gggccttctg	gtttggtgtc	5640
aacagctcac	aggagcgtga	accatgaggg	ccctcaggag	gggaacgtgg	taaaacccaa	5700
gacattaaat	ctgccatctc	aggcctggct	ggctcttctg	tgctttccac	aaataaagtt	5760
cctgacacgt	ccagggccag	gggctgtgtg	acggctgcct	gaagttctcc	tcgatcccc	5820
ggtgagcttc	ctgcagcctg	tggatgtcct	gcagcccctc	agccctaccc	ccaagtttct	5880
cctctgaccc	atcagctccc	tgtcttcatt	ttcctaaacc	tgggctccag	catcgtcccc	5940
aagcccacca	ggccaggatg	caggcatcca	catgcccctc	tccttggtct	cccctgcgtg	6000
gtggtgccaa	tgtgccctgg	cacccctgca	gaggtccggg	atggagcctg	gggctgcctg	6060
gccactgagc	actggccgag	gtgatgccc	cccttccctg	gacaggcctc	tgtcttccac	6120
ctgacccaaa	gctctctagc	caccccttgc	tccccagtat			6180
						6220

&lt;210&gt; 12

&lt;211&gt; 1503

-15-

&lt;212&gt; PRT

&lt;213&gt; Homo Sapiens

&lt;400&gt; 12

Met	Glu	Pro	Ser	Ala	Leu	Arg	Lys	Ala	Gly	Ser	Glu	Gln	Glu	Glu	Gly
1				5					10				15		
Phe	Glu	Gly	Leu	Pro	Arg	Arg	Val	Thr	Asp	Leu	Gly	Met	Val	Ser	Asn
			20					25				30			
Leu	Arg	Arg	Ser	Asn	Ser	Ser	Leu	Phe	Lys	Ser	Trp	Arg	Leu	Gln	Cys
			35				40					45			
Pro	Phe	Gly	Asn	Asn	Asp	Lys	Gln	Glu	Ser	Leu	Ser	Ser	Trp	Ile	Pro
	50					55				60					
Glu	Asn	Ile	Lys	Lys	Lys	Glu	Cys	Val	Tyr	Phe	Val	Glu	Ser	Ser	Lys
65					70				75						80
Leu	Ser	Asp	Ala	Gly	Lys	Val	Val	Cys	Gln	Cys	Gly	Tyr	Thr	His	Glu
			85					90						95	
Gln	His	Leu	Glu	Glu	Ala	Thr	Lys	Pro	His	Thr	Phe	Gln	Gly	Thr	Gln
			100					105					110		
Trp	Asp	Pro	Lys	Lys	His	Val	Gln	Glu	Met	Pro	Thr	Asp	Ala	Phe	Gly
	115						120					125			
Asp	Ile	Val	Phe	Thr	Gly	Leu	Ser	Gln	Lys	Val	Lys	Lys	Tyr	Val	Arg
	130					135					140				
Val	Ser	Gln	Asp	Thr	Pro	Ser	Ser	Val	Ile	Tyr	His	Leu	Met	Thr	Gln
145					150					155					160
His	Trp	Gly	Leu	Asp	Val	Pro	Asn	Leu	Leu	Ile	Ser	Val	Thr	Gly	Gly
			165					170						175	
Ala	Lys	Asn	Phe	Asn	Met	Lys	Pro	Arg	Leu	Lys	Ser	Ile	Phe	Arg	Arg
			180					185					190		
Gly	Leu	Val	Lys	Val	Ala	Gln	Thr	Thr	Gly	Ala	Trp	Ile	Ile	Thr	Gly
	195						200					205			
Gly	Ser	His	Thr	Gly	Val	Met	Lys	Gln	Val	Gly	Glu	Ala	Val	Arg	Asp
	210					215					220				
Phe	Ser	Leu	Ser	Ser	Ser	Tyr	Lys	Glu	Gly	Glu	Leu	Ile	Thr	Ile	Gly
225					230					235					240
Val	Ala	Thr	Trp	Gly	Thr	Val	His	Arg	Arg	Glu	Gly	Leu	Ile	His	Pro
			245					250						255	
Thr	Gly	Ser	Phe	Pro	Ala	Glu	Tyr	Ile	Leu	Asp	Glu	Asp	Gly	Gln	Gly
			260					265					270		
Asn	Leu	Thr	Cys	Leu	Asp	Ser	Asn	His	Ser	His	Phe	Ile	Leu	Val	Asp
	275						280					285			
Asp	Gly	Thr	His	Gly	Gln	Tyr	Gly	Val	Glu	Ile	Pro	Leu	Arg	Thr	Arg
	290					295					300				
Leu	Glu	Lys	Phe	Ile	Ser	Glu	Gln	Thr	Lys	Glu	Arg	Gly	Gly	Val	Ala
305					310					315					320
Ile	Lys	Ile	Pro	Ile	Val	Cys	Val	Val	Leu	Glu	Gly	Gly	Pro	Gly	Thr
			325					330						335	
Leu	His	Thr	Ile	Asp	Asn	Ala	Thr	Thr	Asn	Gly	Thr	Pro	Cys	Val	Val
			340					345					350		
Val	Glu	Gly	Ser	Gly	Arg	Val	Ala	Asp	Val	Ile	Ala	Gln	Val	Ala	Asn
			355				360					365			
Leu	Pro	Val	Ser	Asp	Ile	Thr	Ile	Ser	Leu	Ile	Gln	Gln	Lys	Leu	Ser
	370					375					380				
Val	Phe	Phe	Gln	Glu	Met	Phe	Glu	Thr	Phe	Thr	Glu	Ser	Arg	Ile	Val
385					390					395					400
Glu	Trp	Thr	Lys	Lys	Ile	Gln	Asp	Ile	Val	Arg	Arg	Arg	Gln	Leu	Leu
			405						410					415	
Thr	Val	Phe	Arg	Glu	Gly	Lys	Asp	Gly	Gln	Gln	Asp	Val	Asp	Val	Ala
			420					425					430		
Ile	Leu	Gln	Ala	Leu	Leu	Lys	Ala	Ser	Arg	Ser	Gln	Asp	His	Phe	Gly
			435				440					445			

-16-

His	Glu	Asn	Trp	Asp	His	Gln	Leu	Lys	Leu	Ala	Val	Ala	Trp	Asn	Arg
450					455						460				
Val	Asp	Ile	Ala	Arg	Ser	Glu	Ile	Phe	Met	Asp	Glu	Trp	Gln	Trp	Lys
465					470					475					480
Pro	Ser	Asp	Leu	His	Pro	Thr	Met	Thr	Ala	Ala	Leu	Ile	Ser	Asn	Lys
				485					490					495	
Pro	Glu	Phe	Val	Lys	Leu	Phe	Leu	Glu	Asn	Gly	Val	Gln	Leu	Lys	Glu
			500					505					510		
Phe	Val	Thr	Trp	Asp	Thr	Leu	Leu	Tyr	Leu	Tyr	Glu	Asn	Leu	Asp	Pro
		515				520						525			
Ser	Cys	Leu	Phe	His	Ser	Lys	Leu	Gln	Lys	Val	Leu	Val	Glu	Asp	Pro
		530				535					540				
Glu	Arg	Pro	Ala	Cys	Ala	Pro	Ala	Ala	Pro	Arg	Leu	Gln	Met	His	His
545					550					555					560
Val	Ala	Gln	Val	Leu	Arg	Glu	Leu	Leu	Gly	Asp	Phe	Thr	Gln	Pro	Leu
				565					570					575	
Tyr	Pro	Arg	Pro	Arg	His	Asn	Asp	Arg	Leu	Arg	Leu	Leu	Leu	Pro	Val
			580					585					590		
Pro	His	Val	Lys	Leu	Asn	Val	Gln	Gly	Val	Ser	Leu	Arg	Ser	Leu	Tyr
		595					600					605			
Lys	Arg	Ser	Ser	Gly	His	Val	Thr	Phe	Thr	Met	Asp	Pro	Ile	Arg	Asp
		610				615					620				
Leu	Leu	Ile	Trp	Ala	Ile	Val	Gln	Asn	Arg	Arg	Glu	Leu	Ala	Gly	Ile
625					630					635					640
Ile	Trp	Ala	Gln	Ser	Gln	Asp	Cys	Ile	Ala	Ala	Ala	Leu	Ala	Cys	Ser
				645					650					655	
Lys	Ile	Leu	Lys	Glu	Leu	Ser	Lys	Glu	Glu	Asp	Thr	Asp	Ser	Ser	
			660					665				670			
Glu	Glu	Met	Leu	Ala	Leu	Ala	Glu	Glu	Tyr	Glu	His	Arg	Ala	Ile	Gly
		675					680					685			
Val	Phe	Thr	Glu	Cys	Tyr	Arg	Lys	Asp	Glu	Glu	Arg	Ala	Gln	Lys	Leu
		690				695					700				
Leu	Thr	Arg	Val	Ser	Glu	Ala	Trp	Gly	Lys	Thr	Thr	Cys	Leu	Gln	Leu
705					710					715					720
Ala	Leu	Glu	Ala	Lys	Asp	Met	Lys	Phe	Val	Ser	His	Gly	Gly	Ile	Gln
				725					730					735	
Ala	Phe	Leu	Thr	Lys	Val	Trp	Trp	Gly	Gln	Leu	Ser	Val	Asp	Asn	Gly
			740					745					750		
Leu	Trp	Arg	Val	Thr	Leu	Cys	Met	Leu	Ala	Phe	Pro	Leu	Leu	Leu	Thr
		755					760					765			
Gly	Leu	Ile	Ser	Phe	Arg	Glu	Lys	Arg	Leu	Gln	Asp	Val	Gly	Thr	Pro
		770				775					780				
Ala	Ala	Arg	Ala	Arg	Ala	Phe	Phe	Thr	Ala	Pro	Val	Val	Val	Phe	His
785					790					795					800
Leu	Asn	Ile	Leu	Ser	Tyr	Phe	Ala	Phe	Leu	Cys	Leu	Phe	Ala	Tyr	Val
				805					810					815	
Leu	Met	Val	Asp	Phe	Gln	Pro	Val	Pro	Ser	Trp	Cys	Glu	Cys	Ala	Ile
			820					825				830			
Tyr	Leu	Trp	Leu	Phe	Ser	Leu	Val	Cys	Glu	Glu	Met	Arg	Gln	Leu	Phe
		835					840					845			
Tyr	Asp	Pro	Asp	Glu	Cys	Gly	Leu	Met	Lys	Lys	Ala	Ala	Leu	Tyr	Phe
		850				855					860				
Ser	Asp	Phe	Trp	Asn	Lys	Leu	Asp	Val	Gly	Ala	Ile	Leu	Leu	Phe	Val
865					870					875					880
Ala	Gly	Leu	Thr	Cys	Arg	Leu	Ile	Pro	Ala	Thr	Leu	Tyr	Pro	Gly	Arg
				885					890					895	
Val	Ile	Leu	Ser	Leu	Asp	Phe	Ile	Leu	Phe	Cys	Leu	Arg	Leu	Met	His
			900					905					910		
Ile	Phe	Thr	Ile	Ser	Lys	Thr	Leu	Gly	Pro	Lys	Ile	Ile	Ile	Val	Lys
			915				920						925		

-17-

Arg Met Met Lys Asp Val Phe Phe Phe Leu Phe Leu Leu Ala Val Trp  
 930 935 940  
 Val Val Ser Phe Gly Val Ala Lys Gln Ala Ile Leu Ile His Asn Glu  
 945 950 955 960  
 Arg Arg Val Asp Trp Leu Phe Arg Gly Ala Val Tyr His Ser Tyr Leu  
 965 970 975  
 Thr Ile Phe Gly Gln Ile Pro Gly Tyr Ile Asp Gly Val Asn Phe Asn  
 980 985 990  
 Pro Glu His Cys Ser Pro Asn Gly Thr Asp Pro Tyr Lys Pro Lys Cys  
 995 1000 1005  
 Pro Glu Ser Asp Ala Thr Gln Gln Arg Pro Ala Phe Pro Glu Trp Leu  
 1010 1015 1020  
 Thr Val Leu Leu Leu Cys Leu Tyr Leu Leu Phe Thr Asn Ile Leu Leu  
 1025 1030 1035 104  
 Leu Asn Leu Leu Ile Ala Met Phe Asn Tyr Thr Phe Gln Gln Val Gln  
 1045 1050 1055  
 Glu His Thr Asp Gln Ile Trp Lys Phe Gln Arg His Asp Leu Ile Glu  
 1060 1065 1070  
 Glu Tyr His Gly Arg Pro Ala Ala Pro Pro Pro Phe Ile Leu Leu Ser  
 1075 1080 1085  
 His Leu Gln Leu Phe Ile Lys Arg Val Val Leu Lys Thr Pro Ala Lys  
 1090 1095 1100  
 Arg His Lys Gln Leu Lys Asn Lys Leu Glu Lys Asn Glu Glu Ala Ala  
 1105 1110 1115 112  
 Leu Leu Ser Trp Glu Ile Tyr Leu Lys Glu Asn Tyr Leu Gln Asn Arg  
 1125 1130 1135  
 Gln Phe Gln Gln Lys Gln Arg Pro Glu Gln Lys Ile Glu Asp Ile Ser  
 1140 1145 1150  
 Asn Lys Val Asp Ala Met Val Asp Leu Leu Asp Leu Asp Pro Leu Lys  
 1155 1160 1165  
 Arg Ser Gly Ser Met Glu Gln Arg Leu Ala Ser Leu Glu Glu Gln Val  
 1170 1175 1180  
 Ala Gln Thr Ala Arg Ala Leu His Trp Ile Val Arg Thr Leu Arg Ala  
 1185 1190 1195 120  
 Ser Gly Phe Ser Ser Glu Ala Asp Val Pro Thr Leu Ala Ser Gln Lys  
 1205 1210 1215  
 Ala Ala Glu Glu Pro Asp Ala Glu Pro Gly Gly Arg Lys Lys Thr Glu  
 1220 1225 1230  
 Glu Pro Gly Asp Ser Tyr His Val Asn Ala Arg His Leu Leu Tyr Pro  
 1235 1240 1245  
 Asn Cys Pro Val Thr Arg Phe Pro Val Pro Asn Glu Lys Val Pro Trp  
 1250 1255 1260  
 Glu Thr Glu Phe Leu Ile Tyr Asp Pro Pro Phe Tyr Thr Ala Glu Arg  
 1265 1270 1275 128  
 Lys Asp Ala Ala Ala Met Asp Pro Met Gly Asp Thr Leu Glu Pro Leu  
 1285 1290 1295  
 Ser Thr Ile Gln Tyr Asn Val Val Asp Gly Leu Arg Asp Arg Arg Ser  
 1300 1305 1310  
 Phe His Gly Pro Tyr Thr Val Gln Ala Gly Leu Pro Leu Asn Pro Met  
 1315 1320 1325  
 Gly Arg Thr Gly Leu Arg Gly Arg Gly Ser Leu Ser Cys Phe Gly Pro  
 1330 1335 1340  
 Asn His Thr Leu Tyr Pro Met Val Thr Arg Trp Arg Arg Asn Glu Asp  
 1345 1350 1355 136  
 Gly Ala Ile Cys Arg Lys Ser Ile Lys Lys Met Leu Glu Val Leu Val  
 1365 1370 1375  
 Val Lys Leu Pro Leu Ser Glu His Trp Ala Leu Pro Gly Gly Ser Arg  
 1380 1385 1390  
 Glu Pro Gly Glu Met Leu Pro Arg Lys Leu Lys Arg Ile Leu Arg Gln  
 1395 1400 1405

-18-

Glu	His	Trp	Pro	Ser	Phe	Glu	Asn	Leu	Leu	Lys	Cys	Gly	Met	Glu	Val
1410						1415					1420				
Tyr	Lys	Gly	Tyr	Met	Asp	Pro	Arg	Asn	Thr	Asp	Asn	Ala	Trp	Ile	
1425					1430				1435					144	
Glu	Thr	Val	Ala	Val	Ser	Val	His	Phe	Gln	Asp	Gln	Asn	Asp	Val	Glu
				1445					1450					1455	
Leu	Asn	Arg	Leu	Asn	Ser	Asn	Leu	His	Ala	Cys	Asp	Ser	Gly	Ala	Ser
			1460					1465					1470		
Ile	Arg	Trp	Gln	Val	Val	Asp	Arg	Arg	Ile	Pro	Leu	Tyr	Ala	Asn	His
	1475					1480					1485				
Lys	Thr	Leu	Leu	Gln	Lys	Ala	Ala	Ala	Glu	Phe	Gly	Ala	His	Tyr	
	1490					1495					1500				

<210> 13  
 <211> 1816  
 <212> PRT  
 <213> C. Elegans

<400> 13

Met	Ile	Thr	Asp	Lys	Asn	Leu	Phe	Ser	Arg	Leu	Leu	Ile	Lys	Lys	Asn
1				5					10					15	
Pro	Ile	Arg	Met	His	Ser	Pro	Ser	Phe	Ser	Phe	Ser	Leu	Ile	Thr	Ser
			20					25					30		
Leu	Phe	Phe	Thr	Gln	Phe	Phe	Met	Phe	Gln	Leu	Ser	Ser	Met	Ala	Tyr
	35						40					45			
Phe	Phe	Leu	Thr	Leu	Ile	Ala	Gly	Val	Thr	His	Phe	Tyr	Phe	Pro	Glu
	50					55					60				
Lys	Leu	Leu	Gly	Lys	Ser	Glu	Asn	Leu	Asp	His	Arg	Tyr	Gln	Ser	Ser
65				70					75					80	
Glu	Gln	Lys	Val	Leu	Ile	Glu	Trp	Thr	Glu	Asn	Lys	Ala	Val	Ala	Glu
			85						90					95	
Ser	Leu	Arg	Ala	Asn	Ser	Val	Thr	Val	Glu	Glu	Asn	Glu	Ser	Glu	Arg
			100					105					110		
Glu	Thr	Glu	Thr	Gln	Thr	Lys	Arg	Arg	Arg	Lys	Lys	Gln	Arg	Ser	Thr
	115					120						125			
Ser	Ser	Asp	Lys	Ala	Pro	Leu	Asn	Ser	Ala	Pro	Arg	His	Val	Gln	Lys
	130					135					140				
Phe	Asp	Trp	Lys	Asp	Met	Leu	His	Leu	Ala	Asp	Ile	Ser	Gly	Arg	Lys
145				150					155					160	
Arg	Gly	Asn	Ser	Thr	Thr	Ser	His	Ser	Gly	His	Ala	Thr	Arg	Ala	Gly
			165						170					175	
Ser	Leu	Lys	Gly	Lys	Asn	Trp	Ile	Glu	Cys	Arg	Leu	Lys	Met	Arg	Gln
			180					185					190		
Cys	Ser	Tyr	Phe	Val	Pro	Ser	Gln	Arg	Phe	Ser	Glu	Arg	Cys	Gly	Cys
	195						200					205			
Gly	Lys	Glu	Arg	Ser	Lys	His	Thr	Glu	Glu	Val	Leu	Glu	Arg	Ser	Gln
	210					215					220				
Asn	Lys	Asn	His	Pro	Leu	Asn	His	Leu	Thr	Leu	Pro	Gly	Ile	His	Glu
225				230					235					240	
Val	Asp	Thr	Thr	Asp	Ala	Asp	Ala	Asp	Asp	Asn	Glu	Val	Asn	Leu	Thr
			245						250					255	
Pro	Gly	Arg	Trp	Ser	Ile	Gln	Ser	His	Thr	Glu	Ile	Val	Pro	Thr	Asp
			260					265					270		
Ala	Tyr	Gly	Asn	Ile	Val	Phe	Glu	Gly	Thr	Ala	His	His	Ala	Gln	Tyr
	275					280					285				
Ala	Arg	Ile	Ser	Phe	Asp	Ser	Asp	Pro	Arg	Asp	Ile	Val	His	Leu	Met
	290					295					300				
Met	Lys	Val	Trp	Lys	Leu	Lys	Pro	Pro	Lys	Leu	Ile	Ile	Thr	Ile	Asn
305				310					315					320	
Gly	Gly	Leu	Thr	Lys	Phe	Asp	Leu	Gln	Pro	Lys	Leu	Ala	Arg	Thr	Phe

-19-

				325					330					335		
Arg	Lys	Gly	Ile	Met	Lys	Ile	Ala	Lys	Ser	Thr	Asp	Ala	Trp	Ile	Ile	
			340					345					350			
Thr	Ser	Gly	Leu	Asp	Glu	Gly	Val	Val	Lys	His	Leu	Asp	Ser	Ala	Leu	
		355					360					365				
His	Ala	Leu	Glu	Phe	Trp	Ser	Phe	Gly	Leu	Phe	Trp	Val	Ile	Gln	Leu	
	370					375					380					
Asp	Val	Leu	Leu	Ala	His	Ser	Met	Phe	Ile	Pro	Arg	Gly	Ser	Leu	Phe	
385					390					395					400	
Asp	His	Gly	Asn	His	Thr	Ser	Lys	Asn	His	Val	Val	Ala	Ile	Gly	Ile	
				405					410					415		
Ala	Ser	Trp	Gly	Met	Leu	Lys	Gln	Arg	Ser	Arg	Phe	Val	Gly	Lys	Asp	
			420					425					430			
Ser	Thr	Val	Thr	Tyr	Ala	Thr	Asn	Val	Phe	Asn	Asn	Thr	Arg	Leu	Lys	
		435					440					445				
Glu	Leu	Asn	Asp	Asn	His	Ser	Tyr	Phe	Leu	Phe	Ser	Asp	Asn	Gly	Thr	
	450					455					460					
Val	Asn	Arg	Tyr	Gly	Ala	Glu	Ile	Ile	Met	Arg	Lys	Arg	Leu	Glu	Ala	
465					470					475					480	
Tyr	Leu	Ala	Gln	Gly	Asp	Lys	Lys	Arg	Ser	Ala	Ile	Pro	Leu	Val	Cys	
				485					490					495		
Val	Val	Leu	Glu	Gly	Gly	Ala	Phe	Thr	Ile	Lys	Met	Val	His	Asp	Tyr	
			500					505					510			
Val	Thr	Thr	Ile	Pro	Arg	Ile	Pro	Val	Ile	Val	Cys	Asp	Gly	Ser	Gly	
		515					520					525				
Arg	Ala	Ala	Asp	Ile	Leu	Ala	Phe	Ala	His	Gln	Ala	Val	Ser	Gln	Asn	
	530					535					540					
Gly	Phe	Leu	Ser	Asp	Asn	Ile	Arg	Asn	Gln	Leu	Val	Asn	Ile	Val	Arg	
545					550					555					560	
Arg	Ile	Phe	Gly	Tyr	Asp	Pro	Lys	Thr	Ala	Gln	Lys	Leu	Ile	Lys	Gln	
				565					570					575		
Ile	Val	Glu	Cys	Ser	Thr	Asn	Lys	Ser	Leu	Met	Thr	Ile	Phe	Arg	Leu	
			580					585					590			
Gly	Glu	Ser	Ser	Arg	Glu	Asp	Leu	Asp	His	Val	Ile	Met	Ser	Cys	Leu	
		595					600					605				
Leu	Lys	Gly	Gln	Asn	Leu	Ser	Pro	Pro	Glu	Gln	Leu	Gln	Leu	Ala	Leu	
	610					615					620					
Ala	Trp	Asn	Arg	Ala	Asp	Ile	Ala	Arg	Thr	Glu	Ile	Phe	Ala	Asn	Gly	
625					630					635					640	
Thr	Glu	Trp	Thr	Thr	Gln	Asp	Leu	His	Asn	Ala	Met	Ile	Glu	Ala	Leu	
				645					650					655		
Ser	Asn	Asp	Arg	Ile	Asp	Phe	Val	His	Leu	Leu	Leu	Glu	Asn	Gly	Val	
			660													



-20-

				805					810					815		
Asn	Met	Asp	Phe	Thr	Phe	Arg	Tyr	Pro	Tyr	Ser	Asp	Leu	Met	Ile	Trp	
			820					825					830			
Ala	Val	Leu	Thr	Lys	Arg	Gln	Lys	Met	Ala	Lys	Leu	Met	Trp	Thr	His	
		835					840					845				
Gly	Glu	Glu	Gly	Met	Ala	Lys	Ala	Leu	Val	Ala	Ser	Arg	Leu	Tyr	Val	
		850				855					860					
Ser	Leu	Ala	Lys	Thr	Ala	Ser	Leu	Ala	Thr	Gly	Glu	Ile	Gly	Met	Ser	
865					870					875					880	
Gln	Asp	Phe	Thr	Glu	Phe	Ser	Asp	Glu	Phe	Ser	Glu	Leu	Ala	Val	Glu	
				885					890						895	
Val	Leu	Glu	Tyr	Cys	Thr	Lys	His	Gly	Arg	Asp	Gln	Thr	Leu	Arg	Leu	
			900					905					910			
Leu	Thr	Cys	Glu	Leu	Ala	Asn	Trp	Gly	Asp	Glu	Thr	Cys	Leu	Ser	Leu	
		915					920					925				
Ala	Ala	Asn	Asn	Gly	His	Arg	Lys	Phe	Leu	Ala	His	Pro	Cys	Cys	Gln	
		930				935					940					
Met	Leu	Leu	Ser	Asp	Leu	Trp	Gln	Gly	Gly	Leu	Leu	Met	Lys	Asn	Asn	
945					950					955					960	
Gln	Asn	Ser	Lys	Val	Leu	Thr	Cys	Leu	Ala	Ala	Pro	Pro	Leu	Ile	Phe	
				965					970					975		
Leu	Leu	Gly	Phe	Lys	Thr	Lys	Glu	Gln	Leu	Met	Leu	Gln	Pro	Lys	Thr	
			980					985					990			
Ala	Ala	Glu	His	Asp	Glu	Glu	Met	Ser	Asp	Ser	Glu	Met	Asn	Ser	Ala	
		995					1000					1005				
Glu	Asp	Thr	Asp	Thr	Ser	Ser	Asp	Ser	Ser	Ser	Asp	Ser	Asp	Asp	Ser	
		1010					1015					1020				
Asp	Glu	Glu	Asp	Ala	Lys	Leu	Arg	Ala	Gln	Ser	Leu	Ser	Ala	Asp	Gln	
1025					1030					1035					104	
Pro	Leu	Ser	Ile	His	Arg	Leu	Val	Arg	Asp	Lys	Leu	Asn	Phe	Ser	Glu	
				1045					1050					1055		
Lys	Lys	Lys	Pro	Asp	Met	Gly	Ile	Ser	Arg	Ile	Val	Val	Ala	Pro	Pro	
			1060						1065				1070			
Ile	Val	Thr	Gly	Arg	Asn	Arg	Ala	Arg	Thr	Met	Ser	Ile	Lys	Lys	Ser	
		1075					1080					1085				
Lys	Lys	Asn	Val	Ile	Lys	Pro	Pro	Ala	Cys	Leu	Lys	Ile	Glu	Thr	Ser	
		1090				1095					1100					
Asp	Asp	Asp	Glu	Gln	Glu	Gln	Lys	Lys	Ala	Thr	Glu	Met	Cys	Lys	Ser	
1105					1110					1115					112	
Thr	Phe	Phe	Asp	Phe	Phe	Phe	Asp	Phe	Pro	Tyr	Ile	Asn	Arg	Thr	Gly	
				1125					1130					1135		
Lys	Arg	Gly	Ser	Val	Ala	Val	Ala	Met	Asn	His	Asp	Asp	Met	Tyr	Ile	
			1140					1145					1150			
Asp	Pro	Ser	Glu	Glu	Leu	Asp	Thr	Gln	Thr	Arg	Gln	Lys	Ser	Ser	Arg	

-21-

			1285					1290				1295			
Thr	Thr	Lys	Thr	Leu	Gly	Arg	Ile	Leu	Ile	Ile	Cys	Asn	Ser	Val	Ile
			1300					1305						1310	
Trp	Ser	Leu	Lys	Leu	Val	Asp	Tyr	Leu	Ser	Val	Gln	Gln	Gly	Leu	Gly
			1315					1320					1325		
Pro	Tyr	Ile	Asn	Ile	Val	Ala	Glu	Met	Ile	Pro	Thr	Met	Ile	Pro	Leu
			1330					1335				1340			
Cys	Val	Leu	Val	Phe	Ile	Thr	Leu	Tyr	Ala	Phe	Gly	Leu	Leu	Arg	Gln
1345						1350				1355					136
Ser	Ile	Thr	Tyr	Pro	Tyr	Glu	Asp	Trp	His	Trp	Ile	Leu	Val	Arg	Asn
				1365				1370						1375	
Ile	Phe	Leu	Gln	Pro	Tyr	Phe	Met	Leu	Tyr	Gly	Glu	Val	Tyr	Ala	Ala
			1380					1385						1390	
Glu	Ile	Asp	Thr	Cys	Gly	Asp	Glu	Ile	Trp	Gln	Thr	His	Glu	Asp	Glu
			1395					1400					1405		
Asn	Ile	Pro	Ile	Ser	Met	Leu	Asn	Val	Thr	His	Glu	Thr	Cys	Val	Pro
			1410					1415				1420			
Gly	Tyr	Trp	Ile	Ala	Pro	Val	Gly	Leu	Thr	Val	Phe	Met	Leu	Ala	Thr
1425						1430					1435				144
Asn	Val	Leu	Leu	Met	Asn	Val	Met	Val	Ala	Gly	Cys	Thr	Tyr	Ile	Phe
				1445						1450					1455
Glu	Lys	His	Ile	Gln	Ser	Thr	Arg	Glu	Ile	Phe	Leu	Phe	Glu	Arg	Tyr
			1460					1465						1470	
Gly	Gln	Val	Met	Glu	Tyr	Glu	Ser	Thr	Pro	Trp	Leu	Pro	Pro	Pro	Phe
			1475					1480					1485		
Thr	Ile	Ile	Tyr	His	Val	Ile	Trp	Leu	Phe	Lys	Leu	Ile	Lys	Ser	Ser
			1490					1495					1500		
Ser	Arg	Met	Phe	Glu	Arg	Lys	Asn	Leu	Phe	Asp	Gln	Ser	Leu	Lys	Leu
1505						1510					1515				152
Phe	Leu	Ser	Pro	Asp	Glu	Met	Glu	Lys	Val	His	Thr	Phe	Glu	Glu	Glu
				1525						1530				1535	
Ser	Val	Glu	Asp	Met	Lys	Arg	Glu	Thr	Glu	Lys	Lys	Asn	Leu	Ser	Ser
			1540					1545					1550		
Asn	Asp	Glu	Arg	Ile	His	Arg	Thr	Ala	Glu	Arg	Thr	Asp	Ala	Ile	Leu
			1555					1560					1565		
Asn	Arg	Val	Ser	His	Leu	Thr	Gln	Leu	Glu	Phe	Thr	Leu	Lys	Glu	Glu
			1570					1575					1580		
Ile	Arg	Glu	Leu	Glu	His	Lys	Met	Lys	Asn	Met	Asp	Ser	Arg	His	Lys
1585						1590					1595				160
Glu	Gln	Met	Asn	Leu	Met	Leu	Asp	Met	Asn	Lys	Lys	Leu	Gly	Lys	Phe
				1605						1610				1615	
Ile	Ser	Gly	Lys	Tyr	Lys	Arg	Gly	Ser	Phe	Gly	Gly	Ser	Gly	Ser	Asp
			1620					1625					1630		
Gly	Gly	Gly	Gly	Ser	Ser	Asp	Asn	Ser	Lys	Leu	Glu	Pro	Asn	Asn	Ser
			1635					1640					1645		
Val	Pro	Met	Ile	Thr	Val	Asp	Gly	Pro	Ser	Pro	Ile	Gly	Ser	Arg	Arg
			1650					1655					1660		
Thr	Ser	Gly	Gln	Tyr	Leu	Lys	Arg	Asp	Ser	Leu	Gln	Ala	Lys	Lys	Lys
1665						1670					1675				168
Ile	Thr	Glu	Asn	Arg	Arg	Ser	Ser	Leu	Glu	Gln	Pro	Lys	Ile	Pro	Ser
				1685						1690				1695	
Ile	Gln	Phe	Asn	Leu	Met	Glu	Asp	Gln	Asp	Glu	Ser	Ala	Ala	Glu	Ser
			1700					1705						1710	
Ala	Thr	Glu	Glu	Val	Ser	Ile	Ser	Ile	Pro	Val	Pro	Gln	Met	Arg	Val
			1715					1720					1725		
Arg	Gln	Val	Thr	Glu	Ser	Asp	Lys	Ser	Asp	Leu	Ser	Glu	Asp	Asp	Leu
			1730					1735					1740		
Ile	Thr	Arg	Glu	Asp	Ala	Pro	Pro	Thr	Ser	Ile	Asn	Leu	Pro	Arg	Gly
1745						1750					1755				176
Pro	Arg	Arg	His	Ala	Leu	Tyr	Ser	Thr	Ile	Ala	Asp	Ala	Ile	Glu	Thr

-22-

			1765						1770					1775
Glu	Asp	Asp	Phe	Tyr	Ala	Asp	Ser	Pro	Val	Pro	Met	Pro	Met	Thr
			1780						1785				1790	
Val	Gln	Pro	Ala	Asp	Gly	Ser	Phe	Gly	Glu	Asn	Asp	Ser	Arg	Tyr
			1795				1800				1805			
Gln	Arg	Asp	Asp	Ser	Asp	Tyr	Glu							
	1810					1815								

<210> 14  
 <211> 1387  
 <212> PRT  
 <213> C. Elegans

<400> 14

Met	Arg	Lys	Ser	Arg	Arg	Val	Arg	Lys	Leu	Val	Arg	His	Ala	Ser	Leu
1			5						10					15	
Ile	Glu	Asn	Ile	Arg	His	Arg	Thr	Ser	Ser	Phe	Leu	Arg	Leu	Leu	Asn
			20					25					30		
Ala	Pro	Arg	Asn	Ser	Met	Cys	Asn	Ala	Asn	Thr	Val	His	Ser	Ile	Ser
		35				40						45			
Ser	Phe	Arg	Ser	Asp	His	Leu	Ser	Arg	Lys	Ser	Thr	His	Lys	Phe	Leu
	50					55					60				
Asp	Asn	Pro	Asn	Leu	Phe	Ala	Ile	Glu	Leu	Thr	Glu	Lys	Leu	Ser	Pro
65					70					75				80	
Pro	Trp	Ile	Glu	Asn	Thr	Phe	Glu	Lys	Arg	Glu	Cys	Ile	Arg	Phe	Ala
			85						90					95	
Ala	Leu	Pro	Lys	Asp	Pro	Glu	Arg	Cys	Gly	Cys	Gly	Arg	Pro	Leu	Ser
			100					105					110		
Ala	His	Thr	Pro	Ala	Ser	Thr	Phe	Phe	Ser	Thr	Leu	Pro	Val	His	Leu
		115					120						125		
Leu	Glu	Lys	Glu	Gln	Gln	Thr	Trp	Thr	Ile	Ala	Asn	Asn	Thr	Gln	Thr
	130					135					140				
Ser	Thr	Thr	Asp	Ala	Phe	Gly	Thr	Ile	Val	Phe	Gln	Gly	Gly	Ala	His
145					150					155				160	
Ala	His	Lys	Ala	Gln	Tyr	Val	Arg	Leu	Ser	Tyr	Asp	Ser	Glu	Pro	Leu
			165						170					175	
Asp	Val	Met	Tyr	Leu	Met	Glu	Lys	Val	Trp	Gly	Leu	Glu	Ala	Pro	Arg
		180						185					190		
Leu	Val	Ile	Thr	Val	His	Gly	Gly	Met	Ser	Asn	Phe	Glu	Leu	Glu	Glu
	195					200						205			
Arg	Leu	Gly	Arg	Leu	Phe	Arg	Lys	Gly	Met	Leu	Lys	Ala	Ala	Gln	Thr
	210					215						220			
Thr	Gly	Ala	Trp	Ile	Ile	Thr	Ser	Gly	Leu	Asp	Ser	Gly	Val	Val	Arg
225					230					235				240	
His	Val	Ala	Lys	Ala	Leu	Asp	Glu	Ala	Gly	Ile	Ser	Ala	Arg	Met	Arg
			245						250					255	
Ser	Gln	Ile	Val	Thr	Ile	Gly	Ile	Ala	Pro	Trp	Gly	Val	Ile	Lys	Arg
		260						265					270		
Lys	Glu	Arg	Leu	Ile	Arg	Gln	Asn	Glu	His	Val	Tyr	Tyr	Asp	Val	His
	275					280						285			
Ser	Leu	Ser	Val	Asn	Ala	Asn	Val	Gly	Ile	Leu	Asn	Asp	Arg	His	Ser
	290					295					300				
Tyr	Phe	Leu	Leu	Ala	Asp	Asn	Gly	Thr	Val	Gly	Arg	Phe	Gly	Ala	Asp
305					310					315				320	
Leu	His	Leu	Arg	Gln	Asn	Leu	Glu	Asn	His	Ile	Ala	Thr	Phe	Gly	Cys
			325						330					335	
Asn	Gly	Arg	Lys	Val	Pro	Val	Val	Cys	Thr	Leu	Leu	Glu	Gly	Gly	Ile
			340					345					350		
Ser	Ser	Ile	Asn	Ala	Ile	His	Asp	Tyr	Val	Thr	Met	Lys	Pro	Asp	Ile
		355					360					365			

-23-

Pro	Ala	Ile	Val	Cys	Asp	Gly	Ser	Gly	Arg	Ala	Ala	Asp	Ile	Ile	Ser
370						375					380				
Phe	Ala	Ala	Arg	Tyr	Ile	Asn	Ser	Asp	Gly	Thr	Phe	Ala	Ala	Glu	Val
385					390					395					400
Gly	Glu	Lys	Leu	Arg	Asn	Leu	Ile	Lys	Met	Val	Phe	Pro	Glu	Thr	Asp
				405					410					415	
Gln	Glu	Glu	Met	Phe	Arg	Lys	Ile	Thr	Glu	Cys	Val	Ile	Arg	Asp	Asp
			420					425					430		
Leu	Leu	Arg	Ile	Phe	Arg	Tyr	Gly	Gln	Glu	Glu	Glu	Glu	Asp	Val	Asp
		435					440					445			
Phe	Val	Ile	Leu	Ser	Thr	Val	Leu	Gln	Lys	Gln	Asn	Leu	Pro	Pro	Asp
450						455					460				
Glu	Gln	Leu	Ala	Leu	Thr	Leu	Ser	Trp	Asn	Arg	Val	Asp	Leu	Ala	Lys
465					470					475					480
Ser	Cys	Leu	Phe	Ser	Asn	Gly	Arg	Lys	Trp	Ser	Ser	Asp	Val	Leu	Glu
				485					490					495	
Lys	Ala	Met	Asn	Asp	Ala	Leu	Tyr	Trp	Asp	Arg	Val	Asp	Phe	Val	Glu
			500					505					510		
Cys	Leu	Leu	Glu	Asn	Gly	Val	Ser	Met	Lys	Asn	Phe	Leu	Ser	Ile	Asn
	515					520						525			
Arg	Leu	Glu	Asn	Leu	Tyr	Asn	Met	Asp	Asp	Ile	Asn	Ser	Ala	His	Ser
530						535						540			
Val	Arg	Asn	Trp	Met	Glu	Asn	Phe	Asp	Ser	Met	Asp	Pro	His	Thr	Tyr
545					550					555					560
Leu	Thr	Ile	Pro	Met	Ile	Gly	Gln	Val	Val	Glu	Lys	Leu	Met	Gly	Asn
				565					570					575	
Ala	Phe	Gln	Leu	Tyr	Tyr	Thr	Ser	Arg	Ser	Phe	Lys	Gly	Lys	Tyr	Asp
			580					585					590		
Arg	Tyr	Lys	Arg	Ile	Asn	Gln	Ser	Ser	Tyr	Phe	His	Arg	Lys	Arg	Lys
	595					600						605			
Ile	Val	Gln	Lys	Glu	Leu	Phe	Lys	Lys	Lys	Ser	Asp	Asp	Gln	Ile	Asn
610						615					620				
Asp	Asn	Glu	Glu	Glu	Asp	Phe	Ser	Phe	Ala	Tyr	Pro	Phe	Asn	Asp	Leu
625					630					635					640
Leu	Ile	Trp	Ala	Val	Leu	Thr	Ser	Arg	His	Gly	Met	Ala	Glu	Cys	Met
				645					650					655	
Trp	Val	His	Gly	Glu	Asp	Ala	Met	Ala	Lys	Cys	Leu	Leu	Ala	Ile	Arg
			660					665					670		
Leu	Tyr	Lys	Ala	Thr	Ala	Lys	Ile	Ala	Glu	Asp	Glu	Tyr	Leu	Asp	Val
	675						680					685			
Glu	Glu	Ala	Lys	Arg	Leu	Phe	Asp	Asn	Ala	Val	Lys	Cys	Arg	Glu	Asp
	690					695					700				
Ala	Ile	Glu	Leu	Leu	Asp	Gln	Cys	Tyr	Arg	Ala	Asp	His	Asp	Arg	Thr
705					710					715					720
Leu	Arg	Leu	Leu	Arg	Met	Glu	Leu	Pro	His	Trp	Gly	Asn	Asn	Asn	Cys
				725					730					735	
Leu	Ser	Leu	Ala	Val	Leu	Ala	Asn	Thr	Lys	Thr	Phe	Leu	Ala	His	Pro
			740					745					750		
Cys	Cys	Gln	Ile	Leu	Leu	Ala	Glu	Leu	Trp	His	Gly	Ser	Leu	Lys	Val
		755					760					765			
Arg	Ser	Gly	Ser	Asn	Val	Arg	Val	Leu	Thr	Ala	Leu	Ile	Cys	Pro	Pro
	770					775					780				
Ala	Ile	Leu	Phe	Met	Ala	Tyr	Lys	Pro	Lys	His	Ser	Lys	Thr	Ala	Arg
785					790					795					800
Leu	Leu	Ser	Glu	Glu	Thr	Pro	Glu	Gln	Leu	Pro	Tyr	Pro	Arg	Glu	Ser
				805					810					815	
Ile	Thr	Ser	Thr	Thr	Ser	Asn	Arg	Tyr	Arg	Tyr	Ser	Lys	Gly	Pro	Glu
			820					825					830		
Glu	Gln	Lys	Glu	Thr	Leu	Leu	Glu	Lys	Gly	Ser	Tyr	Thr	Lys	Lys	Val
		835					840					845			

-24-

Thr	Ile	Ile	Ser	Ser	Arg	Lys	Asn	Ser	Gly	Val	Ala	Ser	Val	Tyr	Gly	850	855	860
Ser	Ala	Ser	Ser	Met	Met	Phe	Lys	Arg	Glu	Pro	Gln	Leu	Asn	Lys	Phe	865	870	875
Glu	Arg	Phe	Arg	Ala	Phe	Tyr	Ser	Ser	Pro	Ile	Thr	Lys	Phe	Trp	Ser	885	890	895
Trp	Cys	Ile	Ala	Phe	Leu	Ile	Phe	Leu	Thr	Thr	Gln	Thr	Cys	Ile	Leu	900	905	910
Leu	Leu	Glu	Thr	Ser	Leu	Lys	Pro	Ser	Lys	Tyr	Glu	Trp	Ile	Thr	Phe	915	920	925
Ile	Tyr	Thr	Val	Thr	Leu	Ser	Val	Glu	His	Ile	Arg	Lys	Leu	Met	Thr	930	935	940
Ser	Glu	Gly	Ser	Arg	Ile	Asn	Glu	Lys	Val	Lys	Val	Phe	Tyr	Ala	Lys	945	950	955
Trp	Tyr	Asn	Ile	Trp	Thr	Ser	Ala	Ala	Leu	Leu	Phe	Phe	Leu	Val	Gly	965	970	975
Tyr	Gly	Phe	Arg	Leu	Val	Pro	Met	Tyr	Arg	His	Ser	Trp	Gly	Arg	Val	980	985	990
Leu	Leu	Ser	Phe	Ser	Asn	Val	Leu	Phe	Tyr	Met	Lys	Ile	Phe	Glu	Tyr	995	1000	1005
Leu	Ser	Val	His	Pro	Leu	Leu	Gly	Pro	Tyr	Ile	Gln	Met	Ala	Ala	Lys	1010	1015	1020
Met	Val	Trp	Ser	Met	Cys	Tyr	Ile	Cys	Val	Leu	Leu	Leu	Val	Pro	Leu	1025	1030	1035
Met	Ala	Phe	Gly	Val	Asn	Arg	Gln	Ala	Leu	Thr	Glu	Pro	Asn	Val	Lys	1045	1050	1055
Asp	Trp	His	Trp	Leu	Leu	Val	Arg	Asn	Ile	Phe	Tyr	Lys	Pro	Tyr	Phe	1060	1065	1070
Met	Leu	Tyr	Gly	Glu	Val	Tyr	Ala	Gly	Glu	Ile	Asp	Thr	Cys	Gly	Asp	1075	1080	1085
Glu	Gly	Ile	Arg	Cys	Phe	Pro	Gly	Tyr	Phe	Ile	Pro	Pro	Leu	Leu	Met	1090	1095	1100
Val	Ile	Phe	Leu	Leu	Val	Ala	Asn	Ile	Leu	Leu	Leu	Asn	Leu	Leu	Ile	1105	1110	1115
Ala	Ile	Phe	Asn	Asn	Ile	Tyr	Asn	Asp	Ser	Ile	Glu	Lys	Ser	Lys	Glu	1125	1130	1135
Ile	Trp	Leu	Phe	Gln	Arg	Tyr	Gln	Gln	Leu	Met	Glu	Tyr	His	Asp	Ser	1140	1145	1150
Pro	Phe	Leu	Pro	Pro	Pro	Phe	Ser	Ile	Phe	Ala	His	Val	Tyr	His	Phe	1155	1160	1165
Ile	Asp	Tyr	Leu	Tyr	Asn	Leu	Arg	Arg	Pro	Asp	Thr	Lys	Arg	Phe	Arg	1170	1175	1180
Ser	Glu	His	Ser	Ile	Lys	Leu	Ser	Val	Thr	Glu	Asp	Glu	Met	Lys	Arg	1185	1190	1195
Ile	Gln	Asp	Phe	Glu	Glu	Asp	Cys	Ile	Asp	Thr	Leu	Thr	Arg	Ile	Arg	1205	1210	1215
Lys	Leu	Lys	Leu	Asn	Thr	Lys	Glu	Pro	Leu	Ser	Val	Thr	Asp	Leu	Thr	1220	1225	1230
Glu	Leu	Thr	Cys	Gln	Arg	Val	His	Asp	Leu	Met	Gln	Glu	Asn	Phe	Leu	1235	1240	1245
Leu	Lys	Ser	Arg	Val	Tyr	Asp	Ile	Glu	Thr	Lys	Ile	Asp	His	Ile	Ser	1250	1255	1260
Asn	Ser	Ser	Asp	Glu	Val	Val	Gln	Ile	Leu	Lys	Asn	Lys	Lys	Leu	Ser	1265	1270	1275
Gln	Asn	Phe	Ala	Ala	Ser	Ser	Leu	Ser	Leu	Pro	Asp	Thr	Ser	Ile	Glu	1285	1290	1295
Val	Pro	Lys	Ile	Thr	Lys	Thr	Leu	Ile	Asp	Cys	His	Leu	Ser	Pro	Val	1300	1305	1310
Ser	Ile	Glu	Asp	Arg	Leu	Ala	Thr	Arg	Ser	Pro	Leu	Leu	Ala	Asn	Leu	1315	1320	1325

-25-

Gln Arg Asp His Thr Leu Arg Lys Leu Pro Thr Trp Glu Thr Ser Thr  
 1330 1335 1340  
 Ala Ser Thr Ser Ser Phe Glu Phe Val Phe Tyr Phe Thr Arg His Glu  
 1345 1350 1355 136  
 Gly Asn Glu Asn Lys Tyr Glu Phe Lys Lys Leu Glu Lys Gly Gly Phe  
 1365 1370 1375  
 Trp Arg Asn Asn Tyr Val Ile Ser Trp Arg Leu  
 1380 1385

<210> 15  
 <211> 1868  
 <212> PRT  
 <213> C. Elegans

<400> 15  
 Met Asn Leu Cys Tyr Arg Arg His Arg Tyr Ala Ser Ser Pro Glu Val  
 1 5 10 15  
 Trp Cys Thr Met Glu Ser Asp Glu Leu Gly Val Thr Arg Tyr Leu Gln  
 20 25 30  
 Ser Lys Gly Gly Asp Gln Val Pro Thr Ser Thr Thr Gly Gly  
 35 40 45  
 Ala Gly Gly Asp Gly Asn Ala Val Pro Thr Thr Ser Gln Ala Gln Ala  
 50 55 60  
 Gln Thr Phe Asn Ser Gly Arg Gln Thr Thr Gly Met Ser Ser Gly Asp  
 65 70 75 80  
 Arg Leu Asn Glu Asp Val Ser Ala Thr Ala Asn Ser Ala Gln Leu Val  
 85 90 95  
 Leu Pro Thr Pro Leu Phe Asn Gln Met Arg Phe Thr Glu Ser Asn Met  
 100 105 110  
 Ser Leu Asn Arg His Asn Trp Val Arg Glu Thr Phe Thr Arg Arg Glu  
 115 120 125  
 Cys Ser Arg Phe Ile Ala Ser Ser Arg Asp Leu His Lys Cys Gly Cys  
 130 135 140  
 Gly Arg Thr Arg Asp Ala His Arg Asn Ile Pro Glu Leu Thr Ser Glu  
 145 150 155 160  
 Phe Leu Arg Gln Lys Arg Ser Val Ala Ala Leu Glu Gln Gln Arg Ser  
 165 170 175  
 Ile Ser Asn Val Asn Asp Asp Ile Asn Thr Gln Asn Met Tyr Thr Lys  
 180 185 190  
 Arg Gly Ala Asn Glu Lys Trp Ser Leu Arg Lys His Thr Val Ser Leu  
 195 200 205  
 Ala Thr Asn Ala Phe Gly Gln Val Glu Phe Gln Gly Gly Pro His Pro  
 210 215 220  
 Tyr Lys Ala Gln Tyr Val Arg Val Asn Phe Asp Thr Glu Pro Ala Tyr  
 225 230 235 240  
 Ile Met Ser Leu Phe Glu His Val Trp Gln Ile Ser Pro Pro Arg Leu  
 245 250 255  
 Ile Ile Thr Val His Gly Gly Thr Ser Asn Phe Asp Leu Gln Pro Lys  
 260 265 270  
 Leu Ala Arg Val Phe Arg Lys Gly Leu Leu Lys Ala Ala Ser Thr Thr  
 275 280 285  
 Gly Ala Trp Ile Ile Thr Ser Gly Cys Asp Thr Gly Val Val Lys His  
 290 295 300  
 Val Ala Ala Ala Leu Glu Gly Ala Gln Ser Ala Gln Arg Asn Lys Ile  
 305 310 315 320  
 Val Cys Ile Gly Ile Ala Pro Trp Gly Leu Leu Lys Lys Arg Glu Asp  
 325 330 335  
 Phe Ile Gly Gln Asp Lys Thr Val Pro Tyr Tyr Pro Ser Ser Ser Lys  
 340 345 350  
 Gly Arg Phe Thr Gly Leu Asn Asn Arg His Ser Tyr Phe Leu Leu Val

-26-

355	360	365
Asp Asn Gly Thr Val Gly Arg Tyr Gly Ala Glu Val Ile Leu Arg Lys		
370	375	380
Arg Leu Glu Met Tyr Ile Ser Gln Lys Gln Lys Ile Phe Gly Gly Thr		
385	390	395
Arg Ser Val Pro Val Val Cys Val Val Leu Glu Gly Gly Ser Cys Thr		
405	410	415
Ile Arg Ser Val Leu Asp Tyr Val Thr Asn Val Pro Arg Val Pro Val		
420	425	430
Val Val Cys Asp Gly Ser Gly Arg Ala Ala Asp Leu Leu Ala Phe Ala		
435	440	445
His Gln Asn Val Thr Glu Asp Gly Leu Leu Pro Asp Asp Ile Arg Arg		
450	455	460
Gln Val Leu Leu Leu Val Glu Thr Thr Phe Gly Cys Ser Glu Ala Ala		
465	470	475
Ala His Arg Leu Leu His Glu Leu Thr Val Cys Ala Gln His Lys Asn		
485	490	495
Leu Leu Thr Ile Phe Arg Leu Gly Glu Gln Gly Glu His Asp Val Asp		
500	505	510
His Ala Ile Leu Thr Ala Leu Leu Lys Gly Gln Asn Leu Ser Ala Ala		
515	520	525
Asp Gln Leu Ala Leu Ala Leu Ala Trp Asn Arg Val Asp Ile Ala Arg		
530	535	540
Ser Asp Val Phe Ala Met Gly His Glu Trp Pro Gln Ala Ala Leu His		
545	550	555
Asn Ala Met Met Glu Ala Leu Ile His Asp Arg Val Asp Phe Val Arg		
565	570	575
Leu Leu Leu Glu Gln Gly Ile Asn Met Gln Lys Phe Leu Thr Ile Ser		
580	585	590
Arg Leu Asp Glu Leu Tyr Asn Thr Asp Lys Gly Pro Pro Asn Thr Leu		
595	600	605
Phe Tyr Ile Val Arg Asp Val Val Arg Val Arg Gln Gly Tyr Arg Phe		
610	615	620
Lys Leu Pro Asp Ile Gly Leu Val Ile Glu Lys Leu Met Gly Asn Ser		
625	630	635
Tyr Gln Cys Ser Tyr Thr Thr Ser Glu Phe Arg Asp Lys Tyr Lys Gln		
645	650	655
Arg Met Lys Arg Val Lys His Ala Gln Lys Lys Ala Met Gly Val Phe		
660	665	670
Ser Ser Arg Pro Ser Arg Thr Gly Ser Gly Ile Ala Ser Arg Gln Ser		
675	680	685
Thr Glu Gly Met Gly Gly Val Gly Gly Gly Ser Ser Val Ala Gly Val		
690	695	700
Phe Gly Asn Ser Phe Gly Asn Gln Asp Pro Pro Leu Asp Pro His Val		
705	710	715
Asn Arg Ser Ala Leu Ser Gly Ser Arg Ala Leu Ser Asn His Ile Leu		
725	730	735
Trp Arg Ser Ala Phe Arg Gly Asn Phe Pro Ala Asn Pro Met Arg Pro		
740	745	750
Pro Asn Leu Gly Asp Ser Arg Asp Cys Gly Ser Glu Phe Asp Glu Glu		
755	760	765
Leu Ser Leu Thr Ser Ala Ser Asp Gly Ser Gln Thr Glu Pro Asp Phe		
770	775	780
Arg Tyr Pro Tyr Ser Glu Leu Met Ile Trp Ala Val Leu Thr Lys Arg		
785	790	795
Gln Asp Met Ala Met Cys Met Trp Gln His Gly Glu Glu Ala Met Ala		
805	810	815
Lys Ala Leu Val Ala Cys Arg Leu Tyr Lys Ser Leu Ala Thr Glu Ala		
820	825	830
Ala Glu Asp Tyr Leu Glu Val Glu Ile Cys Glu Glu Leu Lys Lys Tyr		

-27-

835	840	845
Ala Glu Glu Phe Arg Ile Leu Ser Leu Glu Leu Leu Asp His Cys Tyr		
850	855	860
His Val Asp Asp Ala Gln Thr Leu Gln Leu Leu Thr Tyr Glu Leu Ser		
865	870	875
Asn Trp Ser Asn Glu Thr Cys Leu Ala Leu Ala Val Ile Val Asn Asn		
885	890	895
Lys His Phe Leu Ala His Pro Cys Cys Gln Ile Leu Leu Ala Asp Leu		
900	905	910
Trp His Gly Gly Leu Arg Met Arg Thr His Ser Asn Ile Lys Val Val		
915	920	925
Leu Gly Leu Ile Cys Pro Pro Phe Ile Gln Met Leu Glu Phe Lys Thr		
930	935	940
Arg Glu Glu Leu Leu Asn Gln Pro Gln Thr Ala Ala Glu His Gln Asn		
945	950	955
Asp Met Asn Tyr Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser		
965	970	975
Ser Ser Ser Ser Ser Asp Ser Ser Ser Phe Glu Asp Asp Asp Asp Glu		
980	985	990
Asn Asn Ala His Asn His Asp Gln Lys Arg Thr Arg Lys Thr Ser Gln		
995	1000	1005
Gly Ser Ala Gln Ser Leu Asn Ile Thr Ser Leu Phe His Ser Arg Arg		
1010	1015	1020
Arg Lys Ala Lys Lys Asn Glu Lys Cys Asp Arg Glu Thr Asp Ala Ser		
1025	1030	1035
Ala Cys Glu Ala Gly Asn Arg Gln Ile Gln Asn Gly Gly Leu Thr Ala		
1045	1050	1055
Glu Tyr Gly Thr Phe Gly Glu Ser Asn Gly Val Ser Pro Pro Pro Pro		
1060	1065	1070
Tyr Met Arg Ala Asn Ser Arg Ser Arg Tyr Asn Asn Arg Ser Asp Met		
1075	1080	1085
Ser Lys Thr Ser Ser Val Ile Phe Gly Ser Asp Pro Asn Leu Ser Lys		
1090	1095	1100
Leu Gln Lys Ser Asn Ile Thr Ser Thr Asp Arg Pro Asn Pro Met Glu		
1105	1110	1115
Gln Phe Gln Gly Thr Arg Lys Ile Lys Met Arg Arg Arg Phe Tyr Glu		
1125	1130	1135
Phe Tyr Ser Ala Pro Ile Ser Thr Phe Trp Ser Trp Thr Ile Ser Phe		
1140	1145	1150
Ile Leu Phe Ile Thr Phe Phe Thr Tyr Thr Leu Leu Val Lys Thr Pro		
1155	1160	1165
Pro Arg Pro Thr Val Ile Glu Tyr Ile Leu Ile Ala Tyr Val Ala Ala		
1170	1175	1180
Phe Gly Leu Glu Gln Val Arg Lys Ile Ile Met Ser Asp Ala Lys Pro		
1185	1190	1195
Phe Tyr Glu Lys Ile Arg Thr Tyr Val Cys Ser Phe Trp Asn Cys Val		
1205	1210	1215
Thr Ile Leu Ala Ile Ile Phe Tyr Ile Val Gly Phe Phe Met Arg Cys		
1220	1225	1230
Phe Gly Ser Val Ala Tyr Gly Arg Val Ile Leu Ala Cys Asp Ser Val		
1235	1240	1245
Leu Trp Thr Met Lys Leu Leu Asp Tyr Met Ser Val His Pro Lys Leu		
1250	1255	1260
Gly Pro Tyr Val Thr Met Ala Gly Lys Met Ile Gln Asn Met Ser Tyr		
1265	1270	1275
Ile Ile Val Met Leu Val Val Thr Leu Leu Ser Phe Gly Leu Ala Arg		
1285	1290	1295
Gln Ser Ile Thr Tyr Pro Asp Glu Thr Trp His Trp Ile Leu Val Arg		
1300	1305	1310
Asn Ile Phe Leu Lys Pro Tyr Phe Met Leu Tyr Gly Glu Val Tyr Ala		



-28-

1315	1320	1325
Asp Glu Ile Asp Thr Cys Gly Asp Glu Ala Trp Asp Gln His Leu Glu		
1330	1335	1340
Asn Gly Gly Pro Val Ile Leu Gly Asn Gly Thr Thr Gly Leu Ser Cys		
1345	1350	1355
Val Pro Gly Tyr Trp Ile Pro Pro Leu Leu Met Thr Phe Phe Leu Leu		
1365	1370	1375
Ile Ala Asn Ile Leu Leu Met Ser Met Leu Ile Ala Ile Phe Asn His		
1380	1385	1390
Ile Phe Asp Ala Thr Asp Glu Met Ser Gln Gln Ile Trp Leu Phe Gln		
1395	1400	1405
Arg Tyr Lys Gln Val Met Glu Tyr Glu Ser Thr Pro Phe Leu Pro Pro		
1410	1415	1420
Pro Leu Thr Pro Leu Tyr His Gly Val Leu Ile Leu Gln Phe Val Arg		
1425	1430	1435
Thr Arg Leu Ser Cys Ser Lys Ser Gln Glu Arg Asn Pro Ile Leu Leu		
1445	1450	1455
Leu Lys Ile Ala Glu Leu Phe Leu Asp Asn Asp Gln Ile Glu Lys Leu		
1460	1465	1470
His Asp Phe Glu Glu Asp Cys Met Glu Asp Leu Ala Arg Gln Lys Leu		
1475	1480	1485
Asn Glu Lys Asn Thr Ser Asn Glu Gln Arg Ile Leu Arg Ala Asp Ile		
1490	1495	1500
Arg Thr Asp Gln Ile Leu Asn Arg Leu Ile Asp Leu Gln Ala Lys Glu		
1505	1510	1515
Ser Met Gly Arg Asp Val Ile Asn Asp Val Glu Ser Arg Leu Ala Ser		
1525	1530	1535
Val Glu Lys Ala Gln Asn Glu Ile Leu Glu Cys Val Arg Ala Leu Leu		
1540	1545	1550
Asn Gln Asn Asn Ala Pro Thr Ala Ile Gly Arg Cys Phe Ser Pro Ser		
1555	1560	1565
Pro Asp Pro Leu Val Glu Thr Ala Asn Gly Thr Pro Gly Pro Leu Leu		
1570	1575	1580
Leu Lys Leu Pro Gly Thr Asp Pro Ile Leu Glu Glu Lys Asp His Asp		
1585	1590	1595
Ser Gly Glu Asn Ser Asn Ser Leu Pro Pro Gly Arg Ile Arg Arg Asn		
1605	1610	1615
Arg Thr Ala Thr Ile Cys Gly Gly Tyr Val Ser Glu Glu Arg Asn Met		
1620	1625	1630
Met Leu Leu Ser Pro Lys Pro Ser Asp Val Ser Gly Ile Pro Gln Gln		
1635	1640	1645
Arg Leu Met Ser Val Thr Ser Met Asp Pro Leu Pro Leu Pro Leu Ala		
1650	1655	1660
Lys Leu Ser Thr Met Ser Ile Arg Arg Arg His Glu Glu Tyr Thr Ser		
1665	1670	1675
Ile Thr Asp Ser Ile Ala Ile Arg His Pro Glu Arg Arg Ile Arg Asn		
1685	1690	1695
Asn Arg Ser Asn Ser Ser Glu His Asp Glu Ser Ala Val Asp Ser Glu		
1700	1705	1710
Gly Gly Gly Asn Val Thr Ser Ser Pro Arg Lys Arg Ser Thr Arg Asp		
1715	1720	1725
Leu Arg Met Thr Pro Ser Ser Gln Val Glu Glu Ser Thr Ser Arg Asp		
1730	1735	1740
Gln Ile Phe Glu Ile Asp His Pro Glu His Glu Glu Asp Glu Ala Gln		
1745	1750	1755
Ala Asp Cys Glu Leu Thr Asp Val Ile Thr Glu Glu Glu Asp Glu Glu		
1765	1770	1775
Glu Asp Asp Glu Glu Asp Asp Ser His Glu Arg His His Ile His Pro		
1780	1785	1790
Arg Arg Lys Ser Ser Arg Gln Asn Arg Gln Pro Ser His Thr Leu Glu		

-29-

1795                      1800                      1805  
 Thr Asp Leu Ser Glu Gly Glu Glu Val Asp Pro Leu Asp Val Leu Lys  
 1810                      1815                      1820  
 Met Lys Glu Leu Pro Ile Ile His Gln Ile Leu Asn Glu Glu Glu Gln  
 1825                      1830                      1835                      184  
 Ala Gly Ala Pro His Ser Thr Pro Val Ile Ala Ser Pro Ser Ser Ser  
 1845                      1850                      1855  
 Arg Ala Asp Leu Thr Ser Gln Lys Cys Ser Asp Val  
 1860                      1865

<210> 16  
 <211> 489  
 <212> DNA  
 <213> Mus Musculus

<400> 16  
 ccctgaaaga ctcgacttct gctgctagcg ctggagctga gttagttttg agaaggtttc 60  
 ccggggctgt ccttgttcgg tggcccgtgc caccgcctcc ggagacgctt tccgatagat 120  
 ggctgcaggc cgcgagggtg gaggaggagc cgctgccctt ccggagtcgg ccccgtagag 180  
 agaatgtccc agaaatcctg gatagagagc actttgacca agagggagtg tgtatatatt 240  
 ataccaagct ccaaagaccc tcacagatgt cttccaggat gtcagatttg tcagcaactt 300  
 gtcagatggt tctgtggtcg tttggtcaag caacatgcat gctttactgc aagtcttgcc 360  
 atgaaatact cagatgtgaa attgggtgaa cactttaacc aggcaataga agaatgggtct 420  
 gtggaaaagc acacggagca gagcccaaca gatgcttatg gagtcatcaa ttttcaaggg 480  
 ggttctcat 489

<210> 17  
 <211> 102  
 <212> PRT  
 <213> Mus Musculus

<400> 17  
 Met Ser Gln Lys Ser Trp Ile Glu Ser Thr Leu Thr Lys Arg Glu Cys  
 1                      5                      10                      15  
 Val Tyr Ile Ile Pro Ser Ser Lys Asp Pro His Arg Cys Leu Pro Gly  
 20                      25                      30  
 Cys Gln Ile Cys Gln Gln Leu Val Arg Cys Phe Cys Gly Arg Leu Val  
 35                      40                      45  
 Lys Gln His Ala Cys Phe Thr Ala Ser Leu Ala Met Lys Tyr Ser Asp  
 50                      55                      60  
 Val Lys Leu Gly Glu His Phe Asn Gln Ala Ile Glu Glu Trp Ser Val  
 65                      70                      75                      80  
 Glu Lys His Thr Glu Gln Ser Pro Thr Asp Ala Tyr Gly Val Ile Asn  
 85                      90                      95  
 Phe Gln Gly Gly Ser His  
 100

<210> 18  
 <211> 410  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> unsure  
 <222> (6)...(6)  
 <221> unsure  
 <222> (58)...(58)  
 <221> unsure

-30-

&lt;222&gt; (89)...(89)

&lt;221&gt; unsure

&lt;222&gt; (406)...(406)

&lt;400&gt; 18

```

gccgcnggag cctgagcgga ggggtgtgcg agcctcgcca gcggggggccc cgggctgngc      60
cattgcctca ctgagccagc gcctgcctnc tacctcgccg acagctggaa ccagtgcgac      120
ctagtggctc tcacctgctt cctcctgggc gtgggctgcc ggctgacccc gggtttgtac      180
cacctggggc gcactgtcct ctgcatcgac ttcattggtt tcacgggtgcg gctgcttcac      240
atcttcacgg tcaacaaaca gctggggccc aagatcgta tcgtgagcaa gatgatgaag      300
gacgtgttct tcttctctt ctctctcggc gtgtggctgg tagctatggg ttggggccacg      360
gaggggttcc tgaggccacg ggacagtgc ttcccaagta tcctgncgcc      410

```

&lt;210&gt; 19

&lt;211&gt; 131

&lt;212&gt; PRT

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; UNSURE

&lt;222&gt; (15)...(15)

&lt;223&gt; UNKNOWN

&lt;221&gt; UNSURE

&lt;222&gt; (25)...(25)

&lt;223&gt; UNKNOWN

&lt;221&gt; UNSURE

&lt;222&gt; (131)...(131)

&lt;223&gt; UNKNOWN

&lt;400&gt; 19

```

Ala Glu Gly Val Arg Ser Leu Ala Ser Gly Gly Pro Gly Leu Xaa His
 1      5      10      15
Cys Leu Thr Glu Pro Ala Pro Ala Xaa Tyr Leu Ala Asp Ser Trp Asn
 20      25      30
Gln Cys Asp Leu Val Ala Leu Thr Cys Phe Leu Leu Gly Val Gly Cys
 35      40      45
Arg Leu Thr Pro Gly Leu Tyr His Leu Gly Arg Thr Val Leu Cys Ile
 50      55      60
Asp Phe Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val Asn
 65      70      75      80
Lys Gln Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys Asp
 85      90      95
Val Phe Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Met Gly
 100     105     110
Trp Ala Thr Glu Gly Phe Leu Arg Pro Arg Asp Ser Asp Phe Pro Ser
 115     120     125
Ile Leu Xaa
 130

```

&lt;210&gt; 20

&lt;211&gt; 389

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;400&gt; 20

```

caaatttttt gttagtagac catctcatcc aaattgcaaa agtcacatgg aaactggaac      60
caaagatcaa gaaactgttt gctctaaagc tacagaagga gataatacag aatttgagc      120

```

-31-

attttagga	cacagagata	gcatggattt	acagagggtt	aaagaaacat	caaacaagat	180
aaaaatacta	tccaataaca	atacttctga	aaacactttg	aaacgagtga	gttctcttgc	240
tggatttact	gactgtcaca	gaacttccat	tctgttcat	tcaaaacgag	aaaagatcag	300
tagaaggcca	tctaccgaag	acactcatga	agtagattcc	aaagcagctt	taataccggt	360
ttgtagattt	caactaaaca	gatatatat				389

<210> 21  
 <211> 415  
 <212> DNA  
 <213> Homo Sapiens

<400> 21						
atttctagtt	tttcaaattt	gccagtcttt	ttgaatagta	tctccttctt	ttctcatggt	60
ttatatattaa	aactttttta	tgtccatcat	cactttaaac	atacttattt	tgtcatctat	120
aaccaataat	tccactatct	tatcagaaat	caaataccgt	ttatgtaagt	tgactcccat	180
gagttctaaa	ttgccattgt	gaggtcatct	tgggttaggc	tttaatttgt	tgcaaagttg	240
tgcagctcag	ggtcaggaag	agtccctcca	gaaaggagga	tttgttactg	tgaatctctt	300
tgttaactaa	cctctttccc	cactgaaata	acttttttca	ataacatgat	tttaacaaca	360
taatctctct	atgccagaac	agatatatat	gaatgtaagt	caatattttc	ttgag	415

<210> 22  
 <211> 405  
 <212> DNA  
 <213> Mus Musculus

<400> 22						
ttattatggc	ttatcatgaa	aaaccagtcc	tgcctcctcc	tcttatcatc	ctcagccata	60
tagtttcact	gttttgctgt	gtatgcaaaa	gaagaaagaa	agataagact	tccgatgggc	120
caaaactttt	cttaacagaa	gaagatcaaa	agaaactcca	tgattttgaa	gagcagtggt	180
ttgagatgta	ctttgatgag	aaagatgaca	aattcaattc	tgggagtga	gagagaatcc	240
gggtcacttt	tgaaagagtg	gagcagatga	gcattcagat	taaagaagtt	ggagatcgtg	300
tcaactacat	aaaaagatca	ttacagtctt	tagattctca	aattgggtcat	ctgcaagatc	360
tctcagccct	aacagtagat	acattgaaaa	cacttacagc	ccaga		405

<210> 23  
 <211> 5117  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> unsure  
 <222> (2382)...(2382)  
 <223> unknown

<221> unsure  
 <222> (4664)...(4664)  
 <223> unknown

<221> unsure  
 <222> (4682)...(4682)  
 <223> unknown

<221> unsure  
 <222> (4702)...(4702)  
 <223> unknown

<221> unsure  
 <222> (5038)...(5039)  
 <223> unknown

-32-

<221> unsure  
 <222> (5056) ... (5056)  
 <223> unknown

<221> unsure  
 <222> (5071) ... (5072)

<400> 23

gatggcaaca	tgggtgaagaa	tcaatggcta	aagcattagt	tgcctgtaag	atctatcggt	60
caatggcata	tgaagcaaaag	cagagtgaac	tggtagatga	tacttcagaa	gaactaaaac	120
agtattccaa	tgatttttgg	cagttggccg	ttgaattatt	agaacagtc	ttcagacaag	180
atgaaaccat	ggctatgaaa	ttgctcactt	atgaactgaa	gaactggagt	aattcaacct	240
gccttaagtt	agcagtttct	tcaagactta	gaccttttgt	agctcacacc	tgtacacaaa	300
tgttggtatc	tgatatgtgg	atgggaaggc	tgaatatgag	gaaaaattcc	tggtagaagg	360
tcatactaag	catttttagtt	ccacctgcca	tattgctgtt	agagtataaa	actaaggctg	420
aaatgtccca	tatcccacaa	tctcaagatg	ctcatcagat	gacaatggat	gacagcgaaa	480
acaactttca	gaacataaca	gaagagatcc	ccatggaagt	gtttaaagaa	gtacggattt	540
tggatagtaa	tgaaggaaaag	aatgagatgg	agatacaaat	gaaatcaaaa	aagcttccaa	600
ttacgcgaaa	gttttatgcc	ttttatcatg	caccaattgt	aaaattctgg	tttaacacgt	660
tggcatattt	aggattttctg	atgctttata	catttggtgt	tcttgtaaca	atggaacagt	720
taccttcagt	tcaagaatgg	attgttattg	cttatatttt	tacttatgcc	attgagaaag	780
tccgtgagat	ctttatgtct	gaagctggga	aagtaaacca	gaagattaaa	gtatggttta	840
gtgattactt	caacatcagt	gatacaattg	ccataatttc	tttcttcatt	ggattttggac	900
taagatttgg	agcaaaatgg	aactttgcaa	atgcatatga	taatcatggt	tttgtggctg	960
gaagattaat	ttactgtctt	aacataatat	tttggtatgt	gcgtttgcta	gattttctag	1020
ctgtaaatca	acaggcagga	ccttatgtaa	tgatgattgg	aaaaatgggt	gccaatatgt	1080
tctacattgt	agtgattatg	gctcttgtat	tacttagttt	tgggtgtccc	agaaaggcaa	1140
tactttatcc	tcatgaagca	ccatcttgga	ctcttgctaa	agatatagtt	tttcacccat	1200
actggatgat	ttttgggtgaa	gtttatgcac	acgaaattga	tgtgtgtgca	aatgattctg	1260
ttatccctca	aatctgtggt	cctgggacgt	gggtgactcc	atttcttcaa	gcagtctacc	1320
tctttgtaca	gtatatcatt	atggttaatc	ttcttattgc	atttttcaac	aatgtgtatt	1380
tacaagtga	ggcaatttcc	aatattgtat	ggaagtacca	gcgttatcat	tttattatgg	1440
cttatcatga	gaaaccagtt	ctgcctcctc	cacttatcat	tcttagccat	atagtttctc	1500
tgttttgctg	catatgtaag	agaagaaaga	aagataagac	ttccgatgga	ccaaaacttt	1560
tcttaacaga	agaagatcaa	aagaaacttc	atgattttga	agagcagtg	gttgaaatgt	1620
atttcaatga	aaaagatgac	aaatttctatt	ctgggagtga	agagagaatt	cgtgtcactt	1680
ttgaaagagt	ggaacagatg	tgcattcaga	ttaaagaagt	tggagatcgt	gtcaactaca	1740
taaaaagatc	attacaataca	ttagattctc	aaattggcca	tttgcaagat	ctttcagccc	1800
tgacgggtga	tacattaaaa	acactcactg	cccagaaagc	gtcggaaagc	agcaaagttc	1860
ataatgaaat	cacacgagaa	ctgagcattt	ccaaacactt	ggctcaaaac	cttattgatg	1920
atgggtcctgt	aagacottct	gtatggaaaa	agcatggtgt	tgtaaataca	cttagctcct	1980
ctcttcctca	aggtgatctt	gaaagtaata	atccttttca	ttgtaatat	ttaatgaaag	2040
atgacaaaga	tccccagtg	aatataattg	gtcaagactt	acctgcagta	ccccagagaa	2100
aagaatttaa	ttttccagag	gctgggtcct	cttctgggtg	cttattccca	agtgtgtttt	2160
cccctccaga	actgcgacag	agactacatg	gggtagaact	cttaaaaaata	tttaataaaa	2220
atcaaaaatt	aggcagttca	tctactagca	taccacatct	gtcatcccca	ccaaccaa	2280
tttttggttag	tacaccatct	cagccaagtt	gcaaaagcca	cttggaact	ggaaccaaag	2340
atcaagaaac	tgtttgctct	aaagctacag	aaggagataa	tncagaattt	ggagcatttg	2400
taggacacag	agatagcatg	gatttacaga	ggtttaaga	aacatcaaac	aagataaaaa	2460
tactatccaa	taacaatact	tctgaaaaca	ctttgaaacg	agtgaattct	cttgctggat	2520
ttactgactg	tcacagaact	tccattcctg	ttcattcaaa	acaagcagaa	aaaatcagta	2580
gaaggccatc	taccgaagac	actcatgaag	tagattccaa	agcagcttta	ataccggatt	2640
ggttacaaga	tagaccatca	aacagagaaa	tgccatctga	agaaggaaca	ttaaatgggt	2700
tcacttctcc	atttaagcca	gctatggata	caaattacta	ttattcagct	gtggaaagaa	2760
ataacttgat	gaggttatca	cagagcatte	catttacacc	tgtgcctcca	agaggggagc	2820
ctgtcacagt	gtactggttg	gaagagagtt	cacccaacat	actaaataac	agcatgtctt	2880
cttggtcaca	actaggcctc	tgtgccaaaa	tagagttttt	aagcaaagag	gagatgggag	2940
gaggtttacg	aagagctgtc	aaagtacagt	gtacctgggt	agaacatgat	atcctcaaat	3000
cagggcatct	ttatattatc	aaatcttttc	ttccagaggt	ggttaataca	tggtagaagta	3060
tttataaaga	agatacagtt	ctgcatctct	gtctgagaga	aattcaacaa	cagagagcag	3120

-33-

```

cacaaaagct tacgtttgcc tttaatcaaa tgaaacccaa atccatacca tattctccaa 3180
ggttccttga agttttcctg ctgtattgcc attcagcagg acagtgggtt gctgtggaag 3240
aatgtatgac tggagaattht agaaaataca acaataataa tggagatgag attattccaa 3300
ctaatactct ggaagagatc atgctagcct ttagccactg gacttacgaa tatacaagag 3360
gggagttact ggtacttgat ttgcaagggtg ttgggtgaaaa tttgactgac ccactctgtga 3420
taaaagcaga agaaaagaga tcctgtgata tgggttttgg cccagcaaath ctaggagaag 3480
atgcaattaa aaacttcaga gcaaaacatc actgtaattc ttgctgtaga aagcttaaac 3540
ttccagatct gaagaggaat gattatacgc ctgataaaat tatatttcct caggatgagc 3600
cttcagattt gaatcttcag cctggaaatt ccaccaaaga atcagaatca gctaattctg 3660
ttcgtctgat gttataatat taatattact gaatcattgg ttttgccctg acctcacaga 3720
aatgttactg tgcactttt cctcggggag gaaattgttt ggtaatatag aaaggtgtat 3780
gcaagttgaa tttgctgact ccagcacagt taaaaggtca atattctttt gacctgatta 3840
atcagtcaga aagtccttat aggatagagc tggcagctga gaaattttta aggtaattga 3900
taattagtat ttgtaacttt ttaaagggtc ctttgtatag cagaggatct catttgactt 3960
tgttttgatg aggtgtgatg cctctcttat gtggtacaat accatttaacc aaaggtagggt 4020
gtccatgcag attttattgg cagctgtttt attgccattc aactagggaa atgaagaaat 4080
cacgcagcct tttggttaaa tggcagtcac aattttcctc agtgtattta gtgtgttcag 4140
tgatgatata actggttccc aactagatgc ttgttgcca cgggaaggga aatgacttgt 4200
tctaattcta ggttcacaga ggtatgagaa gcctgaactg aagaccattt tcaagaggga 4260
cggtatttat gaatcagggt taggctccat atttaagat agagccagtt tttttttta 4320
atagaacca aattgtgtaa aaatgttaat tgggtttttt aaacattgtt ttatcaagtc 4380
actgttaagt agaagaaagc catggtaaac tgatacataa cctaaattat aaaagcagaa 4440
acctaactca ctgctcaagg gaagttacct tttgaggaaa gttaaagtac ttttttcct 4500
atctgtatct atagcaacaa ccagaaactt acaaacttct ccaaagattt tattgattgt 4560
tatatcaaat cagaatgtaa acatgaactc ttgcatatat ttaaaattgt gttggaacat 4620
ttgaacatga atgctgtttg ggtacttaag aaattrattc agtnggatta tcattatgtg 4680
anactggcag attgcagtgc anccctatgc caataaaatg taatttaaca gcccagata 4740
ttgttgaata ttcaacaata acaagaaaag cttttcatct aagttttatg ctttaatttt 4800
ttttcttttt ttttcttttt cttttgtttc cttggtacta attttaattt ttatttgga 4860
gggagcagta taaagcttat ttgtatttag tagtgtatct catagataca gacaaggcaa 4920
gagatgataa gctgttttaa tagtgtttta tattgatggg ggggtggggag aaagaaaaag 4980
tgtattactt aaagatacta tatacgtttt gtatatcatt aaatctttta aagaaatnna 5040
ataaatttat tgtttncaaa aaaaaaaccc nntaaaaaaa aaagggcggc ccctctagag 5100
gatccctcga ggggcc 5117

```

&lt;210&gt; 24

&lt;211&gt; 1224

&lt;212&gt; PRT

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; UNSURE

&lt;222&gt; (794)...(794)

&lt;223&gt; UNKNOWN

&lt;400&gt; 24

```

Trp Gln His Gly Glu Ser Met Ala Lys Ala Leu Val Ala Cys Lys
 1          5          10          15
Ile Tyr Arg Ser Met Ala Tyr Glu Ala Lys Gln Ser Asp Leu Val Asp
          20          25          30
Asp Thr Ser Glu Glu Leu Lys Gln Tyr Ser Asn Asp Phe Gly Gln Leu
          35          40          45
Ala Val Glu Leu Leu Glu Gln Ser Phe Arg Gln Asp Glu Thr Met Ala
          50          55          60
Met Lys Leu Leu Thr Tyr Glu Leu Lys Asn Trp Ser Asn Ser Thr Cys
          65          70          75          80
Leu Lys Leu Ala Val Ser Ser Arg Leu Arg Pro Phe Val Ala His Thr
          85          90          95

```

-34-

Cys	Thr	Gln	Met	Leu	Leu	Ser	Asp	Met	Trp	Met	Gly	Arg	Leu	Asn	Met
			100					105						110	
Arg	Lys	Asn	Ser	Trp	Tyr	Lys	Val	Ile	Leu	Ser	Ile	Leu	Val	Pro	Pro
		115					120						125		
Ala	Ile	Leu	Leu	Leu	Glu	Tyr	Lys	Thr	Lys	Ala	Glu	Met	Ser	His	Ile
	130					135						140			
Pro	Gln	Ser	Gln	Asp	Ala	His	Gln	Met	Thr	Met	Asp	Asp	Ser	Glu	Asn
145					150						155				160
Asn	Phe	Gln	Asn	Ile	Thr	Glu	Glu	Ile	Pro	Met	Glu	Val	Phe	Lys	Glu
			165						170					175	
Val	Arg	Ile	Leu	Asp	Ser	Asn	Glu	Gly	Lys	Asn	Glu	Met	Glu	Ile	Gln
			180					185						190	
Met	Lys	Ser	Lys	Lys	Leu	Pro	Ile	Thr	Arg	Lys	Phe	Tyr	Ala	Phe	Tyr
		195					200						205		
His	Ala	Pro	Ile	Val	Lys	Phe	Trp	Phe	Asn	Thr	Leu	Ala	Tyr	Leu	Gly
	210					215						220			
Phe	Leu	Met	Leu	Tyr	Thr	Phe	Val	Val	Leu	Val	Gln	Met	Glu	Gln	Leu
225					230						235				240
Pro	Ser	Val	Gln	Glu	Trp	Ile	Val	Ile	Ala	Tyr	Ile	Phe	Thr	Tyr	Ala
				245					250					255	
Ile	Glu	Lys	Val	Arg	Glu	Ile	Phe	Met	Ser	Glu	Ala	Gly	Lys	Val	Asn
			260					265						270	
Gln	Lys	Ile	Lys	Val	Trp	Phe	Ser	Asp	Tyr	Phe	Asn	Ile	Ser	Asp	Thr
	275						280					285			
Ile	Ala	Ile	Ile	Ser	Phe	Phe	Ile	Gly	Phe	Gly	Leu	Arg	Phe	Gly	Ala
	290					295					300				
Lys	Trp	Asn	Phe	Ala	Asn	Ala	Tyr	Asp	Asn	His	Val	Phe	Val	Ala	Gly
305					310					315					320
Arg	Leu	Ile	Tyr	Cys	Leu	Asn	Ile	Ile	Phe	Trp	Tyr	Val	Arg	Leu	Leu
				325					330					335	
Asp	Phe	Leu	Ala	Val	Asn	Gln	Gln	Ala	Gly	Pro	Tyr	Val	Met	Met	Ile
			340					345						350	
Gly	Lys	Met	Val	Ala	Asn	Met	Phe	Tyr	Ile	Val	Val	Ile	Met	Ala	Leu
		355					360						365		
Val	Leu	Leu	Ser	Phe	Gly	Val	Pro	Arg	Lys	Ala	Ile	Leu	Tyr	Pro	His
	370					375									
Glu	Ala	Pro	Ser	Trp	Thr	Leu	Ala	Lys	Asp	Ile	Val	Phe	His	Pro	Tyr
385					390					395					400
Trp	Met	Ile	Phe	Gly	Glu	Val	Tyr	Ala	Tyr	Glu	Ile	Asp	Val	Cys	Ala
				405					410					415	
Asn	Asp	Ser	Val	Ile	Pro	Gln	Ile	Cys	Gly	Pro	Gly	Thr	Trp	Leu	Thr
			420					425					430		
Pro	Phe	Leu	Gln	Ala	Val	Tyr	Leu	Phe	Val	Gln	Tyr	Ile	Ile	Met	Val
		435					440						445		
Asn	Leu	Leu	Ile	Ala	Phe	Phe	Asn	Asn	Val	Tyr	Leu	Gln	Val	Lys	Ala
	450					455						460			
Ile	Ser	Asn	Ile	Val	Trp	Lys	Tyr	Gln	Arg	Tyr	His	Phe	Ile	Met	Ala
465					470					475					480
Tyr	His	Glu	Lys	Pro	Val	Leu	Pro	Pro	Pro	Leu	Ile	Ile	Leu	Ser	His
				485					490					495	
Ile	Val	Ser	Leu	Phe	Cys	Cys	Ile	Cys	Lys	Arg	Arg	Lys	Lys	Asp	Lys
			500					505						510	
Thr	Ser	Asp	Gly	Pro	Lys	Leu	Phe	Leu	Thr	Glu	Glu	Asp	Gln	Lys	Lys
		515					520						525		
Leu	His	Asp	Phe	Glu	Glu	Gln	Cys	Val	Glu	Met	Tyr	Phe	Asn	Glu	Lys
	530					535							540		
Asp	Asp	Lys	Phe	His	Ser	Gly	Ser	Glu	Glu	Arg	Ile	Arg	Val	Thr	Phe
545					550					555					560
Glu	Arg	Val	Glu	Gln	Met	Cys	Ile	Gln	Ile	Lys	Glu	Val	Gly	Asp	Arg
				565					570					575	

-35-

Val	Asn	Tyr	Ile	Lys	Arg	Ser	Leu	Gln	Ser	Leu	Asp	Ser	Gln	Ile	Gly
			580					585					590		
His	Leu	Gln	Asp	Leu	Ser	Ala	Leu	Thr	Val	Asp	Thr	Leu	Lys	Thr	Leu
		595					600					605			
Thr	Ala	Gln	Lys	Ala	Ser	Glu	Ala	Ser	Lys	Val	His	Asn	Glu	Ile	Thr
	610					615					620				
Arg	Glu	Leu	Ser	Ile	Ser	Lys	His	Leu	Ala	Gln	Asn	Leu	Ile	Asp	Asp
625					630					635				640	
Gly	Pro	Val	Arg	Pro	Ser	Val	Trp	Lys	Lys	His	Gly	Val	Val	Asn	Thr
			645					650						655	
Leu	Ser	Ser	Ser	Leu	Pro	Gln	Gly	Asp	Leu	Glu	Ser	Asn	Asn	Pro	Phe
			660					665					670		
His	Cys	Asn	Ile	Leu	Met	Lys	Asp	Asp	Lys	Asp	Pro	Gln	Cys	Asn	Ile
	675						680					685			
Phe	Gly	Gln	Asp	Leu	Pro	Ala	Val	Pro	Gln	Arg	Lys	Glu	Phe	Asn	Phe
690						695					700				
Pro	Glu	Ala	Gly	Ser	Ser	Ser	Gly	Ala	Leu	Phe	Pro	Ser	Ala	Val	Ser
705					710					715					720
Pro	Pro	Glu	Leu	Arg	Gln	Arg	Leu	His	Gly	Val	Glu	Leu	Leu	Lys	Ile
			725					730						735	
Phe	Asn	Lys	Asn	Gln	Lys	Leu	Gly	Ser	Ser	Thr	Ser	Ile	Pro	His	
			740				745					750			
Leu	Ser	Ser	Pro	Pro	Thr	Lys	Phe	Phe	Val	Ser	Thr	Pro	Ser	Gln	Pro
			755				760					765			
Ser	Cys	Lys	Ser	His	Leu	Glu	Thr	Gly	Thr	Lys	Asp	Gln	Glu	Thr	Val
	770					775					780				
Cys	Ser	Lys	Ala	Thr	Glu	Gly	Asp	Asn	Xaa	Glu	Phe	Gly	Ala	Phe	Val
785					790					795					800
Gly	His	Arg	Asp	Ser	Met	Asp	Leu	Gln	Arg	Phe	Lys	Glu	Thr	Ser	Asn
			805					810						815	
Lys	Ile	Lys	Ile	Leu	Ser	Asn	Asn	Asn	Thr	Ser	Glu	Asn	Thr	Leu	Lys
			820					825					830		
Arg	Val	Ser	Ser	Leu	Ala	Gly	Phe	Thr	Asp	Cys	His	Arg	Thr	Ser	Ile
			835				840					845			
Pro	Val	His	Ser	Lys	Gln	Ala	Glu	Lys	Ile	Ser	Arg	Arg	Pro	Ser	Thr
	850					855					860				
Glu	Asp	Thr	His	Glu	Val	Asp	Ser	Lys	Ala	Ala	Leu	Ile	Pro	Asp	Trp
865					870					875					880
Leu	Gln	Asp	Arg	Pro	Ser	Asn	Arg	Glu	Met	Pro	Ser	Glu	Glu	Gly	Thr
			885					890						895	
Leu	Asn	Gly	Leu	Thr	Ser	Pro	Phe	Lys	Pro	Ala	Met	Asp	Thr	Asn	Tyr
			900					905					910		
Tyr	Tyr	Ser	Ala	Val	Glu	Arg	Asn	Asn	Leu	Met	Arg	Leu	Ser	Gln	Ser
		915					920					925			
Ile	Pro	Phe	Thr	Pro	Val	Pro	Pro	Arg	Gly	Glu	Pro	Val	Thr	Val	Tyr
	930						935					940			
Arg	Leu	Glu	Glu	Ser	Ser	Pro	Asn	Ile	Leu	Asn	Asn	Ser	Met	Ser	Ser
945					950					955					960
Trp	Ser	Gln	Leu	Gly	Leu	Cys	Ala	Lys	Ile	Glu	Phe	Leu	Ser	Lys	Glu
			965					970						975	
Glu	Met	Gly	Gly	Gly	Leu	Arg	Arg	Ala	Val	Lys	Val	Gln	Cys	Thr	Trp
			980					985					990		
Ser	Glu	His	Asp	Ile	Leu	Lys	Ser	Gly	His	Leu	Tyr	Ile	Ile	Lys	Ser
		995					1000					1005			
Phe	Leu	Pro	Glu	Val	Val	Asn	Thr	Trp	Ser	Ser	Ile	Tyr	Lys	Glu	Asp
	1010					1015					1020				
Thr	Val	Leu	His	Leu	Cys	Leu	Arg	Glu	Ile	Gln	Gln	Gln	Arg	Ala	Ala
1025					1030					1035					104
Gln	Lys	Leu	Thr	Phe	Ala	Phe	Asn	Gln	Met	Lys	Pro	Lys	Ser	Ile	Pro
				1045					1050					1055	



-36-

Tyr Ser Pro Arg Phe Leu Glu Val Phe Leu Leu Tyr Cys His Ser Ala  
 1060 1065 1070  
 Gly Gln Trp Phe Ala Val Glu Glu Cys Met Thr Gly Glu Phe Arg Lys  
 1075 1080 1085  
 Tyr Asn Asn Asn Asn Gly Asp Glu Ile Ile Pro Thr Asn Thr Leu Glu  
 1090 1095 1100  
 Glu Ile Met Leu Ala Phe Ser His Trp Thr Tyr Glu Tyr Thr Arg Gly  
 1105 1110 1115 112  
 Glu Leu Leu Val Leu Asp Leu Gln Gly Val Gly Glu Asn Leu Thr Asp  
 1125 1130 1135  
 Pro Ser Val Ile Lys Ala Glu Glu Lys Arg Ser Cys Asp Met Val Phe  
 1140 1145 1150  
 Gly Pro Ala Asn Leu Gly Glu Asp Ala Ile Lys Asn Phe Arg Ala Lys  
 1155 1160 1165  
 His His Cys Asn Ser Cys Cys Arg Lys Leu Lys Leu Pro Asp Leu Lys  
 1170 1175 1180  
 Arg Asn Asp Tyr Thr Pro Asp Lys Ile Ile Phe Pro Gln Asp Glu Pro  
 1185 1190 1195 120  
 Ser Asp Leu Asn Leu Gln Pro Gly Asn Ser Thr Lys Glu Ser Glu Ser  
 1205 1210 1215  
 Ala Asn Ser Val Arg Leu Met Leu  
 1220

<210> 25  
 <211> 2180  
 <212> DNA  
 <213> Homo Sapiens

<400> 25  
 tcgaggccaa gaattcggca cgagggcctc gggcaggccc cctggagcga cctgcttctt 60  
 tgggcactgt tgctgaacag ggcacagatg gccatgtact tctgggagat gggttccaat 120  
 gcagtttctt cagctcttgg ggcctgtttg ctgctccggg tgatggcacg cctggagcct 180  
 gacgtctgag aggcagcacg gaggaagac ctggcggttca agtttgaggg gatgggcgtt 240  
 gacctctttg gcgagtgtta tcgcagcagt gaggtgaggg ctgcccgctt cctcctccgt 300  
 cgctgccccg tctgggggga tgccacttgc ctccagctgg ccatgcaagc tgacgcccgt 360  
 gccttctttg cccaggatgg ggtacagtct ctgctgacac agaagtgggt gggagatatg 420  
 gccagcacta caccatctg ggccctggtt ctgcgcttct tttgccctcc actcatctac 480  
 acccgctca tcaccttcag gaaatcagaa gaggagccca caggggagga gctagagttt 540  
 gacatggata gtgtcattaa tggggaagg cctgtcggga cgccggaccc agccgagaag 600  
 acgctgctgg gggctcccgcg ccagtcgggc cgctccgggt gctgcggggg ccgctgcggg 660  
 gggcgccggt gcctacgccc ctggttccac ttctggggcg cgccggtgac catcttcatg 720  
 ggcaacgtgg tcagctacct gctgttctct ctgcttttct cgcggtgtgt gctcgtggat 780  
 ttccagccgg cgccgcccgg ctccctggag ctgctgctct atttctgggc tttcacgctg 840  
 ctgtgcgagg aactgcgcca gggcctgagc ggaggcgggg gcagcctcgc cagcgggggc 900  
 cccgggcctg gccatgcctc actgagccag cgccctgcgc tctacctcgc cgacagctgg 960  
 aaccagtgcg acctagtggc tctcacctgc ttctctctgg gcgtgggctg ccggctgacc 1020  
 ccgggtttgt accacctggg ccgcactgtc ctctgcatcg acttcatggg tttcacgggtg 1080  
 cgctgcttc acatcttcac ggtcaacaaa cagctggggc ccaagatcgt catcgtgagc 1140  
 aagatgatga aggacgtgtt cttcttctct ttcttctctg gcgtgtgggt ggtagcctat 1200  
 ggcgtggcca cggaggggct cctgaggcca cgggacagt acttcccaag tatcctgcgc 1260  
 cgcgtcttct accgtcccta cctgcagatc ttccggcaga ttcccagga ggacatggac 1320  
 gtggccctca tggagcacag caactgctcg tcggagcccg gcttctgggc acaccctcct 1380  
 ggggcccagg cgggcacctg cgtctcccag tatgccaaact ggctggtggg gctgctcctc 1440  
 gtcattcttc tgcctgtggc caacatcctg ctggtcaact tgctcattgc catgttcagt 1500  
 tacacattcg gaaagtaca gggcaacagc gatctctact ggaaggcgca gcgttaccgc 1560  
 ctcatccggg aattccactc tcggcccgcg ctggcccgcg cctttatcgt catctccac 1620  
 ttgcgctcc tggctcaggca attgtgcagg cgacccsaga gccccagcc gtctctcccg 1680  
 gccctcgagc atttccgggt ttacctttct aagggaagcg agcggaagct gctaacgtgg 1740  
 gaatcgggtg ataaggagaa ctttctgctg gcacgcgcta gggacaagcg ggagagcgac 1800  
 tccgagmgtc tgaagcgcac gtcccagaag gtggacttgg cactgaaaca gctgggacac 1860

-37-

```

atccgcgagt acgaacagcg cctgaaagtg ctggagcggg aggtccagca gtgtacctcg 1920
gccccgcac ctgggtggcct tgccttgag gtgagcccca tgtccatctg ggccactgtc 1980
aggaccacct ttgggagtgat catccttaca aaccacagca tgcccggctc ctcccagaac 2040
cagtcccagc ctgggaggat caaggcctgg atcccrggcc gttatccatc tggaggctgc 2100
agggtccttg gggtaacagg gaccacagac ccctcaccac tcacagattc ctcacactgg 2160
ggaataaag ccatttcaga 2180

```

<210> 26  
 <211> 725  
 <212> PRT  
 <213> Homo Sapiens

<220>  
 <221> UNSURE  
 <222> (553)...(553)  
 <223> UNKNOWN

<221> UNSURE  
 <222> (603)...(603)  
 <223> UNKNOWN

<400> 26

Ser	Arg	Pro	Arg	Ile	Arg	His	Glu	Gly	Leu	Gly	Gln	Ala	Pro	Trp	Ser	1	5	10	15
Asp	Leu	Leu	Leu	Trp	Ala	Leu	Leu	Leu	Asn	Arg	Ala	Gln	Met	Ala	Met	20	25	30	
Tyr	Phe	Trp	Glu	Met	Gly	Ser	Asn	Ala	Val	Ser	Ser	Ala	Leu	Gly	Ala	35	40	45	
Cys	Leu	Leu	Leu	Arg	Val	Met	Ala	Arg	Leu	Glu	Pro	Asp	Ala	Glu	Glu	50	55	60	
Ala	Ala	Arg	Arg	Lys	Asp	Leu	Ala	Phe	Lys	Phe	Glu	Gly	Met	Gly	Val	65	70	75	80
Asp	Leu	Phe	Gly	Glu	Cys	Tyr	Arg	Ser	Ser	Glu	Val	Arg	Ala	Ala	Arg	85	90	95	
Leu	Leu	Leu	Arg	Arg	Cys	Pro	Leu	Trp	Gly	Asp	Ala	Thr	Cys	Leu	Gln	100	105	110	
Leu	Ala	Met	Gln	Ala	Asp	Ala	Arg	Ala	Phe	Phe	Ala	Gln	Asp	Gly	Val	115	120	125	
Gln	Ser	Leu	Leu	Thr	Gln	Lys	Trp	Trp	Gly	Asp	Met	Ala	Ser	Thr	Thr	130	135	140	
Pro	Ile	Trp	Ala	Leu	Val	Leu	Ala	Phe	Phe	Cys	Pro	Pro	Leu	Ile	Tyr	145	150	155	160
Thr	Arg	Leu	Ile	Thr	Phe	Arg	Lys	Ser	Glu	Glu	Glu	Pro	Thr	Arg	Glu	165	170	175	
Glu	Leu	Glu	Phe	Asp	Met	Asp	Ser	Val	Ile	Asn	Gly	Glu	Gly	Pro	Val	180	185	190	
Gly	Thr	Ala	Asp	Pro	Ala	Glu	Lys	Thr	Pro	Leu	Gly	Val	Pro	Arg	Gln	195	200	205	
Ser	Gly	Arg	Pro	Gly	Cys	Cys	Gly	Gly	Arg	Cys	Gly	Gly	Arg	Arg	Cys	210	215	220	
Leu	Arg	Arg	Trp	Phe	His	Phe	Trp	Gly	Ala	Pro	Val	Thr	Ile	Phe	Met	225	230	235	240
Gly	Asn	Val	Val	Ser	Tyr	Leu	Leu	Phe	Leu	Leu	Phe	Ser	Arg	Val		245	250	255	
Leu	Leu	Val	Asp	Phe	Gln	Pro	Ala	Pro	Pro	Gly	Ser	Leu	Glu	Leu	Leu	260	265	270	
Leu	Tyr	Phe	Trp	Ala	Phe	Thr	Leu	Leu	Cys	Glu	Glu	Leu	Arg	Gln	Gly	275	280	285	
Leu	Ser	Gly	Gly	Gly	Gly	Ser	Leu	Ala	Ser	Gly	Gly	Pro	Gly	Pro	Gly	290	295	300	

-38-

His	Ala	Ser	Leu	Ser	Gln	Arg	Leu	Arg	Leu	Tyr	Leu	Ala	Asp	Ser	Trp
305					310					315					320
Asn	Gln	Cys	Asp	Leu	Val	Ala	Leu	Thr	Cys	Phe	Leu	Leu	Gly	Val	Gly
				325					330					335	
Cys	Arg	Leu	Thr	Pro	Gly	Leu	Tyr	His	Leu	Gly	Arg	Thr	Val	Leu	Cys
			340					345					350		
Ile	Asp	Phe	Met	Val	Phe	Thr	Val	Arg	Leu	Leu	His	Ile	Phe	Thr	Val
	355						360					365			
Asn	Lys	Gln	Leu	Gly	Pro	Lys	Ile	Val	Ile	Val	Ser	Lys	Met	Met	Lys
	370					375					380				
Asp	Val	Phe	Phe	Phe	Leu	Phe	Phe	Leu	Gly	Val	Trp	Leu	Val	Ala	Tyr
385					390					395					400
Gly	Val	Ala	Thr	Glu	Gly	Leu	Leu	Arg	Pro	Arg	Asp	Ser	Asp	Phe	Pro
			405						410					415	
Ser	Ile	Leu	Arg	Arg	Val	Phe	Tyr	Arg	Pro	Tyr	Leu	Gln	Ile	Phe	Gly
			420					425					430		
Gln	Ile	Pro	Gln	Glu	Asp	Met	Asp	Val	Ala	Leu	Met	Glu	His	Ser	Asn
		435					440					445			
Cys	Ser	Ser	Glu	Pro	Gly	Phe	Trp	Ala	His	Pro	Pro	Gly	Ala	Gln	Ala
	450					455					460				
Gly	Thr	Cys	Val	Ser	Gln	Tyr	Ala	Asn	Trp	Leu	Val	Val	Leu	Leu	Leu
465					470					475					480
Val	Ile	Phe	Leu	Leu	Val	Ala	Asn	Ile	Leu	Leu	Val	Asn	Leu	Leu	Ile
			485						490					495	
Ala	Met	Phe	Ser	Tyr	Thr	Phe	Gly	Lys	Val	Gln	Gly	Asn	Ser	Asp	Leu
			500					505					510		
Tyr	Trp	Lys	Ala	Gln	Arg	Tyr	Arg	Leu	Ile	Arg	Glu	Phe	His	Ser	Arg
		515					520					525			
Pro	Ala	Leu	Ala	Pro	Pro	Phe	Ile	Val	Ile	Ser	His	Leu	Arg	Leu	Leu
	530					535					540				
Leu	Arg	Gln	Leu	Cys	Arg	Arg	Pro	Xaa	Ser	Pro	Gln	Pro	Ser	Ser	Pro
545					550					555					560
Ala	Leu	Glu	His	Phe	Arg	Val	Tyr	Leu	Ser	Lys	Glu	Ala	Glu	Arg	Lys
			565						570					575	
Leu	Leu	Thr	Trp	Glu	Ser	Val	His	Lys	Glu	Asn	Phe	Leu	Leu	Ala	Arg
		580						585					590		
Ala	Arg	Asp	Lys	Arg	Glu	Ser	Asp	Ser	Glu	Xaa	Leu	Lys	Arg	Thr	Ser
		595					600					605			
Gln	Lys	Val	Asp	Leu	Ala	Leu	Lys	Gln	Leu	Gly	His	Ile	Arg	Glu	Tyr
	610					615					620				
Glu	Gln	Arg	Leu	Lys	Val	Leu	Glu	Arg	Glu	Val	Gln	Gln	Cys	Thr	Ser
625					630					635					640
Ala	Pro	Ala	Pro	Gly	Gly	Leu	Val	Leu	Glu	Val	Ser	Pro	Met	Ser	Ile
			645						650					655	
Trp	Ala	Thr	Val	Arg	Thr	Thr	Phe	Gly	Ser	Val	Ile	Leu	Thr	Asn	His
		660						665					670		
Ser	Met	Pro	Gly	Ser	Ser	Gln	Asn	Gln	Ser	Gln	Pro	Gly	Arg	Ile	Lys
		675					680					685			
Ala	Trp	Ile	Pro	Gly	Arg	Tyr	Pro	Ser	Gly	Gly	Cys	Arg	Val	Leu	Gly
	690					695					700				
Val	Thr	Gly	Thr	Thr	Asp	Pro	Ser	Pro	Leu	Thr	Asp	Ser	Ser	His	Trp
705					710					715					720
Gly	Asn	Lys	Ala	Ile											
				725											

&lt;210&gt; 27

&lt;211&gt; 7419

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

<400> 27						
cggggaccga	tccagcctcc	ggactctagc	ctaggctttt	gcaaaaagct	atttaggtga	60
cactatagaa	ggtacgcctg	caggtaccgg	tccggaattc	ccgggtcgac	ccacgcgtcc	120
gcagccccgt	cgccggcgga	ggcgggcgcg	ggcgcgtnc	ctgtggccag	tcacccggag	180
gagttggtcg	cacaattatg	aaagactcgg	cttctgctgc	tagcgccgga	gctgagttag	240
ttctgagaag	gtttcccttg	gcgttccttg	tccggcggcc	tctgctgccg	cctccggaga	300
cgcttcccgga	tagatggcta	caggccgcgg	aggaggagga	ggtggagttg	ctgcccttcc	360
ggagtcgcgc	ccgtgaggag	aatgtcccag	aaatcctgga	tagaaagcac	tttgaccaag	420
agggaaatgtg	tatatattat	accaagttcc	aaggaccctc	acagatgcct	tccaggatgt	480
caaatttgtc	agcaactcgt	caggtgtttt	tgtggtcgct	tggtaagca	acatgcttgt	540
tttactgcaa	gtcttgccat	gaaatactca	gatgtgaaat	tgggtgacca	ttttaatcag	600
gcaatagaag	aatggtctgt	ggaaaagcat	acagaacaga	gcccacgga	tgcttatgga	660
gtcataaatt	ttcaaggggg	ttctcattcc	tacagagcta	agtatgtgag	gctatcatat	720
gacaccaaac	ctgaagtcac	tctgcaactt	ctgcttaag	aatggcaa	ggagttaccc	780
aaacttggtta	tctctgtaca	tgggggcatg	cagaaatttg	agcttcaccc	acgaatcaag	840
cagttgcttg	gaaaaggtct	tattaaagct	gcagttacaa	ctggagcctg	gatttttaact	900
ggaggagtaa	acacaggtgt	ggcaaaacat	gttgagagatg	ccctcaaaga	acatgcttcc	960
agatcatctc	gaaagatttg	cactatcgga	atagctccat	ggggagtgat	tgaacacaga	1020
aatgatcttg	tgggagaga	tgtggttgct	ccttatcaaa	ccttattgaa	ccccctgagc	1080
aaattgaatg	ttttgaataa	tctgcattcc	catttcatat	tgggtgatga	tggcactgtt	1140
ggaaagtatg	gggcgggaagt	cagactgaga	acagaacttg	aaaaaactat	taactcagcaa	1200
agaattcatg	ctaggattgg	ccagggtgtc	cctgtggtgg	cacttatatt	tgagggtggg	1260
ccaaatgtta	tcctcacagt	tcttgaatac	cttcaggaaa	gccccctgt	tccagtagtt	1320
gtgtgtgaag	gaacaggcag	agctgcagat	ctgctagcgt	atattcataa	acaaacagaa	1380
gaaggaggga	atcttctctga	tgcagcagag	cccgatatta	tttccactat	caaaaaaaca	1440
tttaactttg	gccagaatga	agcacttcat	ttatttcaaa	cactgatgga	gtgcatgaaa	1500
agaaaggagc	ttatcactgt	tttccatatt	gggtcagatg	aacatcaaga	tatagatgta	1560
gcaatactta	ctgcactgct	aaaagggtact	aatgcactctg	catttgacca	gcttatcctt	1620
acattggcat	gggatagagt	tgacattgccc	aaaaatcatg	tatttgttta	tggacagcga	1680
tggctggttg	gatccttggg	acaagctatg	cttgatgctc	ttgtaatgga	tagagttgca	1740
tttgtaaaac	ttcttattga	aaatggagta	agcatgcata	aattccttac	cattccgaga	1800
ctggaagaac	tttacaacac	taaacaagggt	ccaactaatc	caatgctgtt	tcatcttggt	1860
cgagacgtca	aacaggga	tcttctctca	ggatataaga	tcactctgat	tgatatagga	1920
cttggtattg	aatatctcat	gggaggaacc	tacagatgca	cctatactag	gaaacgtttt	1980
cgattaatat	ataatagtct	tgggtggaat	aatcgagggt	ctggccgaaa	tacctccagc	2040
agcactcctc	agttgcgaaa	gagtcatgaa	tcttttgcca	atagggcgaga	taaaaaggaa	2100
aaaatgaggc	ataaccattt	cattaagaca	gcacagccct	tccgaccaa	gattgatata	2160
gttatggaag	aaggaaagaa	gaaaagaacc	aaagatgaaa	ttgtagacat	tgatgatcca	2220
gaaaccaagc	gctttcctta	tccactta	gaacttttaa	tttgggcttg	ccttatgaa	2280
aggcaggtca	tggcccgttt	tttatggcaa	catggtgaag	aatcaatggc	taaagcatta	2340
gttgctgtga	agatctatcg	ttcaatggca	tatgaagcaa	agcagagtga	cctggtagat	2400
gatacttcag	aagaactaaa	acagtattcc	aatgattttg	gtcagttggc	cgttgaatta	2460
ttagaacagt	ccttcagaca	agatgaaacc	atggctatga	aattgctcac	ttatgaactg	2520
aagaactgga	gtaattcaac	ctgccttaag	ttagcagttt	cttcaagact	tagacctttt	2580
gtagctcaca	cctgtacaca	aatggttgta	tctgatattg	ggatgggaag	gctgaatatg	2640
aggaaaaatt	cctggtacaa	ggtcatacta	agcattttag	ttccacctgc	catattgctg	2700
ttagagtata	aaactaaggc	tgaaatgtcc	catatcccac	aatctcaaga	tgctcatcag	2760
atgacaatgg	atgacagcga	aaacaacttt	cagaacataa	cagaagagat	ccccatggaa	2820
gtgtttaaag	aagtacggat	tttggtatag	aatgaaggaa	agaatgagat	ggagatacaa	2880
atgaaatcaa	aaaagcttcc	aattacgcga	aagttttatg	ccttttatca	tgcaccaatt	2940
gtaaaattct	ggtttaacac	gttggcatat	ttaggatttc	tgatgcttta	tacatttggtg	3000
gttcttgtag	aaatggaaca	gttaccttca	gttcaagaat	ggattgttat	tgcttatatt	3060
tttacttatg	ccattgagaa	agtcctgtgag	atctttatgt	ctgaagctgg	gaaagtaaac	3120
cagaagatta	aagtatggtt	tagtgattac	ttcaacatca	tgatacaat	tgccataatt	3180
tctttcttca	ttggatttgg	actaagattt	ggagcaaaat	ggaactttgc	aaatgcatat	3240
gataatcattg	ttttgtggc	tggaaagatta	atttactgtc	ttaacataat	attttggtat	3300
gtgcgtttgc	tagattttct	agctgtaaat	caacaggcag	gaccttatgt	aatgatgatt	3360
ggaaaaatgg	tggccaatat	gttctacatt	gtagtgatta	tggctcttgt	attacttagt	3420
tttggtgttc	ccagaaaggc	aatactttat	cctcatgaag	caccatcttg	gactcttgct	3480
aaagatatag	tttttcaccc	atactggatg	atttttggtg	aagtttatgc	atacgaaatt	3540

gatgtgtgtg	caaatgattc	tgttatccct	caaatctgtg	gtcctgggac	gtgggtgact	3600
ccattttcttc	aagcagctta	cctcttttga	cagtatatca	ttatgggttaa	tcttcttatt	3660
gcattttttca	acaatgtgta	tttacaagtg	aaggcaattt	ccaatattgt	atggaagtac	3720
cagcgttatc	attttattat	ggcttatcat	gagaaaccag	ttctgcctcc	tccacttatc	3780
attcttagcc	atatagtttc	tctgttttgc	tgcataatgta	agagaagaaa	gaaagataag	3840
acttccgatg	gacccaaact	tttcttaaca	gaagaagatc	aaaagaaact	tcatgatttt	3900
gaagagcagt	gtgttgaaat	gtattttcaat	gaaaaagatg	acaaatttca	ttctgggagt	3960
gaagagagaa	ttcgtgtcac	ttttgaaaga	gtggaacaga	tgtgcattca	gattaaagaa	4020
gttgagagatc	gtgtcaacta	cataaaaaga	tcattacaat	cattagattc	tcaaattggc	4080
catttgcaag	atctttcagc	cctgacggta	gatacattaa	aaacactcac	tgcccagaaa	4140
gcgtcggaag	ctagcaaagt	tcataatgaa	atcacacgag	aactgagcat	ttccaaacac	4200
ttggctcaaa	accttattga	tgatggctct	gtaagacctt	ctgtatggaa	aaagcatggg	4260
gttgtaataa	cacttagctc	ctctcttcct	caaggtgata	ttgaaagtaa	taatcctttt	4320
cattgtaata	ttttaatgaa	agatgacaaa	gatccccagt	gtaatatatt	tggtcaagac	4380
ttacctgcag	taccccagag	aaaagaattt	aattttccag	aggctgggtc	ctcttctggg	4440
gccttattcc	caagtgtgtg	ttccctcca	gaactgcgac	agagactaca	tggggtagaa	4500
ctcttaaaaa	tatttaataa	aaatcaaaaa	ttaggcagtt	catctactag	cataccacat	4560
ctgtcatccc	caccaacca	attttttggt	agtacaccat	ctcagccaag	ttgcaaaaagc	4620
cacttggaag	ctggaacca	agatcaagaa	actgtttgct	ctaaagctac	agaaggagat	4680
aatacagaat	ttggagcatt	tgtaggacac	agagatagca	tggttttaca	gaggtttaaa	4740
gaaacatcaa	acaagataaa	aatactatcc	ataaacaata	cttctgaaaa	cactttgaaa	4800
cgagtgaagt	ctcttgctgg	atttactgac	tgtcacagaa	cttccattcc	tggtcattca	4860
aaacaagcag	aaaaaatcag	tagaaggcca	tctaccgaag	acactcatga	agtagattcc	4920
aaagcagctt	taataaccgga	ttgggttaca	gatagaccat	caaacagaga	aatgccatct	4980
gaagaaggaa	cattaaatgg	tctcacttct	ccatttaagc	cagctatgga	tacaaattac	5040
tattattcag	ctgtggaaag	aaataacttg	atgaggttat	cacagagcat	tccatttaca	5100
cctgtgcctc	caagagggga	gcctgtcaca	gtgtatcggt	tggaaagagag	ttcacccaac	5160
atactaaata	acagcatgtc	ttcttggtca	caactaggcc	tctgtgccaa	aatagagttt	5220
ttaagcaaaag	aggagatggg	aggaggttta	cgaagagctg	tcaaagtaca	gtgtactctg	5280
tcagaacatg	atatcctcaa	atcagggcac	ctttatatta	tcaaattctt	tcttccagag	5340
gtggtttaata	catggtcaag	tattttataaa	gaagatacag	ttctgcatct	ctgtctgaga	5400
gaaattcaac	aacagagagc	agcacaaaaag	cttacgtttg	ccttttaatca	aatgaaaccc	5460
aaatccatac	catattctcc	aaggttcctt	gaagttttcc	tgctgtattg	ccattcagca	5520
ggacagtggg	ttgctgtgga	agaatgtatg	actggagaat	ttagaaaata	caacaataat	5580
aatggagatg	agattattcc	aactaatact	ctggaagaga	tcatgctagc	ctttagccac	5640
tggacttacg	aatatacaag	aggggagtta	ctgggtactg	atttgcaagg	tggtgggtgaa	5700
aatttgactg	acccatctgt	gataaaaagca	gaagaaaaga	gatcctgtga	tatggttttt	5760
ggcccagcaa	atctaggaga	agatgcaatt	aaaaacttca	gagcaaaaaca	tcactgtaat	5820
tcttgctgta	gaaagcttaa	acttccagat	ctgaagagga	atgattatac	gcctgataaa	5880
attatatttc	ctcaggatga	gccttcagat	ttgaatcttc	agcctggaaa	ttccaccaa	5940
gaatcagaat	caactaattc	tgttcgtctg	atgtttataat	attaatatta	ctgaatcatt	6000
ggttttgcct	gcacctcaca	gaaatgttac	tgtgtcactt	ttccctcggg	aggaaattgt	6060
ttggtaatat	agaaaggtgt	atgcaagttg	aatttgctga	ctccagcaca	gttaaaaggt	6120
caatattctt	ttgacctgat	taatcagtc	gaaagtcctt	ataggataga	gctggcagct	6180
gagaaatttt	aaaggttaatt	gataattagt	atltgttaact	ttttaaaggg	ctctttgtat	6240
agcagaggat	ctcatttgac	tttgttttga	tgagggtgat	gcctctctct	atgtggtaca	6300
ataccattaa	ccaaaggtag	gtgtccatgc	agattttatt	ggcagctggt	ttattgccat	6360
tcaactaggg	aaatgaagaa	atcacgcagc	cttttggtta	aatggcagtc	aaaattttcc	6420
tcagtgtatt	tagtgtgttc	agtgatgata	tcactggttc	ccaactagat	gcttgttggc	6480
cacgggaagg	gaaatgactt	gttctaattc	taggttcaca	gaggtatgag	aagcctgaac	6540
tgaagaccat	tttcaagagg	gacggtat	atgaatcagg	gttaggctcc	atatttaaaag	6600
atagagccag	tttttttttt	aaatagaacc	caaattgtgt	aaaaatgtta	attgggtttt	6660
ttaaaccattg	ttttatcaag	tcactgttaa	gtagaagaaa	gccatggtta	actgatacat	6720
aacctaaatt	ataaaaagcag	aaaccttaact	cactcgtcaa	gggaagttac	cttttgagga	6780
aagttaaagt	acttttttcc	ctatctgtat	ctatagcaac	aaccagaac	ttacaaactt	6840
ctccaaagat	ttttattgatt	gttatatcaa	atcagaatgt	aaacatgaac	tcttgcata	6900
attttaaatt	gtgttggaac	atltgaacat	gaatgctgtt	tgggtactta	agaaattrat	6960
tcagtnngat	tatcattatg	tganactggc	agattgcagt	gcanccttat	gccaataaaa	7020
tgtaatttar	cagccccaga	tattgttgaa	tattcaacaa	taacaagaaa	agcttttcat	7080
ctaagtttta	tgctttaatt	ttttttcttt	ttttttcttt	ttcttttggt	tccttggtac	7140

-41-

taattttaat	ttttatttgg	aagggagcag	tataaaagctt	atttgatatt	agtagtgtat	7200
ctcatagata	cagacaaggc	aagagatgat	aagctgttta	aatagtgktt	aatattgatt	7260
gggggtgggg	agaaagaaaa	agtgtattac	ttaaagatac	tatatacskt	ttktatatca	7320
ttaaattcttt	aaaagaaatn	naataaattt	attgttttnc	aaaaaaaaac	ccnntaaaaa	7380
aaaaagggcg	gccccctctag	aggatccctc	gaggggccc			7419

&lt;210&gt; 28

&lt;211&gt; 1865

&lt;212&gt; PRT

&lt;213&gt; Homo Sapiens

&lt;400&gt; 28

Met	Ser	Gln	Lys	Ser	Trp	Ile	Glu	Ser	Thr	Leu	Thr	Lys	Arg	Glu	Cys
1				5					10					15	
Val	Tyr	Ile	Ile	Pro	Ser	Ser	Lys	Asp	Pro	His	Arg	Cys	Leu	Pro	Gly
			20					25					30		
Cys	Gln	Ile	Cys	Gln	Gln	Leu	Val	Arg	Cys	Phe	Cys	Gly	Arg	Leu	Val
		35					40					45			
Lys	Gln	His	Ala	Cys	Phe	Thr	Ala	Ser	Leu	Ala	Met	Lys	Tyr	Ser	Asp
		50				55					60				
Val	Lys	Leu	Gly	Asp	His	Phe	Asn	Gln	Ala	Ile	Glu	Glu	Trp	Ser	Val
65					70					75				80	
Glu	Lys	His	Thr	Glu	Gln	Ser	Pro	Thr	Asp	Ala	Tyr	Gly	Val	Ile	Asn
			85						90					95	
Phe	Gln	Gly	Gly	Ser	His	Ser	Tyr	Arg	Ala	Lys	Tyr	Val	Arg	Leu	Ser
			100					105					110		
Tyr	Asp	Thr	Lys	Pro	Glu	Val	Ile	Leu	Gln	Leu	Leu	Leu	Lys	Glu	Trp
		115					120					125			
Gln	Met	Glu	Leu	Pro	Lys	Leu	Val	Ile	Ser	Val	His	Gly	Gly	Met	Gln
	130					135					140				
Lys	Phe	Glu	Leu	His	Pro	Arg	Ile	Lys	Gln	Leu	Leu	Gly	Lys	Gly	Leu
145					150					155					160
Ile	Lys	Ala	Ala	Val	Thr	Thr	Gly	Ala	Trp	Ile	Leu	Thr	Gly	Gly	Val
			165					170						175	
Asn	Thr	Gly	Val	Ala	Lys	His	Val	Gly	Asp	Ala	Leu	Lys	Glu	His	Ala
		180						185					190		
Ser	Arg	Ser	Ser	Arg	Lys	Ile	Cys	Thr	Ile	Gly	Ile	Ala	Pro	Trp	Gly
		195					200					205			
Val	Ile	Glu	Asn	Arg	Asn	Asp	Leu	Val	Gly	Arg	Asp	Val	Val	Ala	Pro
	210					215					220				
Tyr	Gln	Thr	Leu	Leu	Asn	Pro	Leu	Ser	Lys	Leu	Asn	Val	Leu	Asn	Asn
225					230					235				240	
Leu	His	Ser	His	Phe	Ile	Leu	Val	Asp	Asp	Gly	Thr	Val	Gly	Lys	Tyr
			245						250					255	
Gly	Ala	Glu	Val	Arg	Leu	Arg	Arg	Glu	Leu	Glu	Lys	Thr	Ile	Asn	Gln
		260						265					270		
Gln	Arg	Ile	His	Ala	Arg	Ile	Gly	Gln	Gly	Val	Pro	Val	Val	Ala	Leu
		275					280					285			
Ile	Phe	Glu	Gly	Gly	Pro	Asn	Val	Ile	Leu	Thr	Val	Leu	Glu	Tyr	Leu
	290					295					300				
Gln	Glu	Ser	Pro	Pro	Val	Pro	Val	Val	Val	Cys	Glu	Gly	Thr	Gly	Arg
305					310					315					320
Ala	Ala	Asp	Leu	Leu	Ala	Tyr	Ile	His	Lys	Gln	Thr	Glu	Glu	Gly	Gly
			325						330					335	
Asn	Leu	Pro	Asp	Ala	Ala	Glu	Pro	Asp	Ile	Ile	Ser	Thr	Ile	Lys	Lys
			340					345					350		
Thr	Phe	Asn	Phe	Gly	Gln	Asn	Glu	Ala	Leu	His	Leu	Phe	Gln	Thr	Leu
		355					360						365		

-42-

Met	Glu	Cys	Met	Lys	Arg	Lys	Glu	Leu	Ile	Thr	Val	Phe	His	Ile	Gly
	370					375					380				
Ser	Asp	Glu	His	Gln	Asp	Ile	Asp	Val	Ala	Ile	Leu	Thr	Ala	Leu	Leu
385					390					395					400
Lys	Gly	Thr	Asn	Ala	Ser	Ala	Phe	Asp	Gln	Leu	Ile	Leu	Thr	Leu	Ala
			405						410						415
Trp	Asp	Arg	Val	Asp	Ile	Ala	Lys	Asn	His	Val	Phe	Val	Tyr	Gly	Gln
			420					425					430		
Gln	Trp	Leu	Val	Gly	Ser	Leu	Glu	Gln	Ala	Met	Leu	Asp	Ala	Leu	Val
		435					440					445			
Met	Asp	Arg	Val	Ala	Phe	Val	Lys	Leu	Leu	Ile	Glu	Asn	Gly	Val	Ser
	450					455					460				
Met	His	Lys	Phe	Leu	Thr	Ile	Pro	Arg	Leu	Glu	Glu	Leu	Tyr	Asn	Thr
465					470					475					480
Lys	Gln	Gly	Pro	Thr	Asn	Pro	Met	Leu	Phe	His	Leu	Val	Arg	Asp	Val
				485					490					495	
Lys	Gln	Gly	Asn	Leu	Pro	Pro	Gly	Tyr	Lys	Ile	Thr	Leu	Ile	Asp	Ile
			500					505					510		
Gly	Leu	Val	Ile	Glu	Tyr	Leu	Met	Gly	Gly	Thr	Tyr	Arg	Cys	Thr	Tyr
		515					520					525			
Thr	Arg	Lys	Arg	Phe	Arg	Leu	Ile	Tyr	Asn	Ser	Leu	Gly	Gly	Asn	Asn
	530					535					540				
Arg	Arg	Ser	Gly	Arg	Asn	Thr	Ser	Ser	Ser	Thr	Pro	Gln	Leu	Arg	Lys
545					550					555					560
Ser	His	Glu	Ser	Phe	Gly	Asn	Arg	Ala	Asp	Lys	Lys	Glu	Lys	Met	Arg
				565					570					575	
His	Asn	His	Phe	Ile	Lys	Thr	Ala	Gln	Pro	Phe	Arg	Pro	Lys	Ile	Asp
			580					585					590		
Thr	Val	Met	Glu	Glu	Gly	Lys	Lys	Arg	Thr	Lys	Asp	Glu	Ile	Val	
		595					600				605				
Asp	Ile	Asp	Asp	Pro	Glu	Thr	Lys	Arg	Phe	Pro	Tyr	Pro	Leu	Asn	Glu
	610					615					620				
Leu	Leu	Ile	Trp	Ala	Cys	Leu	Met	Lys	Arg	Gln	Val	Met	Ala	Arg	Phe
625					630					635					640
Leu	Trp	Gln	His	Gly	Glu	Glu	Ser	Met	Ala	Lys	Ala	Leu	Val	Ala	Cys
				645					650					655	
Lys	Ile	Tyr	Arg	Ser	Met	Ala	Tyr	Glu	Ala	Lys	Gln	Ser	Asp	Leu	Val
			660					665					670		
Asp	Asp	Thr	Ser	Glu	Glu	Leu	Lys	Gln	Tyr	Ser	Asn	Asp	Phe	Gly	Gln
		675					680					685			
Leu	Ala	Val	Glu	Leu	Leu	Glu	Gln	Ser	Phe	Arg	Gln	Asp	Glu	Thr	Met
	690					695					700				
Ala	Met	Lys	Leu	Leu	Thr	Tyr	Glu	Leu	Lys	Asn	Trp	Ser	Asn	Ser	Thr
705					710					715					720
Cys	Leu	Lys	Leu	Ala	Val	Ser	Ser	Arg	Leu	Arg	Pro	Phe	Val	Ala	His
				725					730					735	
Thr	Cys	Thr	Gln	Met	Leu	Leu	Ser	Asp	Met	Trp	Met	Gly	Arg	Leu	Asn
			740					745					750		
Met	Arg	Lys	Asn	Ser	Trp	Tyr	Lys	Val	Ile	Leu	Ser	Ile	Leu	Val	Pro
		755					760					765			
Pro	Ala	Ile	Leu	Leu	Leu	Glu	Tyr	Lys	Thr	Lys	Ala	Glu	Met	Ser	His
	770					775					780				
Ile	Pro	Gln	Ser	Gln	Asp	Ala	His	Gln	Met	Thr	Met	Asp	Asp	Ser	Glu
785					790					795					800
Asn	Asn	Phe	Gln	Asn	Ile	Thr	Glu	Glu	Ile	Pro	Met	Glu	Val	Phe	Lys
				805					810					815	
Glu	Val	Arg	Ile	Leu	Asp	Ser	Asn	Glu	Gly	Lys	Asn	Glu	Met	Glu	Ile
			820					825				830			
Gln	Met	Lys	Ser	Lys	Lys	Leu	Pro	Ile	Thr	Arg	Lys	Phe	Tyr	Ala	Phe
		835					840					845			

-43-

Tyr	His	Ala	Pro	Ile	Val	Lys	Phe	Trp	Phe	Asn	Thr	Leu	Ala	Tyr	Leu	850	855	860
Gly	Phe	Leu	Met	Leu	Tyr	Thr	Phe	Val	Val	Leu	Val	Gln	Met	Glu	Gln	865	870	875
Leu	Pro	Ser	Val	Gln	Glu	Trp	Ile	Val	Ile	Ala	Tyr	Ile	Phe	Thr	Tyr	885	890	895
Ala	Ile	Glu	Lys	Val	Arg	Glu	Ile	Phe	Met	Ser	Glu	Ala	Gly	Lys	Val	900	905	910
Asn	Gln	Lys	Ile	Lys	Val	Trp	Phe	Ser	Asp	Tyr	Phe	Asn	Ile	Ser	Asp	915	920	925
Thr	Ile	Ala	Ile	Ile	Ser	Phe	Phe	Ile	Gly	Phe	Gly	Leu	Arg	Phe	Gly	930	935	940
Ala	Lys	Trp	Asn	Phe	Ala	Asn	Ala	Tyr	Asp	Asn	His	Val	Phe	Val	Ala	945	950	955
Gly	Arg	Leu	Ile	Tyr	Cys	Leu	Asn	Ile	Ile	Phe	Trp	Tyr	Val	Arg	Leu	965	970	975
Leu	Asp	Phe	Leu	Ala	Val	Asn	Gln	Gln	Ala	Gly	Pro	Tyr	Val	Met	Met	980	985	990
Ile	Gly	Lys	Met	Val	Ala	Asn	Met	Phe	Tyr	Ile	Val	Val	Ile	Met	Ala	995	1000	1005
Leu	Val	Leu	Leu	Ser	Phe	Gly	Val	Pro	Arg	Lys	Ala	Ile	Leu	Tyr	Pro	1010	1015	1020
His	Glu	Ala	Pro	Ser	Trp	Thr	Leu	Ala	Lys	Asp	Ile	Val	Phe	His	Pro	1025	1030	1035
Tyr	Trp	Met	Ile	Phe	Gly	Glu	Val	Tyr	Ala	Tyr	Glu	Ile	Asp	Val	Cys	1045	1050	1055
Ala	Asn	Asp	Ser	Val	Ile	Pro	Gln	Ile	Cys	Gly	Pro	Gly	Thr	Trp	Leu	1060	1065	1070
Thr	Pro	Phe	Leu	Gln	Ala	Val	Tyr	Leu	Phe	Val	Gln	Tyr	Ile	Ile	Met	1075	1080	1085
Val	Asn	Leu	Leu	Ile	Ala	Phe	Phe	Asn	Asn	Val	Tyr	Leu	Gln	Val	Lys	1090	1095	1100
Ala	Ile	Ser	Asn	Ile	Val	Trp	Lys	Tyr	Gln	Arg	Tyr	His	Phe	Ile	Met	1105	1110	1115
Ala	Tyr	His	Glu	Lys	Pro	Val	Leu	Pro	Pro	Pro	Leu	Ile	Ile	Leu	Ser	1125	1130	1135
His	Ile	Val	Ser	Leu	Phe	Cys	Cys	Ile	Cys	Lys	Arg	Arg	Lys	Lys	Asp	1140	1145	1150
Lys	Thr	Ser	Asp	Gly	Pro	Lys	Leu	Phe	Leu	Thr	Glu	Glu	Asp	Gln	Lys	1155	1160	1165
Lys	Leu	His	Asp	Phe	Glu	Glu	Gln	Cys	Val	Glu	Met	Tyr	Phe	Asn	Glu	1170	1175	1180
Lys	Asp	Asp	Lys	Phe	His	Ser	Gly	Ser	Glu	Glu	Arg	Ile	Arg	Val	Thr	1185	1190	1195
Phe	Glu	Arg	Val	Glu	Gln	Met	Cys	Ile	Gln	Ile	Lys	Glu	Val	Gly	Asp	1205	1210	1215
Arg	Val	Asn	Tyr	Ile	Lys	Arg	Ser	Leu	Gln	Ser	Leu	Asp	Ser	Gln	Ile	1220	1225	1230
Gly	His	Leu	Gln	Asp	Leu	Ser	Ala	Leu	Thr	Val	Asp	Thr	Leu	Lys	Thr	1235	1240	1245
Leu	Thr	Ala	Gln	Lys	Ala	Ser	Glu	Ala	Ser	Lys	Val	His	Asn	Glu	Ile	1250	1255	1260
Thr	Arg	Glu	Leu	Ser	Ile	Ser	Lys	His	Leu	Ala	Gln	Asn	Leu	Ile	Asp	1265	1270	1275
Asp	Gly	Pro	Val	Arg	Pro	Ser	Val	Trp	Lys	Lys	His	Gly	Val	Val	Asn	1285	1290	1295
Thr	Leu	Ser	Ser	Ser	Leu	Pro	Gln	Gly	Asp	Leu	Glu	Ser	Asn	Asn	Pro	1300	1305	1310
Phe	His	Cys	Asn	Ile	Leu	Met	Lys	Asp	Asp	Lys	Asp	Pro	Gln	Cys	Asn	1315	1320	1325



-44-

Ile Phe Gly Gln Asp Leu Pro Ala Val Pro Gln Arg Lys Glu Phe Asn  
 1330 1335 1340  
 Phe Pro Glu Ala Gly Ser Ser Ser Gly Ala Leu Phe Pro Ser Ala Val  
 1345 1350 1355 1360  
 Ser Pro Pro Glu Leu Arg Gln Arg Leu His Gly Val Glu Leu Leu Lys  
 1365 1370 1375  
 Ile Phe Asn Lys Asn Gln Lys Leu Gly Ser Ser Ser Thr Ser Ile Pro  
 1380 1385 1390  
 His Leu Ser Ser Pro Pro Thr Lys Phe Phe Val Ser Thr Pro Ser Gln  
 1395 1400 1405  
 Pro Ser Cys Lys Ser His Leu Glu Thr Gly Thr Lys Asp Gln Glu Thr  
 1410 1415 1420  
 Val Cys Ser Lys Ala Thr Glu Gly Asp Asn Thr Glu Phe Gly Ala Phe  
 1425 1430 1435 1440  
 Val Gly His Arg Asp Ser Met Asp Leu Gln Arg Phe Lys Glu Thr Ser  
 1445 1450 1455  
 Asn Lys Ile Lys Ile Leu Ser Asn Asn Asn Thr Ser Glu Asn Thr Leu  
 1460 1465 1470  
 Lys Arg Val Ser Ser Leu Ala Gly Phe Thr Asp Cys His Arg Thr Ser  
 1475 1480 1485  
 Ile Pro Val His Ser Lys Gln Ala Glu Lys Ile Ser Arg Arg Pro Ser  
 1490 1495 1500  
 Thr Glu Asp Thr His Glu Val Asp Ser Lys Ala Ala Leu Ile Pro Asp  
 1505 1510 1515 1520  
 Trp Leu Gln Asp Arg Pro Ser Asn Arg Glu Met Pro Ser Glu Glu Gly  
 1525 1530 1535  
 Thr Leu Asn Gly Leu Thr Ser Pro Phe Lys Pro Ala Met Asp Thr Asn  
 1540 1545 1550  
 Tyr Tyr Tyr Ser Ala Val Glu Arg Asn Asn Leu Met Arg Leu Ser Gln  
 1555 1560 1565  
 Ser Ile Pro Phe Thr Pro Val Pro Pro Arg Gly Glu Pro Val Thr Val  
 1570 1575 1580  
 Tyr Arg Leu Glu Glu Ser Ser Pro Asn Ile Leu Asn Asn Ser Met Ser  
 1585 1590 1595 1600  
 Ser Trp Ser Gln Leu Gly Leu Cys Ala Lys Ile Glu Phe Leu Ser Lys  
 1605 1610 1615  
 Glu Glu Met Gly Gly Gly Leu Arg Arg Ala Val Lys Val Gln Cys Thr  
 1620 1625 1630  
 Trp Ser Glu His Asp Ile Leu Lys Ser Gly His Leu Tyr Ile Ile Lys  
 1635 1640 1645  
 Ser Phe Leu Pro Glu Val Val Asn Thr Trp Ser Ser Ile Tyr Lys Glu  
 1650 1655 1660  
 Asp Thr Val Leu His Leu Cys Leu Arg Glu Ile Gln Gln Gln Arg Ala  
 1665 1670 1675 1680  
 Ala Gln Lys Leu Thr Phe Ala Phe Asn Gln Met Lys Pro Lys Ser Ile  
 1685 1690 1695  
 Pro Tyr Ser Pro Arg Phe Leu Glu Val Phe Leu Leu Tyr Cys His Ser  
 1700 1705 1710  
 Ala Gly Gln Trp Phe Ala Val Glu Glu Cys Met Thr Gly Glu Phe Arg  
 1715 1720 1725  
 Lys Tyr Asn Asn Asn Asn Gly Asp Glu Ile Ile Pro Thr Asn Thr Leu  
 1730 1735 1740  
 Glu Glu Ile Met Leu Ala Phe Ser His Trp Thr Tyr Glu Tyr Thr Arg  
 1745 1750 1755 1760  
 Gly Glu Leu Leu Val Leu Asp Leu Gln Gly Val Gly Glu Asn Leu Thr  
 1765 1770 1775  
 Asp Pro Ser Val Ile Lys Ala Glu Glu Lys Arg Ser Cys Asp Met Val  
 1780 1785 1790  
 Phe Gly Pro Ala Asn Leu Gly Glu Asp Ala Ile Lys Asn Phe Arg Ala  
 1795 1800 1805

-45-

Lys His His Cys Asn Ser Cys Cys Arg Lys Leu Lys Leu Pro Asp Leu  
 1810 1815 1820  
 Lys Arg Asn Asp Tyr Thr Pro Asp Lys Ile Ile Phe Pro Gln Asp Glu  
 1825 1830 1835 1840  
 Pro Ser Asp Leu Asn Leu Gln Pro Gly Asn Ser Thr Lys Glu Ser Glu  
 1845 1850 1855  
 Ser Thr Asn Ser Val Arg Leu Met Leu  
 1860 1865

<210> 29  
 <211> 4061  
 <212> DNA  
 <213> Homo Sapiens

<400> 29  
 ggtctggaag cagagccggc ggagggagcg ccggggccct gggctgcagg aggttgccggc 60  
 ggccgcggca gcatggtggt gccggagaag gagcagagct ggatcccca gatcttcaag 120  
 aagaagacct gcacgacgtt catagttgac tccacagatc cgggagggac cttgtgccaag 180  
 tgtgggcggc cccggaccgc ccaccccgc gtggccatgg aggatgcctt cggggcagcc 240  
 gtggtgaccg tgtgggacag cgatgcacac accacggaga agcccaccga tgcctacgga 300  
 gagctggact tcacgggggc cgcccgcaag cacagcaatt tcctccggct ctctgaccga 360  
 acggatccag ctgcagttta tagtctggtc acacgcacat ggggcttccg tgccccgaac 420  
 ctggtggtgt cagtgtctggg gggatcgggg ggccccgtcc tccagacctg gctgcaggac 480  
 ctgctgcgtc gtgggctggt gcgggctgcc cagagcacag gagcctggat tgtcactggg 540  
 ggtctgcaca cgggcatcgg ccggcatggt ggtgtggctg tacgggacca tcagatggcc 600  
 agcactgggg gcaccaaggt ggtggccatg ggtgtggccc cctgggggtgt ggtccggaat 660  
 agagacaccc tcatcaaccc caagggtcgt tccctgcga ggtaccggtg gcgcggtgac 720  
 ccggaggacg ggtccagtt tcccctggac tacaactact cggccttctt cctggtggac 780  
 gacggcacac acggtgcct ggggggcgag aaccgcttcc gcttgcgcct ggagtcctac 840  
 atctcacagc agaagacggg cgtgggaggg actggaattg acatccctgt cctgctcctc 900  
 ctgattgatg gtgatgagaa gatgttgacg cgaatagaga acgccacca ggctcagctc 960  
 ccatgtctcc tcgtggctgg ctacggggga gctgcggact gcctggcgga gaccctggaa 1020  
 gacactctgg ccccaggag tgggggagcc aggcaaggcg aagcccgaga tcgaatcagg 1080  
 cgtttctttc ccaaagggga ccttgagggt ctgcaggccc aggtggagag gattatgacc 1140  
 cggaaggagc tcctgacagt ctattcttct gaggatgggt ctgaggaatt cgagaccata 1200  
 gttttgaagg cccttgtgaa ggctgtggtg agctcggagg cctcagccta cctggatgag 1260  
 ctgcgtttgg ctgtggcttg gaaccgcgtg gacattgccc agagtgaact ctttcggggg 1320  
 gacatccaat ggcgttcctt ccatctcgaa gcttcctca tggacgccct gctgaatgac 1380  
 cggcctgagt tcgtgcgctt gctcatttcc cacggcctca gcctgggcca cttcctgacc 1440  
 ccgatgcgcc tggcccaact ctacagcgcg gcgccctcca actcgtcat ccgcaacctt 1500  
 ttggaccagg cgtcccacag cgcaggcacc aaagccccag ccctaaaagg gggagctgcg 1560  
 gagctccggc cccctgacgt ggggcatgtg ctgaggatgc tgctggggaa gatgtgcgcg 1620  
 ccgaggtacc cctccggggg cgcctgggac cctcaccag gccagggtt cggggagagc 1680  
 atgtatctgc tctcggacaa ggccacctcg ccgctctcgc tggatgctgg cctcgggcag 1740  
 gccccctgga gcgacctgct tctttgggca ctggtgctga acagggcaca gatggccatg 1800  
 tacttctggg agatgggttc caatgcagtt tcctcagctc ttggggcctg tttgctgctc 1860  
 cgggtgatgg cacgcctgga gcctgacgt gaggagggcag cacggaggaa agacctggcg 1920  
 ttcaagtttg aggggatggg cggtgacctc tttggcgagt gctatcgag cagtgagggtg 1980  
 agggctgccc gcctcctcct ccgtcgtgc ccgctctggg gggatgccac ttgcctccag 2040  
 ctggccatgc aagctgacgc ccgtgccttc tttgccagg atgggtaca gtctctgctg 2100  
 acacagaagt ggtggggaga tatggccagc actacacca tctgggccct ggttctcgcc 2160  
 ttcttttgcc ctccactcat ctacacccgc ctcatcacct tcaggaaatc agaagaggag 2220  
 cccacacggg aggagctaga gtttgacatg gatagtgtca ttaatgggga agggcctgtc 2280  
 gggagcggcg acccagccga gaagacgccc ctgggggtcc cgcgccagtc gggcgtccg 2340  
 ggttgctgcg gggccgctg cgggggcgcg cgtgcctac gccgtgggt ccacttctgg 2400  
 ggcgcgccg tgacctctt catgggcaac ctggtcagct acctgctgtt cctgctgctt 2460  
 ttctcgcggg tgctgctcgt ggatttccag ccggcgccgc ccggtccct ggagctgctg 2520  
 ctctatttct gggctttcac gctgctgtgc gaggaactgc gccagggcct gagcggaggc 2580  
 gggggcagcc tcgccagcg gggccccgg cctggccatg cctcactgag ccagcgccgtg 2640  
 cgcctctacc tcgccgacag ctggaaccag tgcgacctag tggctctcac ctgcttcctc 2700

-46-

ctggg	cgtgg	gctg	ccggct	gaccc	cggt	ttgt	accacc	tggg	ccgcac	tgct	cctctgc	2760
atcg	acttca	tggt	ttttcac	ggtg	cggtctg	cttc	acatct	tcac	ggtcaa	caa	acagctg	2820
ggg	cccaaga	tcgt	catcgt	gag	caagatg	atga	aggacg	tggt	cttctt	cct	cttcttc	2880
ctc	ggcgtgt	ggct	ggtagc	ctat	ggcgtg	gcc	acggagg	ggct	cctgag	gcc	acgggac	2940
agt	gacttcc	caagt	atcct	gcg	ccgcgtc	ttct	accgtc	cct	acctgca	gat	cttcggg	3000
cag	attcccc	agg	aggacat	gg	acgtggcc	ct	catggagc	ac	agcaactg	ct	cgctggag	3060
ccc	ggcttct	ggg	cacaccc	tct	ggggcc	cag	gcgggca	cct	gcgtctc	cc	agtatgcc	3120
aact	ggctgg	tggt	gctgct	cct	cgtcac	tt	cctgctcg	tgg	ccaacat	cct	gctggtc	3180
aact	tgctca	ttg	ccatgtt	cag	ttacaca	tt	cggaag	tac	agggcaa	cag	cgatctc	3240
tact	ggaagg	cgc	agcggtta	ccg	cctcatc	cgg	gaattcc	act	ctcgcc	cgc	gctggcc	3300
ccg	cccttta	tcgt	catctc	cc	acttgcc	ct	cctgctca	gg	caattgtg	cag	gcgaccc	3360
cgg	agcccc	agc	gctcctc	ccc	ggccctc	gag	catttcc	ggg	tttacct	tt	ctaaggaa	3420
gcc	gagcgg	agt	gctaac	gtg	ggaatcg	gtg	cataagg	aga	actttct	gct	ggcacgc	3480
gct	agggaca	agc	gggagag	cg	actccgag	cgt	ctgaagc	gc	acgtccca	ga	aggtggac	3540
ttg	gactga	aac	agctggg	ac	acatccgc	gag	tacgaac	ag	cgcctgaa	agt	gctggag	3600
cggg	aggtcc	agc	agtgtag	ccg	cgctcctg	ggg	tgggtgg	ccg	agggccct	gag	ccgctct	3660
gcct	tgtctg	ccc	caggtgg	gcc	gccaccc	cct	gacctgc	ctg	gggtccaa	ag	actgagcc	3720
ctg	ctggcgg	act	tcaagga	ga	agccccca	cag	gggattt	tg	ctcctaga	gt	aaggctca	3780
tct	gggcctc	gg	cccccgca	cct	ggtggcc	ttg	tccttga	ggt	gagcccc	atg	tccatct	3840
ggg	ccactgt	cag	gaccacc	ttt	gggagtg	tc	atccttac	aa	accacagc	atg	ccccggct	3900
cct	cccagaa	cc	agtcccag	cct	gggagga	tca	aggcctg	gat	ccccggc	cg	tatccat	3960
ctg	gaggctg	cag	gggtcctt	ggg	gtaacag	gg	accacaga	cc	ctcacca	ct	cacagatt	4020
cct	cacactg	ggg	aaataaa	gcc	atttcag	agg	aaaaaaaa	a				4061

&lt;210&gt; 30

&lt;211&gt; 1214

&lt;212&gt; PRT

&lt;213&gt; Homo Sapiens

&lt;400&gt; 30

Met	Val	Val	Pro	Glu	Lys	Glu	Gln	Ser	Trp	Ile	Pro	Lys	Ile	Phe	Lys
1				5					10					15	
Lys	Lys	Thr	Cys	Thr	Thr	Phe	Ile	Val	Asp	Ser	Thr	Asp	Pro	Gly	Gly
			20					25					30		
Thr	Leu	Cys	Gln	Cys	Gly	Arg	Pro	Arg	Thr	Ala	His	Pro	Ala	Val	Ala
			35				40					45			
Met	Glu	Asp	Ala	Phe	Gly	Ala	Ala	Val	Val	Thr	Val	Trp	Asp	Ser	Asp
	50					55					60				
Ala	His	Thr	Thr	Glu	Lys	Pro	Thr	Asp	Ala	Tyr	Gly	Glu	Leu	Asp	Phe
65					70					75					80
Thr	Gly	Ala	Gly	Arg	Lys	His	Ser	Asn	Phe	Leu	Arg	Leu	Ser	Asp	Arg
				85				90						95	
Thr	Asp	Pro	Ala	Ala	Val	Tyr	Ser	Leu	Val	Thr	Arg	Thr	Trp	Gly	Phe
			100					105					110		
Arg	Ala	Pro	Asn	Leu	Val	Val	Ser	Val	Leu	Gly	Gly	Ser	Gly	Gly	Pro
		115					120					125			
Val	Leu	Gln	Thr	Trp	Leu	Gln	Asp	Leu	Leu	Arg	Arg	Gly	Leu	Val	Arg
	130					135					140				
Ala	Ala	Gln	Ser	Thr	Gly	Ala	Trp	Ile	Val	Thr	Gly	Gly	Leu	His	Thr
145					150					155					160
Gly	Ile	Gly	Arg	His	Val	Gly	Val	Ala	Val	Arg	Asp	His	Gln	Met	Ala
				165				170						175	
Ser	Thr	Gly	Gly	Thr	Lys	Val	Val	Ala	Met	Gly	Val	Ala	Pro	Trp	Gly
			180					185					190		
Val	Val	Arg	Asn	Arg	Asp	Thr	Leu	Ile	Asn	Pro	Lys	Gly	Ser	Phe	Pro
		195					200					205			
Ala	Arg	Tyr	Arg	Trp	Arg	Gly	Asp	Pro	Glu	Asp	Gly	Val	Gln	Phe	Pro
	210					215					220				
Leu	Asp	Tyr	Asn	Tyr	Ser	Ala	Phe	Phe	Leu	Val	Asp	Asp	Gly	Thr	His
225					230					235					240

-47-

Gly	Cys	Leu	Gly	Gly	Glu	Asn	Arg	Phe	Arg	Leu	Arg	Leu	Glu	Ser	Tyr	
				245					250					255		
Ile	Ser	Gln	Gln	Lys	Thr	Gly	Val	Gly	Gly	Thr	Gly	Ile	Asp	Ile	Pro	
			260					265					270			
Val	Leu	Leu	Leu	Leu	Ile	Asp	Gly	Asp	Glu	Lys	Met	Leu	Thr	Arg	Ile	
		275					280					285				
Glu	Asn	Ala	Thr	Gln	Ala	Gln	Leu	Pro	Cys	Leu	Leu	Val	Ala	Gly	Ser	
	290					295					300					
Gly	Gly	Ala	Ala	Asp	Cys	Leu	Ala	Glu	Thr	Leu	Glu	Asp	Thr	Leu	Ala	
305					310					315					320	
Pro	Gly	Ser	Gly	Gly	Ala	Arg	Gln	Gly	Glu	Ala	Arg	Asp	Arg	Ile	Arg	
				325				330						335		
Arg	Phe	Phe	Pro	Lys	Gly	Asp	Leu	Glu	Val	Leu	Gln	Ala	Gln	Val	Glu	
			340					345					350			
Arg	Ile	Met	Thr	Arg	Lys	Glu	Leu	Leu	Thr	Val	Tyr	Ser	Ser	Glu	Asp	
		355				360						365				
Gly	Ser	Glu	Glu	Phe	Glu	Thr	Ile	Val	Leu	Lys	Ala	Leu	Val	Lys	Ala	
	370					375					380					
Cys	Gly	Ser	Ser	Glu	Ala	Ser	Ala	Tyr	Leu	Asp	Glu	Leu	Arg	Leu	Ala	
385					390					395					400	
Val	Ala	Trp	Asn	Arg	Val	Asp	Ile	Ala	Gln	Ser	Glu	Leu	Phe	Arg	Gly	
			405					410						415		
Asp	Ile	Gln	Trp	Arg	Ser	Phe	His	Leu	Glu	Ala	Ser	Leu	Met	Asp	Ala	
		420					425						430			
Leu	Leu	Asn	Asp	Arg	Pro	Glu	Phe	Val	Arg	Leu	Leu	Ile	Ser	His	Gly	
		435				440						445				
Leu	Ser	Leu	Gly	His	Phe	Leu	Thr	Pro	Met	Arg	Leu	Ala	Gln	Leu	Tyr	
	450				455					460						
Ser	Ala	Ala	Pro	Ser	Asn	Ser	Leu	Ile	Arg	Asn	Leu	Leu	Asp	Gln	Ala	
465					470					475					480	
Ser	His	Ser	Ala	Gly	Thr	Lys	Ala	Pro	Ala	Leu	Lys	Gly	Gly	Ala	Ala	
			485					490						495		
Glu	Leu	Arg	Pro	Pro	Asp	Val	Gly	His	Val	Leu	Arg	Met	Leu	Leu	Gly	
			500				505						510			
Lys	Met	Cys	Ala	Pro	Arg	Tyr	Pro	Ser	Gly	Gly	Ala	Trp	Asp	Pro	His	
	515					520						525				
Pro	Gly	Gln	Gly	Phe	Gly	Glu	Ser	Met	Tyr	Leu	Leu	Ser	Asp	Lys	Ala	
	530				535					540						
Thr	Ser	Pro	Leu	Ser	Leu	Asp	Ala	Gly	Leu	Gly	Gln	Ala	Pro	Trp	Ser	
545					550					555					560	
Asp	Leu	Leu	Leu	Trp	Ala	Leu	Leu	Leu	Asn	Arg	Ala	Gln	Met	Ala	Met	
			565						570					575		
Tyr	Phe	Trp	Glu	Met	Gly	Ser	Asn	Ala	Val	Ser	Ser	Ala	Leu	Gly	Ala	
			580				585						590			
Cys	Leu	Leu	Leu	Arg	Val	Met	Ala	Arg	Leu	Glu	Pro	Asp	Ala	Glu	Glu	
	595					600						605				
Ala	Ala	Arg	Arg	Lys	Asp	Leu	Ala	Phe	Lys	Phe	Glu	Gly	Met	Gly	Val	
	610				615						620					
Asp	Leu	Phe	Gly	Glu	Cys	Tyr	Arg	Ser	Ser	Glu	Val	Arg	Ala	Ala	Arg	
625					630					635				640		
Leu	Leu	Leu	Arg	Arg	Cys	Pro	Leu	Trp	Gly	Asp	Ala	Thr	Cys	Leu	Gln	
			645						650					655		
Leu	Ala	Met	Gln	Ala	Asp	Ala	Arg	Ala	Phe	Phe	Ala	Gln	Asp	Gly	Val	
		660				665							670			
Gln	Ser	Leu	Leu	Thr	Gln	Lys	Trp	Trp	Gly	Asp	Met	Ala	Ser	Thr	Thr	
	675					680						685				
Pro	Ile	Trp	Ala	Leu	Val	Leu	Ala	Phe	Phe	Cys	Pro	Pro	Leu	Ile	Tyr	
	690					695				700						
Thr	Arg	Leu	Ile	Thr	Phe	Arg	Lys	Ser	Glu	Glu	Glu	Pro	Thr	Arg	Glu	
705					710					715					720	

-48-

Glu	Leu	Glu	Phe	Asp	Met	Asp	Ser	Val	Ile	Asn	Gly	Glu	Gly	Pro	Val
				725					730					735	
Gly	Thr	Ala	Asp	Pro	Ala	Glu	Lys	Thr	Pro	Leu	Gly	Val	Pro	Arg	Gln
			740					745						750	
Ser	Gly	Arg	Pro	Gly	Cys	Cys	Gly	Gly	Arg	Cys	Gly	Gly	Arg	Arg	Cys
		755					760					765			
Leu	Arg	Arg	Trp	Phe	His	Phe	Trp	Gly	Ala	Pro	Val	Thr	Ile	Phe	Met
	770					775					780				
Gly	Asn	Val	Val	Ser	Tyr	Leu	Leu	Phe	Leu	Leu	Leu	Phe	Ser	Arg	Val
785					790					795					800
Leu	Leu	Val	Asp	Phe	Gln	Pro	Ala	Pro	Pro	Gly	Ser	Leu	Glu	Leu	Leu
				805					810						815
Leu	Tyr	Phe	Trp	Ala	Phe	Thr	Leu	Leu	Cys	Glu	Glu	Leu	Arg	Gln	Gly
			820					825						830	
Leu	Ser	Gly	Gly	Gly	Gly	Ser	Leu	Ala	Ser	Gly	Gly	Pro	Gly	Pro	Gly
		835					840					845			
His	Ala	Ser	Leu	Ser	Gln	Arg	Leu	Arg	Leu	Tyr	Leu	Ala	Asp	Ser	Trp
	850					855					860				
Asn	Gln	Cys	Asp	Leu	Val	Ala	Leu	Thr	Cys	Phe	Leu	Leu	Gly	Val	Gly
865					870					875					880
Cys	Arg	Leu	Thr	Pro	Gly	Leu	Tyr	His	Leu	Gly	Arg	Thr	Val	Leu	Cys
				885					890						895
Ile	Asp	Phe	Met	Val	Phe	Thr	Val	Arg	Leu	Leu	His	Ile	Phe	Thr	Val
			900					905						910	
Asn	Lys	Gln	Leu	Gly	Pro	Lys	Ile	Val	Ile	Val	Ser	Lys	Met	Met	Lys
		915					920						925		
Asp	Val	Phe	Phe	Phe	Leu	Phe	Phe	Leu	Gly	Val	Trp	Leu	Val	Ala	Tyr
	930					935					940				
Gly	Val	Ala	Thr	Glu	Gly	Leu	Leu	Arg	Pro	Arg	Asp	Ser	Asp	Phe	Pro
945					950					955					960
Ser	Ile	Leu	Arg	Arg	Val	Phe	Tyr	Arg	Pro	Tyr	Leu	Gln	Ile	Phe	Gly
				965					970					975	
Gln	Ile	Pro	Gln	Glu	Asp	Met	Asp	Val	Ala	Leu	Met	Glu	His	Ser	Asn
			980					985						990	
Cys	Ser	Ser	Glu	Pro	Gly	Phe	Trp	Ala	His	Pro	Pro	Gly	Ala	Gln	Ala
		995					1000						1005		
Gly	Thr	Cys	Val	Ser	Gln	Tyr	Ala	Asn	Trp	Leu	Val	Val	Leu	Leu	Leu
	1010					1015						1020			
Val	Ile	Phe	Leu	Leu	Val	Ala	Asn	Ile	Leu	Leu	Val	Asn	Leu	Leu	Ile
1025					1030					1035					1040
Ala	Met	Phe	Ser	Tyr	Thr	Phe	Gly	Lys	Val	Gln	Gly	Asn	Ser	Asp	Leu
				1045					1050					1055	
Tyr	Trp	Lys	Ala	Gln	Arg	Tyr	Arg	Leu	Ile	Arg	Glu	Phe	His	Ser	Arg
			1060					1065						1070	
Pro	Ala	Leu	Ala	Pro	Pro	Phe	Ile	Val	Ile	Ser	His	Leu	Arg	Leu	Leu
	1075					1080							1085		
Leu	Arg	Gln	Leu	Cys	Arg	Arg	Pro	Arg	Ser	Pro	Gln	Pro	Ser	Ser	Pro
	1090					1095						1100			
Ala	Leu	Glu	His	Phe	Arg	Val	Tyr	Leu	Ser	Lys	Glu	Ala	Glu	Arg	Lys
1105					1110					1115					1120
Leu	Leu	Thr	Trp	Glu	Ser	Val	His	Lys	Glu	Asn	Phe	Leu	Leu	Ala	Arg
				1125					1130					1135	
Ala	Arg	Asp	Lys	Arg	Glu	Ser	Asp	Ser	Glu	Arg	Leu	Lys	Arg	Thr	Ser
			1140					1145						1150	
Gln	Lys	Val	Asp	Leu	Ala	Leu	Lys	Gln	Leu	Gly	His	Ile	Arg	Glu	Tyr
		1155					1160						1165		
Glu	Gln	Arg	Leu	Lys	Val	Leu	Glu	Arg	Glu	Val	Gln	Gln	Cys	Ser	Arg
	1170					1175					1180				
Val	Leu	Gly	Trp	Val	Ala	Glu	Ala	Leu	Ser	Arg	Ser	Ala	Leu	Leu	Pro
1185					1190					1195					1200

Pro Gly Gly Pro Pro Pro Pro Asp Leu Pro Gly Ser Lys Asp  
1205 1210

<210> 31  
<211> 4646  
<212> DNA  
<213> Homo Sapiens

<400> 31

tcgacccacg	cgctccgccc	cgcgctccgc	cacgcgtccg	cccacgcgtc	cgcccacgcg	60
tccgcccacg	cgctccgggt	gaaagmramy	cmygcktsms	aaaaaccgtc	acttaggaaa	120
agatgtcctt	tccggcagcc	aggctcagca	tgaggaaacag	aaggaaatgac	actctggaca	180
gcacccggac	cctgtactcc	agcgcgtctc	ggagcacaga	cttgtcttac	agtgaagcg	240
acttggtgaa	ttttattcaa	gcaaatttta	agaaacgaga	atgtgtcttc	tttaccaaag	300
attccaaggc	cacggagaat	gtgtgcaagt	gtggctatgc	ccagagccag	cacatggaag	360
gcacccagat	caaccaaagt	gagaaatgga	actacaagaa	acacaccaag	gaatttccta	420
ccgacgcctt	tggggatatt	cagtttgaga	cactggggaa	gaaaggggaag	tatatacgtc	480
tgtcctgcga	cacggacgcg	gaaatccttt	acgagctgct	gacccagcac	tggcacctga	540
aaacacccaa	cctggtcatt	tctgtgaccg	ggggcgccaa	gaacttcgcc	ctgaagccgc	600
gcatgcgcaa	gatcttcagc	cggctcatct	acatcgcgca	gtccaaaggt	gcttggattc	660
tcacgggagg	cacccattat	ggcctgatga	agtacatcgg	ggagggtggtg	agagataaca	720
ccatcagcag	gagttcagag	gagaatattg	tggccattgg	catagcagct	tggggcatgg	780
tctccaaccg	ggacaccctc	atcaggaatt	gcgatgctga	gggctatttt	ttagcccagt	840
accttatgga	tgacttcaca	agagatccac	tgtgtatcct	ggacaacaac	cacacacatt	900
tgctgctcgt	ggacaatggc	tgtcatggac	atcccactgt	cgaagcaaag	ctccggaatc	960
agctagagaa	gtatatctct	gagcgcacta	ttcaagattc	caactatggt	ggcaagatcc	1020
ccattgtgtg	ttttgcccaa	ggaggtggaa	aagagacttt	gaaagccatc	aatacctcca	1080
tcaaaaataa	aattccttgt	gtggtgggtg	aaggctcggg	ccagatcgct	gatgtgatcg	1140
ctagcctggt	ggaggtggag	gatgccctga	catcttctgc	cgtcaaggag	aagctgggtg	1200
gctttttacc	ccgcacggtg	tcccggctgc	ctgaggagga	gactgagagt	tggatcaaat	1260
ggctcaaaga	aattctcgaa	tgttctcacc	tattaacagt	tattaaaatg	gaagaagctg	1320
gggatgaaat	tgtgagcaat	gccatctcct	acgctctata	caaagccttc	agcaccagtg	1380
agcaagacaa	ggataactgg	aatgggcagc	tgaagcttct	gctggagtgg	aaccagctgg	1440
acttagccaa	tgatgagatt	ttcaccaatg	accgccgatg	ggagtctgct	gaccttcaag	1500
aagtcatgtt	tacggctctc	ataaaggaca	gacccaagtt	tgteccgctc	tttctggaga	1560
atggcttgaa	cctacggaag	tttctcacc	atgatgtcct	caactgaactc	ttctccaacc	1620
acttcagcac	gcttgtgtac	cggaatctgc	agatcgccaa	gaattcctat	aatgatgcc	1680
tcctcacgtt	tgtctggaaa	ctggttgcca	acttcggaag	aggcttccgg	aaggagaca	1740
gaaatggccg	ggacgagatg	gacatagaac	tccacgacgt	gtctcctatt	actcggcacc	1800
ccctgcaagc	tctcttcate	tgggccattc	ttcagaataa	gaaggaactc	tccaaagtca	1860
tttgggagca	gaccaggggc	tgcactctgg	cagccctggg	agccagcaag	cttctgaaga	1920
ctctggccaa	agtgaagaac	gacatcaatg	ctgctgggga	gtccgaggag	ctggctaattg	1980
agtacgagac	ccgggctgtt	gagctgttca	ctgagtgtta	cagcagcgat	gaagacttgg	2040
cagaacagct	gctgggtctat	tcctgtgaag	cttgggggtg	aagcaactgt	ctggagctgg	2100
cggtggaggc	cacagaccag	catttcacgc	cccagcctgg	ggtccagaat	tttctttcta	2160
agcaatggta	tggagagatt	tcccagagaca	ccaagaactg	gaagattatc	ctgtgtctgt	2220
ttattatacc	cttgggtggc	tgtggctttg	tatcatttag	gaagaaacct	gtcgacaagc	2280
acaagaagct	gcttttggtac	tatgtggcgt	tcttcacctc	ccccttcgtg	gtcttctcct	2340
ggaatgtggt	cttctacatc	gccttcctcc	tgtgttttgc	ctacgtgctg	ctcatggatt	2400
tccattcggg	gccacacccc	cccagactgg	tctgtactc	gctggctctt	gtcctcttct	2460
gtgatgaagt	gagacagtgg	tacgtaaagt	gggtgaatta	ttttactgac	ctgtggaatg	2520
tgatggacac	gctggggctt	ttttacttca	tagcaggaat	tgtatttcgg	ctccactctt	2580
ctaataaaag	ctctttgtat	tctggacgag	tcatthttctg	tctggactac	attataattgc	2640
ctctaagatt	gatccacatt	tttactgtaa	gcagaaactt	aggacccaag	attataattgc	2700
tgacagaggat	gctgatcgat	gtgttcttct	tctgttctct	ctttgcggtg	tggatgggtg	2760
cctttggcgt	ggccaggcaa	gggatcctta	ggcagaaatga	gcagcgctgg	aggtggatat	2820
tccgttcggt	catctacgag	ccctacctgg	ccatgttcgg	ccaggtgccc	agtgcgtgg	2880
atggtaccac	gtatgacttt	gcccactgca	ccttcactgg	gaatgagtc	aagccactgt	2940
gtgtggagct	ggatgagcac	aacctgcccc	ggttccccga	gtggatcacc	atccccctgg	3000
tgtgcatcta	catgttatcc	accaacatcc	tgctggtcaa	cctgctggtc	gccatgtttg	3060

-50-

```

gctacacggt gggcaccgtc caggagaaca atgaccaggt ctggaagttc cagagggtact 3120
tcctgggtgca ggagtactgc agccgcctca atatccccctt ccccttcctc gtcttcgctt 3180
acttctacat ggtggtgaag aagtgttca agtgttgctg caaggagaaa aacatggagt 3240
cttctgtctg ctgtttcaaa aatgaagaca atgagactct ggcatgggag ggtgtcatga 3300
agggaaaacta ccttgtcaag atcaacacaa aagccaacga cacctcagag gaaatgaggc 3360
atcgatttag acaactggat acaaagctta atgatctcaa ggtcttctg aaagagattg 3420
ctaataaaaat caaataaaaac tgtatgaact ctaatggaga aaaatctaata tatagcaaga 3480
tcatattaag gaatgctgat gaacaatttt gctatcgact actaaatgag agattttcag 3540
acccctgggt acatggtgga tgattttaaa tcaccctagt gtgctgagac cttgagaata 3600
aagtgtgtga ttggtttcat acttgaagac ggatataaaag gaagaatatt tcctttatgt 3660
gtttctccag aatggtgcct gtttctctct gtgtctcaat gcctgggact ggaggttgat 3720
agtttaagtg tgttcttacc gcctcctttt tcctttaatc ttatttttga tgaacacata 3780
tataggagaa catctatcct atgaataaga acctggctcat gctttactcc tgtattgtta 3840
ttttgttcat ttccaattga ttctctactt ttcccttttt tgtattatgt gactaattag 3900
ttggcatatt gtwaaaagtc tctcaaatta ggccagattc taaaacatgc tgcagcaaga 3960
ggaccccgct ctcttcagga aaagtgtttt catttctcag gatgtctctt acctgtcaga 4020
ggaggtgaca aggcagtctc ttgctctctt ggactcacca ggctcctatt gaaggaacca 4080
ccccattcc taaatatgtg aaaagtcgcc caaaatgcaa ccttgaaagg cactactgac 4140
tttgttctta ttggatactc ctcttattta ttatttttcc attaaaaata atagctggct 4200
attatagaaa atttagacca tacagagatg tagaaagaac ataaattgtc cccattacct 4260
taaggtaatc actgctaaca atttctggat ggtttttcaa gtctattttt ttctatgta 4320
tgtctcaatt ctctttcaaa attttacaga atgttatcat actacatata tactttttat 4380
gtaagctttt tcacttagta ttttatcaaa tatgttttta ttatattcat agccttctta 4440
aacattatat caataattgc ataataggca acctctagcg attaccataa ttttgctcat 4500
tgaaggctat ctccagttga tcattgggat gagcatcttt gtgcatgaat cctattgctg 4560
tatttgggaa aattttccaa ggttagattc caataaatat ctatttatta ttaaaaaaaa 4620
aaaaaaaaag gcggccgctc tagagt 4646

```

&lt;210&gt; 32

&lt;211&gt; 1104

&lt;212&gt; PRT

&lt;213&gt; Homo Sapiens

&lt;400&gt; 32

```

Met Ser Phe Arg Ala Ala Arg Leu Ser Met Arg Asn Arg Arg Asn Asp
1      5      10      15
Thr Leu Asp Ser Thr Arg Thr Leu Tyr Ser Ser Ala Ser Arg Ser Thr
20
Asp Leu Ser Tyr Ser Glu Ser Asp Leu Val Asn Phe Ile Gln Ala Asn
35      40      45
Phe Lys Lys Arg Glu Cys Val Phe Phe Thr Lys Asp Ser Lys Ala Thr
50      55      60
Glu Asn Val Cys Lys Cys Gly Tyr Ala Gln Ser Gln His Met Glu Gly
65      70      75      80
Thr Gln Ile Asn Gln Ser Glu Lys Trp Asn Tyr Lys Lys His Thr Lys
85      90      95
Glu Phe Pro Thr Asp Ala Phe Gly Asp Ile Gln Phe Glu Thr Leu Gly
100      105      110
Lys Lys Gly Lys Tyr Ile Arg Leu Ser Cys Asp Thr Asp Ala Glu Ile
115      120      125
Leu Tyr Glu Leu Leu Thr Gln His Trp His Leu Lys Thr Pro Asn Leu
130      135      140
Val Ile Ser Val Thr Gly Gly Ala Lys Asn Phe Ala Leu Lys Pro Arg
145      150      155      160
Met Arg Lys Ile Phe Ser Arg Leu Ile Tyr Ile Ala Gln Ser Lys Gly
165      170      175
Ala Trp Ile Leu Thr Gly Gly Thr His Tyr Gly Leu Met Lys Tyr Ile
180      185      190
Gly Glu Val Val Arg Asp Asn Thr Ile Ser Arg Ser Ser Glu Glu Asn
195      200      205

```

-51-

Ile	Val	Ala	Ile	Gly	Ile	Ala	Ala	Trp	Gly	Met	Val	Ser	Asn	Arg	Asp
210						215					220				
Thr	Leu	Ile	Arg	Asn	Cys	Asp	Ala	Glu	Gly	Tyr	Phe	Leu	Ala	Gln	Tyr
225					230					235					240
Leu	Met	Asp	Asp	Phe	Thr	Arg	Asp	Pro	Leu	Cys	Ile	Leu	Asp	Asn	Asn
				245					250					255	
His	Thr	His	Leu	Leu	Leu	Val	Asp	Asn	Gly	Cys	His	Gly	His	Pro	Thr
			260				265						270		
Val	Glu	Ala	Lys	Leu	Arg	Asn	Gln	Leu	Glu	Lys	Tyr	Ile	Ser	Glu	Arg
	275						280					285			
Thr	Ile	Gln	Asp	Ser	Asn	Tyr	Gly	Gly	Lys	Ile	Pro	Ile	Val	Cys	Phe
	290					295					300				
Ala	Gln	Gly	Gly	Gly	Lys	Glu	Thr	Leu	Lys	Ala	Ile	Asn	Thr	Ser	Ile
305					310					315					320
Lys	Asn	Lys	Ile	Pro	Cys	Val	Val	Val	Glu	Gly	Ser	Gly	Gln	Ile	Ala
				325					330					335	
Asp	Val	Ile	Ala	Ser	Leu	Val	Glu	Val	Glu	Asp	Ala	Leu	Thr	Ser	Ser
			340					345					350		
Ala	Val	Lys	Glu	Lys	Leu	Val	Arg	Phe	Leu	Pro	Arg	Thr	Val	Ser	Arg
	355						360					365			
Leu	Pro	Glu	Glu	Glu	Thr	Glu	Ser	Trp	Ile	Lys	Trp	Leu	Lys	Glu	Ile
	370					375					380				
Leu	Glu	Cys	Ser	His	Leu	Leu	Thr	Val	Ile	Lys	Met	Glu	Glu	Ala	Gly
385					390					395					400
Asp	Glu	Ile	Val	Ser	Asn	Ala	Ile	Ser	Tyr	Ala	Leu	Tyr	Lys	Ala	Phe
				405					410					415	
Ser	Thr	Ser	Glu	Gln	Asp	Lys	Asp	Asn	Trp	Asn	Gly	Gln	Leu	Lys	Leu
			420					425					430		
Leu	Leu	Glu	Trp	Asn	Gln	Leu	Asp	Leu	Ala	Asn	Asp	Glu	Ile	Phe	Thr
	435						440					445			
Asn	Asp	Arg	Arg	Trp	Glu	Ser	Ala	Asp	Leu	Gln	Glu	Val	Met	Phe	Thr
	450					455					460				
Ala	Leu	Ile	Lys	Asp	Arg	Pro	Lys	Phe	Val	Arg	Leu	Phe	Leu	Glu	Asn
465					470					475					480
Gly	Leu	Asn	Leu	Arg	Lys	Phe	Leu	Thr	His	Asp	Val	Leu	Thr	Glu	Leu
				485					490					495	
Phe	Ser	Asn	His	Phe	Ser	Thr	Leu	Val	Tyr	Arg	Asn	Leu	Gln	Ile	Ala
			500					505					510		
Lys	Asn	Ser	Tyr	Asn	Asp	Ala	Leu	Leu	Thr	Phe	Val	Trp	Lys	Leu	Val
	515						520					525			
Ala	Asn	Phe	Arg	Arg	Gly	Phe	Arg	Lys	Glu	Asp	Arg	Asn	Gly	Arg	Asp
	530					535					540				
Glu	Met	Asp	Ile	Glu	Leu	His	Asp	Val	Ser	Pro	Ile	Thr	Arg	His	Pro
545					550					555					560
Leu	Gln	Ala	Leu	Phe	Ile	Trp	Ala	Ile	Leu	Gln	Asn	Lys	Lys	Glu	Leu
				565					570					575	
Ser	Lys	Val	Ile	Trp	Glu	Gln	Thr	Arg	Gly	Cys	Thr	Leu	Ala	Ala	Leu
			580					585					590		
Gly	Ala	Ser	Lys	Leu	Leu	Lys	Thr	Leu	Ala	Lys	Val	Lys	Asn	Asp	Ile
	595						600					605			
Asn	Ala	Ala	Gly	Glu	Ser	Glu	Glu	Leu	Ala	Asn	Glu	Tyr	Glu	Thr	Arg
	610					615					620				
Ala	Val	Glu	Leu	Phe	Thr	Glu	Cys	Tyr	Ser	Ser	Asp	Glu	Asp	Leu	Ala
625					630					635					640
Glu	Gln	Leu	Leu	Val	Tyr	Ser	Cys	Glu	Ala	Trp	Gly	Gly	Ser	Asn	Cys
				645					650					655	
Leu	Glu	Leu	Ala	Val	Glu	Ala	Thr	Asp	Gln	His	Phe	Ile	Ala	Gln	Pro
			660					665					670		
Gly	Val	Gln	Asn	Phe	Leu	Ser	Lys	Gln	Trp	Tyr	Gly	Glu	Ile	Ser	Arg
	675						680					685			



-52-

Asp	Thr	Lys	Asn	Trp	Lys	Ile	Ile	Leu	Cys	Leu	Phe	Ile	Ile	Pro	Leu
690						695					700				
Val	Gly	Cys	Gly	Phe	Val	Ser	Phe	Arg	Lys	Lys	Pro	Val	Asp	Lys	His
705					710					715					720
Lys	Lys	Leu	Leu	Trp	Tyr	Tyr	Val	Ala	Phe	Phe	Thr	Ser	Pro	Phe	Val
				725					730					735	
Val	Phe	Ser	Trp	Asn	Val	Val	Phe	Tyr	Ile	Ala	Phe	Leu	Leu	Leu	Phe
			740					745					750		
Ala	Tyr	Val	Leu	Leu	Met	Asp	Phe	His	Ser	Val	Pro	His	Pro	Pro	Glu
		755					760					765			
Leu	Val	Leu	Tyr	Ser	Leu	Val	Phe	Val	Leu	Phe	Cys	Asp	Glu	Val	Arg
770						775					780				
Gln	Trp	Tyr	Val	Asn	Gly	Val	Asn	Tyr	Phe	Thr	Asp	Leu	Trp	Asn	Val
785					790					795					800
Met	Asp	Thr	Leu	Gly	Leu	Phe	Tyr	Phe	Ile	Ala	Gly	Ile	Val	Phe	Arg
				805					810					815	
Leu	His	Ser	Ser	Asn	Lys	Ser	Ser	Leu	Tyr	Ser	Gly	Arg	Val	Ile	Phe
			820					825					830		
Cys	Leu	Asp	Tyr	Ile	Ile	Phe	Thr	Leu	Arg	Leu	Ile	His	Ile	Phe	Thr
		835					840					845			
Val	Ser	Arg	Asn	Leu	Gly	Pro	Lys	Ile	Ile	Met	Leu	Gln	Arg	Met	Leu
		850				855					860				
Ile	Asp	Val	Phe	Phe	Phe	Leu	Phe	Leu	Phe	Ala	Val	Trp	Met	Val	Ala
865					870					875					880
Phe	Gly	Val	Ala	Arg	Gln	Gly	Ile	Leu	Arg	Gln	Asn	Glu	Gln	Arg	Trp
				885					890					895	
Arg	Trp	Ile	Phe	Arg	Ser	Val	Ile	Tyr	Glu	Pro	Tyr	Leu	Ala	Met	Phe
			900					905					910		
Gly	Gln	Val	Pro	Ser	Asp	Val	Asp	Gly	Thr	Thr	Tyr	Asp	Phe	Ala	His
		915					920					925			
Cys	Thr	Phe	Thr	Gly	Asn	Glu	Ser	Lys	Pro	Leu	Cys	Val	Glu	Leu	Asp
		930				935					940				
Glu	His	Asn	Leu	Pro	Arg	Phe	Pro	Glu	Trp	Ile	Thr	Ile	Pro	Leu	Val
945					950					955					960
Cys	Ile	Tyr	Met	Leu	Ser	Thr	Asn	Ile	Leu	Leu	Val	Asn	Leu	Leu	Val
				965					970					975	
Ala	Met	Phe	Gly	Tyr	Thr	Val	Gly	Thr	Val	Gln	Glu	Asn	Asn	Asp	Gln
			980					985					990		
Val	Trp	Lys	Phe	Gln	Arg	Tyr	Phe	Leu	Val	Gln	Glu	Tyr	Cys	Ser	Arg
		995					1000					1005			
Leu	Asn	Ile	Pro	Phe	Pro	Phe	Ile	Val	Phe	Ala	Tyr	Phe	Tyr	Met	Val
		1010				1015					1020				
Val	Lys	Lys	Cys	Phe	Lys	Cys	Cys	Cys	Lys	Glu	Lys	Asn	Met	Glu	Ser
1025					1030					1035					104
Ser	Val	Cys	Cys	Phe	Lys	Asn	Glu	Asp	Asn	Glu	Thr	Leu	Ala	Trp	Glu
				1045					1050					1055	
Gly	Val	Met	Lys	Glu	Asn	Tyr	Leu	Val	Lys	Ile	Asn	Thr	Lys	Ala	Asn
			1060					1065					1070		
Asp	Thr	Ser	Glu	Glu	Met	Arg	His	Arg	Phe	Arg	Gln	Leu	Asp	Thr	Lys
		1075					1080					1085			
Leu	Asn	Asp	Leu	Lys	Gly	Leu	Leu	Lys	Glu	Ile	Ala	Asn	Lys	Ile	Lys
		1090				1095					1100				

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US 99/29996

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07K14/705 C12N15/12 C12Q1/68 C12N5/10 C07K16/28  
G01N33/53 A61K38/17

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K C12Q A61K G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

BIOSIS, EPO-Internal, WPI Data, PAJ, MEDLINE, SCISEARCH, EMBASE, BIOTECHNOLOGY  
ABS, CHEM ABS Data, STRAND, GENSEQ, EMBL

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE GENEMBL 'Online! 16 February 1998 (1998-02-16) STRAUSBERG, R.: "ob70f05.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1336737 3', mRNA sequence" XP002138823 Accession AA809355	1,2, 6-19, 25-35
X	DATABASE GENEMBL 'Online! 10 July 1998 (1998-07-10) MARRA ET AL.: "ub28d10.r1 Soares 2NbMT Mus musculus cDNA clone IMAGE:1379059 5' mRNA sequence" XP002149803 Accession AI050262	1,6-19, 25-35
	--- -/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*Z\* document member of the same patent family

Date of the actual completion of the international search

16 October 2000

Date of mailing of the international search report

30. 10. 00

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

ALCONADA RODRIG., A

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/29996

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE GENEMBL 'Online!  19 July 1997 (1997-07-19)  STRAUSBERG, R.: "ni64ell.s1 NCI_CGAP_Pr12  Homo sapiens cDNA clone IMAGE:981644 mRNA  sequence"  XP002148641  Accession AA523749</p>	<p>1,3,  10-19,  25-35</p>
X	<p>WO 98 15657 A (ABBOTT LAB)  16 April 1998 (1998-04-16)</p>	<p>1,4,  6-19,  25-35</p>
Y	<p>page 4, line 7 -page 5, line 13  page 5, line 24 -page 7, line 28  SEQ ID NOs. 9 and 25</p>	<p>20-24</p>
X	<p>WO 98 37093 A (CORIXA CORP)  27 August 1998 (1998-08-27)</p>	<p>1,4,  6-19,  25-35</p>
Y	<p>page 7, paragraph 2  page 9, paragraphs 2,3  page 13 -page 17  page 21, paragraph 3  SEQ ID NOs: 109 and 112</p>	<p>20-24</p>
X	<p>DATABASE GENEMBL 'Online!  18 November 1997 (1997-11-18)  STRAUSBERG, R.: "nt76b07.s1 NCI_CGAP_Pr3  Homo sapiens cDNA clone IMAGE:1204405,  mRNA"  XP002148642  Accession AA654650</p>	<p>1,5-19,  25-35</p>
Y	<p>Accession AA654650</p>	<p>20-24</p>
Y	<p>DATABASE GENEMBL 'Online!  30 November 1998 (1998-11-30)  SHIMIZU, N.: "Homo sapiens mRNA complete  cds."  XP002148643  Accession number AB001535  -&amp; NAGAMINE ET AL.: "Molecular cloning of  a novel putative Ca<sup>2+</sup> channel protein  (TRPC7) highly expressed in brain"  GENOMICS,  vol. 54, 15 November 1998 (1998-11-15),  pages 124-131, XP000938744  the whole document</p>	<p>20-24</p>

-/--

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/29996

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	ZHU, XI ET AL: "Molecular cloning of a widely expressed human homologue for the Drosophila trp gene." FEBS LETTERS, (1995) VOL. 373, NO. 3, PP. 193-198., XP000907241 page 194; figures 1,3	20,21, 23,25, 26,28, 29,31
A	HUNTER JOHN J ET AL: "Chromosomal localization and genomic characterization of the mouse melastatin gene (Mln1)." GENOMICS NOV. 15, 1998, vol. 54, no. 1, 15 November 1998 (1998-11-15), pages 116-123, XP000910696 ISSN: 0888-7543 cited in the application page 119; figure 2	20,21,23
A	WES PAUL D ET AL: "TRPC1, a human homolog of a Drosophila store-operated channel." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA 1995, vol. 92, no. 21, 1995, pages 9652-9656, XP002138820 ISSN: 0027-8424 the whole document	20,21, 23,25, 26,28, 29,31
A	ZHU, XI ET AL: "Trp, A novel mammalian gene family essential for agonist-activated capacitative Ca-2+ entry." CELL, vol. 85, no. 5, 1996, pages 661-671, XP000907242 page 662 page 665 figures 1,5,6	20,21, 25,26, 28,29,31
A	GARCIA REYNALDO L ET AL: "Differential expression of mammalian TRP homologues across tissues and cell lines." BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS 1997, vol. 239, no. 1, 1997, pages 279-283, XP002138822 ISSN: 0006-291X See Materials and Methods figure 1	25,26, 28-30
	-/-	

# INTERNATIONAL SEARCH REPORT

In ternational Application No

PCT/US 99/29996

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>SINKINS WILLIAM G ET AL: "Functional expression of TrpC1: A human homologue of the Drosophila Trp channel."            BIOCHEMICAL JOURNAL APRIL, 1998, vol. 331, no. 1, April 1998 (1998-04), pages 331-339, XP000864583            ISSN: 0264-6021            page 333-335; figures 3-5</p>	24
A	<p>PREUSS KLAUS-DIETER ET AL: "Expression and characterization of a trpl homolog from rat."            BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS NOV. 7, 1997, vol. 240, no. 1, 7 November 1997 (1997-11-07), pages 167-172, XP002138821            ISSN: 0006-291X            figure 2</p>	24
A	<p>OBUKHOV, ALEXANDER G. ET AL: "Direct activation of trpl cation channels by G-alpha-11 subunits."            EMBO (EUROPEAN MOLECULAR BIOLOGY ORGANIZATION) JOURNAL, (1996) VOL. 15, NO. 21, PP. 5833-5838.,            XP000907243            figure 2</p>	24
P,X	<p>WO 99 09199 A (RYAZANOV ALEXEY G ;PAVUR KAREN S (US); HAIT WILLIAM N (US); UNIV M) 25 February 1999 (1999-02-25)            see melanome kinase polynucleotide and polypeptide sequences on page 16-17</p>	1,3, 10-19, 25-36
P,X	<p>WO 99 09166 A (SHAPERO MICHAEL H ;DENDREON CORP (US); LAUS REINER (US); TSAVALER) 25 February 1999 (1999-02-25)            page 17, line 24 -page 18, line 9            page 25, line 19-32            page 28, line 1-4            SEQ ID NOs: 27, 28 and 31.</p>	1,5-19, 25-35
T	<p>SCHARENBERG A M ET AL: "MLSN-1/SOC-1 defines a widely expressed Ca2+/cation channel family involved in Ca2+ homeostasis and store-operated Ca2+ signaling."            FIFTY-THIRD ANNUAL MEETING OF THE SOCIETY OF GENERAL PHYSIOLOGISTS;WOODS HOLE, MASSACHUSETTS, USA; SEPTEMBER 9-11, 1999, vol. 114, no. 1, July 1999 (1999-07), page 14a XP000910708            Journal of General Physiology July, 1999            ISSN: 0022-1295</p>	

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US 99/29996

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

As a result of the prior review under R. 40.2(e) PCT,  
no additional fees are to be refunded.

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☒ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:  
1-36
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☒ The additional search fees were accompanied by the applicant's protest.  
☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

## Continuation of Box I.2

Present claims 1-5, 10-13, 16-19, 32-35 relate to an extremely large number of possible polynucleotides, polypeptides encoded by them, binding polypeptides, and kits and pharmaceutical compositions containing said polypeptides and polynucleotides. Support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to the polynucleotide of SEQ ID NOs: 1, 27, 29 and 31 and the corresponding polypeptide of SEQ ID NOs: 2, 28, 30 and 32.

Present claims 16 and 17 relate to an extremely large number of possible compounds, namely, a polypeptide that binds to the polypeptide of the invention. Support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to an antibody, antibody fragment, F(ab)<sub>2</sub> fragment or a fragment including a CDR3 region selective for the polypeptides of the invention.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1, 6-36 (partially) and 2 (complete)

An isolated nucleic acid molecule comprising a nucleic acid molecule that hybridizes to a nucleic acid molecule of SEQ ID NO:1 and which code for a SOC/CRAC polypeptide, nucleic acid molecules that differ in codon sequence due to degeneracy of the genetic code and complement thereof, polynucleotides which are not identical to the SEQ ID or sequences of GenBank accession number of Table 1; expression vector, host cells; polypeptide encoded thereof (SEQ ID NO:2); polypeptides binding to the polypeptide of SEQ ID NO:2, including antibodies; kits comprising agents that selectively bind to the polynucleotide (SEQ ID NO:1) or polypeptide (SEQ ID NO:2) of the invention; pharmaceutical compositions containing the polynucleotide or polypeptides of the invention; a method for isolating the SOC/CRAC molecule having SOC/CRAC calcium channel activity comprising contacting a binding molecule that is SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample containing SOC/CRAC molecules allowing the formation of the complex, detecting the formation of the complex, isolating the SOC/CRAC molecule and determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity; a method for identifying agents useful in the modulation of SOC/CRAC calcium channel activity; a method to determine the level of SOC/CRAC expression in a subject, including expression of SOC/CRAC polypeptide or mRNA in a tissue or biological fluid sample using PCR, Northern blotting, and mono- and polyclonal antisera and a method for identifying agents useful in the modulation of the SOC/CRAC polypeptide kinase activity, comprising the use of aminoacids 999-1180 from SEQ ID NO:4 as a candidate kinase.

2. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:3 and to the encoded polypeptide of SEQ ID NO:4

3. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:5 and to the encoded polypeptide of SEQ ID NO:6

4. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:7 and to the encoded polypeptide of SEQ ID NO:8



FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

5. Claims: 1,6-36 (partially) and 37 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:23 and to the encoded polypeptide of SEQ ID NO:24

6. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:25 and to the encoded polypeptide of SEQ ID NO:26

7. Claims: 1,10-36 (partially) and 3 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:27 and to the encoded polypeptide of SEQ ID NO:28

8. Claims: 1,6-36 (partially) and 4 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:29 and to the encoded polypeptide of SEQ ID NO:30

9. Claims: 1,6-36 (partially) and 5 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:31 and to the encoded polypeptide of SEQ ID NO:32.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

In ternational Application No

PCT/US 99/29996

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9815657 A	16-04-1998	US 5919638 A EP 0954599 A US 6110675 A	06-07-1999 10-11-1999 29-08-2000
WO 9837093 A	27-08-1998	AU 6181898 A CN 1252837 T EP 1005546 A NO 994069 A PL 335348 A ZA 9801585 A	09-09-1998 10-05-2000 07-06-2000 22-10-1999 25-04-2000 04-09-1998
WO 9909199 A	25-02-1999	AU 9110098 A	08-03-1999
WO 9909166 A	25-02-1999	AU 9021898 A EP 1005549 A	08-03-1999 07-06-2000